



## Air Quality Index on Feb 19, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City        | Air Quality  | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------|--------------|-------------|---------------------|--|
| 1    | Agra        | Moderate     | 113         | PM <sub>2.5</sub>   | 1                                      |
| 2    | Ahmedabad   | Satisfactory | 96          | PM <sub>2.5</sub>   | 1                                      |
| 3    | Ajmer       | Moderate     | 126         | PM <sub>10</sub>    | 1                                      |
| 4    | Alwar       | Satisfactory | 80          | PM <sub>10</sub>    | 1                                      |
| 5    | Amaravati   | Satisfactory | 70          | PM <sub>10</sub>    | 1                                      |
| 6    | Ambala      | Satisfactory | 71          | SO <sub>2</sub>     | 1                                      |
| 7    | Amritsar    | Good         | 42          | PM <sub>10</sub>    | 1                                      |
| 8    | Asanol      | Poor         | 216         | PM <sub>2.5</sub>   | 1                                      |
| 9    | Aurangabad  | Moderate     | 102         | OZONE               | 1                                      |
| 10   | Baghpat     | Poor         | 291         | PM <sub>2.5</sub>   | 1                                      |
| 11   | Bahadurgarh | Satisfactory | 99          | PM <sub>2.5</sub>   | 1                                      |
| 12   | Ballabgarh  | Satisfactory | 88          | PM <sub>10</sub>    | 1                                      |

### Possible Health Impacts

|              |   |
|--------------|---|
| Good         | Minimal Impact  |
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani, Durgapur, Moradabad as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 19, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City           | Air Quality  | Index Value | Prominent Pollutant                         | Based on Number of Monitoring Stations |
|------|----------------|--------------|-------------|---|--|
| 13   | Bathinda       | Satisfactory | 66          | PM <sub>10</sub>                            | 1                                      |
| 14   | Bengaluru      | Moderate     | 112         | OZONE, PM <sub>10</sub> , PM <sub>2.5</sub> | 9                                      |
| 15   | Bhiwadi        | Moderate     | 134         | PM <sub>2.5</sub>                           | 1                                      |
| 16   | Brajrajnagar   | Moderate     | 151         | PM <sub>2.5</sub>                           | 1                                      |
| 17   | Bulandshahr    | Moderate     | 162         | PM <sub>2.5</sub>                           | 1                                      |
| 18   | Chandrapur     | Satisfactory | 100         | PM <sub>10</sub> , PM <sub>2.5</sub>        | 2                                      |
| 19   | Chennai        | Good         | 48          | PM <sub>2.5</sub> , CO                      | 3                                      |
| 20   | Chikkaballapur | Moderate     | 114         | PM <sub>10</sub>                            | 1                                      |
| 21   | Damoh          | Satisfactory | 82          | PM <sub>10</sub>                            | 1                                      |
| 22   | Delhi          | Poor         | 221         | PM <sub>2.5</sub>                           | 30                                     |
| 23   | Dewas          | Moderate     | 137         | PM <sub>10</sub>                            | 1                                      |
| 24   | Dharuhera      | Satisfactory | 99          | PM <sub>10</sub>                            | 1                                      |

### Possible Health Impacts

|              |   |
|--------------|---|
| Good         | Minimal Impact  |
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani, Durgapur, Moradabad as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 19, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City          | Air Quality  | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 25   | Faridabad     | Moderate     | 167         | PM <sub>2.5</sub>   | 1                                      |
| 26   | Fatehabad     | Satisfactory | 84          | PM <sub>10</sub>    | 1                                      |
| 27   | GandhiNagar   | Moderate     | 106         | PM <sub>10</sub>    | 1                                      |
| 28   | Gaya          | Poor         | 257         | PM <sub>2.5</sub>   | 1                                      |
| 29   | Ghaziabad     | Poor         | 223         | PM <sub>2.5</sub>   | 1                                      |
| 30   | Greater_Noida | Poor         | 212         | PM <sub>2.5</sub>   | 1                                      |
| 31   | Gurugram      | Moderate     | 141         | NO <sub>2</sub>     | 1                                      |
| 32   | Guwahati      | Satisfactory | 76          | PM <sub>2.5</sub>   | 1                                      |
| 33   | Haldia        | Moderate     | 141         | PM <sub>10</sub>    | 1                                      |
| 34   | Hapur         | Moderate     | 144         | PM <sub>2.5</sub>   | 1                                      |
| 35   | Hisar         | Moderate     | 116         | PM <sub>10</sub>    | 1                                      |
| 36   | Howrah        | Poor         | 274         | PM <sub>2.5</sub>   | 2                                      |

### Possible Health Impacts

|              |   |
|--------------|---|
| Good         | Minimal Impact  |
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani, Durgapur, Moradabad as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 19, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City       | Air Quality  | Index Value | Prominent Pollutant                  | Based on Number of Monitoring Stations |
|------|------------|--------------|-------------|--------------------------------------|--|
| 37   | Hubballi   | Moderate     | 129         | PM <sub>2.5</sub>                    | 1                                      |
| 38   | Hyderabad  | Moderate     | 122         | PM <sub>2.5</sub> , PM <sub>10</sub> | 6                                      |
| 39   | Jaipur     | Moderate     | 142         | PM <sub>10</sub>                     | 3                                      |
| 40   | Jalandhar  | Satisfactory | 81          | PM <sub>10</sub>                     | 1                                      |
| 41   | Jind       | Moderate     | 105         | PM <sub>10</sub>                     | 1                                      |
| 42   | Jodhpur    | Moderate     | 144         | PM <sub>2.5</sub>                    | 1                                      |
| 43   | Jorapokhar | Moderate     | 191         | OZONE                                | 1                                      |
| 44   | Kaithal    | Satisfactory | 73          | PM <sub>2.5</sub>                    | 1                                      |
| 45   | Kalaburgi  | Moderate     | 155         | PM <sub>10</sub>                     | 1                                      |
| 46   | Kanpur     | Poor         | 204         | PM <sub>2.5</sub>                    | 1                                      |
| 47   | Karnal     | Satisfactory | 89          | PM <sub>10</sub>                     | 1                                      |
| 48   | Khanna     | Good         | 23          | PM <sub>2.5</sub>                    | 1                                      |

### Possible Health Impacts

|              |   |
|--------------|---|
| Good         | Minimal Impact  |
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani, Durgapur, Moradabad as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 19, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City             | Air Quality  | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------------|--------------|-------------|---------------------|--|
| 49   | Kolkata          | Poor         | 298         | PM <sub>2.5</sub>   | 2                                      |
| 50   | Kota             | Satisfactory | 79          | PM <sub>10</sub>    | 1                                      |
| 51   | Kurushketra      | Satisfactory | 73          | OZONE               | 1                                      |
| 52   | Lucknow          | Poor         | 226         | PM <sub>2.5</sub>   | 3                                      |
| 53   | Ludhiana         | Satisfactory | 58          | PM <sub>2.5</sub>   | 1                                      |
| 54   | Maihar           | Satisfactory | 92          | CO                  | 1                                      |
| 55   | Mandi Gobindgarh | Good         | 27          | CO                  | 1                                      |
| 56   | Mandideep        | Moderate     | 161         | PM <sub>10</sub>    | 1                                      |
| 57   | Mandikhera       | Moderate     | 114         | PM <sub>10</sub>    | 1                                      |
| 58   | Manesar          | Moderate     | 150         | PM <sub>2.5</sub>   | 1                                      |
| 59   | Mumbai           | Moderate     | 166         | OZONE               | 1                                      |
| 60   | Muzaffarnagar    | Moderate     | 118         | PM <sub>2.5</sub>   | 1                                      |

### Possible Health Impacts

|              |   |
|--------------|---|
| Good         | Minimal Impact  |
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani, Durgapur, Moradabad as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 19, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City        | Air Quality  | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------|--------------|-------------|---------------------|--|
| 61   | Muzaffarpur | Poor         | 283         | PM <sub>2.5</sub>   | 1                                      |
| 62   | Nagpur      | Moderate     | 162         | OZONE               | 1                                      |
| 63   | Narnaul     | Moderate     | 118         | PM <sub>10</sub>    | 1                                      |
| 64   | Nashik      | Moderate     | 107         | OZONE               | 1                                      |
| 65   | Navi Mumbai | Moderate     | 120         | PM <sub>10</sub>    | 1                                      |
| 66   | Noida       | Poor         | 257         | PM <sub>2.5</sub>   | 1                                      |
| 67   | Pali        | Moderate     | 126         | PM <sub>2.5</sub>   | 1                                      |
| 68   | Palwal      | Moderate     | 150         | PM <sub>2.5</sub>   | 1                                      |
| 69   | Panchkula   | Satisfactory | 60          | OZONE               | 1                                      |
| 70   | Panipat     | Satisfactory | 95          | PM <sub>10</sub>    | 1                                      |
| 71   | Patiala     | Satisfactory | 61          | PM <sub>10</sub>    | 1                                      |
| 72   | Patna       | Poor         | 282         | PM <sub>2.5</sub>   | 1                                      |

### Possible Health Impacts

|              |   |
|--------------|---|
| Good         | Minimal Impact  |
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani, Durgapur, Moradabad as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 19, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City              | Air Quality  | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------------|--------------|-------------|---------------------|--|
| 73   | Pithampur         | Moderate     | 122         | PM <sub>10</sub>    | 1                                      |
| 74   | Pune              | Moderate     | 112         | PM <sub>10</sub>    | 1                                      |
| 75   | Rajamahendravaram | Satisfactory | 65          | PM <sub>10</sub>    | 1                                      |
| 76   | Ratlam            | Moderate     | 148         | PM <sub>2.5</sub>   | 1                                      |
| 77   | Rohtak            | Moderate     | 116         | PM <sub>2.5</sub>   | 1                                      |
| 78   | Rupnagar          | Good         | 23          | PM <sub>10</sub>    | 1                                      |
| 79   | Satna             | Moderate     | 106         | CO                  | 1                                      |
| 80   | Siliguri          | Moderate     | 159         | PM <sub>2.5</sub>   | 1                                      |
| 81   | Singrauli         | Poor         | 240         | PM <sub>10</sub>    | 1                                      |
| 82   | Sirsa             | Satisfactory | 74          | PM <sub>2.5</sub>   | 1                                      |
| 83   | Solapur           | Moderate     | 154         | PM <sub>10</sub>    | 1                                      |
| 84   | Sonipat           | Moderate     | 154         | PM <sub>2.5</sub>   | 1                                      |

### Possible Health Impacts

|              |   |
|--------------|---|
| Good         | Minimal Impact  |
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani, Durgapur, Moradabad as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 19, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City               | Air Quality  | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|--------------------|--------------|-------------|---------------------|--|
| 85   | Talcher            | Very Poor    | 354         | PM <sub>10</sub>    | 1                                      |
| 86   | Thane              | Moderate     | 167         | PM <sub>10</sub>    | 1                                      |
| 87   | Thiruvananthapuram | Satisfactory | 55          | OZONE               | 1                                      |
| 88   | Tirupati           | Satisfactory | 71          | PM <sub>10</sub>    | 1                                      |
| 89   | Udaipur            | Moderate     | 120         | PM <sub>10</sub>    | 1                                      |
| 90   | Ujjain             | Moderate     | 117         | PM <sub>10</sub>    | 1                                      |
| 91   | Vapi               | Poor         | 245         | PM <sub>2.5</sub>   | 1                                      |
| 92   | Varanasi           | Poor         | 227         | PM <sub>2.5</sub>   | 1                                      |
| 93   | Vatva              | Moderate     | 149         | PM <sub>2.5</sub>   | 1                                      |
| 94   | Vijayawada         | Satisfactory | 65          | PM <sub>10</sub>    | 1                                      |
| 95   | Visakhapatnam      | Satisfactory | 76          | PM <sub>10</sub>    | 1                                      |
| 96   | Yamunanagar        | Satisfactory | 67          | OZONE               | 1                                      |

### Possible Health Impacts

|              |   |
|--------------|---|
| Good         | Minimal Impact  |
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

### Notes

\* AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani, Durgapur, Moradabad as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.