

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	162	PM _{2.5}	2
2	Agra	Moderate	104	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	133	NO ₂	1
4	Aizawl	Good	22	PM ₁₀	1
5	Ajmer	Moderate	139	PM _{2.5}	1
6	Alwar	Satisfactory	98	PM ₁₀	1
7	Amaravati	Moderate	148	PM _{2.5}	1
8	Ambala	Satisfactory	71	PM ₁₀	1
9	Amritsar	Satisfactory	84	PM ₁₀	1
10	Anantapur	Good	50	03	1
11	Ankleshwar	Poor	252	PM _{2.5}	1
12	Araria	Poor	256	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bhilai, Chengalpattu, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kalyan,
 Kanchipuram, Korba, Manglore, Muzaffarnagar, Naharlagun, Pune, Raipur,
 Saharsa, Salem, Sasaram, Srinagar, Tirupati, Tirupur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	275	PM ₁₀	1
14	Asansol	Poor	255	PM _{2.5}	1
15	Aurangabad (Bihar)	Poor	229	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	153	PM _{2.5}	1
17	Baddi	Moderate	102	03	1
18	Bagalkot	Good	39	PM ₁₀	1
19	Bahadurgarh	Moderate	196	PM _{2.5}	1
20	Ballabgarh	Moderate	198	PM _{2.5}	1
21	Bareilly	Moderate	104	PM ₁₀	2
22	Bathinda	Moderate	167	PM ₁₀	1
23	Belgaum	Moderate	139	PM ₁₀	1
24	Bengaluru	Satisfactory	67	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bhilai, Chengalpattu, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kalyan,
 Kanchipuram, Korba, Manglore, Muzaffarnagar, Naharlagun, Pune, Raipur,
 Saharsa, Salem, Sasaram, Srinagar, Tirupati, Tirupur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Severe	424	PM ₁₀	1
26	Bhagalpur	Poor	269	PM _{2.5}	2
27	Bhiwadi	Moderate	181	PM ₁₀	1
28	Bhiwani	Poor	210	PM _{2.5}	1
29	Bhopal	Poor	279	PM _{2.5}	2
30	Bidar	Satisfactory	80	со	1
31	Bihar Sharif	Very Poor	304	PM _{2.5}	1
32	Bilaspur	Moderate	138	PM ₁₀	1
33	Brajrajnagar	Satisfactory	82	со	1
34	Bulandshahr	Moderate	145	PM _{2.5}	1
35	Buxar	Very Poor	390	PM _{2.5}	1
36	Chamarajanagar	Good	38	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bhilai, Chengalpattu, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kalyan,
 Kanchipuram, Korba, Manglore, Muzaffarnagar, Naharlagun, Pune, Raipur,
 Saharsa, Salem, Sasaram, Srinagar, Tirupati, Tirupur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Satisfactory	92	PM ₁₀	3
38	Chandrapur	Poor	201	PM _{2.5}	1
39	Charkhi Dadri	Moderate	170	PM _{2.5}	1
40	Chennai	Satisfactory	96	PM _{2.5} , PM ₁₀	6
41	Chhapra	Very Poor	360	PM _{2.5}	1
42	Chikkaballapur	Satisfactory	62	PM ₁₀	1
43	Chikkamagaluru	Good	32	PM ₁₀	1
44	Coimbatore	Satisfactory	80	СО	1
45	Damoh	Satisfactory	88	PM _{2.5}	1
46	Darbhanga	Very Poor	339	PM _{2.5}	1
47	Davanagere	Good	49	PM ₁₀	1
48	Delhi	Poor	227	PM _{2.5} , O ₃	37

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bhilai, Chengalpattu, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kalyan,
 Kanchipuram, Korba, Manglore, Muzaffarnagar, Naharlagun, Pune, Raipur,
 Saharsa, Salem, Sasaram, Srinagar, Tirupati, Tirupur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Moderate	136	PM ₁₀	1
50	Dharuhera	Poor	286	PM ₁₀	1
51	Dindigul	Good	42	SO ₂	1
52	Durgapur	Moderate	141	PM ₁₀	1
53	Eloor	Satisfactory	62	PM ₁₀	1
54	Ernakulam	Good	48	со	1
55	Faridabad	Poor	262	PM _{2.5}	4
56	Fatehabad	Moderate	170	PM _{2.5}	1
57	Firozabad	Satisfactory	84	PM _{2.5}	2
58	Gadag	Satisfactory	56	O ₃	1
59	Gandhinagar	Satisfactory	93	PM ₁₀	1
60	Gangtok	Satisfactory	64	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bhilai, Chengalpattu, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kalyan,
 Kanchipuram, Korba, Manglore, Muzaffarnagar, Naharlagun, Pune, Raipur,
 Saharsa, Salem, Sasaram, Srinagar, Tirupati, Tirupur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Poor	206	PM _{2.5}	3
62	Ghaziabad	Moderate	172	PM _{2.5}	4
63	Gorakhpur	Moderate	117	PM ₁₀	1
64	Greater Noida	Poor	212	PM ₁₀ , PM _{2.5}	2
65	Gurugram	Poor	217	PM _{2.5}	4
66	Guwahati	Moderate	113	PM _{2.5}	3
67	Gwalior	Poor	224	PM _{2.5}	2
68	Hajipur	Poor	290	PM ₁₀	1
69	Hapur	Moderate	111	PM _{2.5}	1
70	Hassan	Good	24	PM _{2.5}	1
71	Haveri	Satisfactory	63	PM ₁₀	1
72	Hisar	Poor	222	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bhilai, Chengalpattu, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kalyan,
 Kanchipuram, Korba, Manglore, Muzaffarnagar, Naharlagun, Pune, Raipur,
 Saharsa, Salem, Sasaram, Srinagar, Tirupati, Tirupur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Satisfactory	79	СО	1
74	Howrah	Poor	217	PM _{2.5}	3
75	Hubballi	Satisfactory	88	PM ₁₀	1
76	Hyderabad	Satisfactory	87	PM _{2.5} , PM ₁₀	13
77	Imphal	Moderate	112	PM _{2.5} , SO ₂	2
78	Indore	Moderate	145	PM ₁₀	1
79	Jabalpur	Moderate	171	PM _{2.5}	1
80	Jaipur	Moderate	141	PM _{2.5} , PM ₁₀	3
81	Jalandhar	Satisfactory	89	PM ₁₀	1
82	Jhansi	Moderate	130	PM ₁₀	1
83	Jind	Moderate	200	PM _{2.5}	1
84	Jodhpur	Moderate	197	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bhilai, Chengalpattu, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kalyan,
 Kanchipuram, Korba, Manglore, Muzaffarnagar, Naharlagun, Pune, Raipur,
 Saharsa, Salem, Sasaram, Srinagar, Tirupati, Tirupur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Moderate	113	PM _{2.5}	1
86	Kalaburgi	Moderate	170	PM _{2.5}	1
87	Kannur	Satisfactory	64	PM _{2.5}	1
88	Kanpur	Moderate	182	PM _{2.5} , PM ₁₀	3
89	Karnal	Satisfactory	93	PM ₁₀	1
90	Katihar	Severe	404	PM _{2.5}	1
91	Katni	Poor	226	PM ₁₀	1
92	Khanna	Satisfactory	53	03	1
93	Khurja	Satisfactory	77	PM _{2.5}	1
94	Kishanganj	Poor	203	PM ₁₀	1
95	Kochi	Poor	201	PM _{2.5}	1
96	Kohima	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bhilai, Chengalpattu, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kalyan,
 Kanchipuram, Korba, Manglore, Muzaffarnagar, Naharlagun, Pune, Raipur,
 Saharsa, Salem, Sasaram, Srinagar, Tirupati, Tirupur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolar	Satisfactory	73	SO ₂	1
98	Kolkata	Poor	223	PM _{2.5}	7
99	Kollam	Good	46	PM _{2.5}	1
100	Koppal	Satisfactory	64	PM ₁₀	1
101	Kota	Poor	266	PM _{2.5}	1
102	Kozhikode	Satisfactory	69	PM ₁₀	1
103	Kurukshetra	Satisfactory	78	PM _{2.5}	1
104	Lucknow	Poor	218	PM _{2.5}	6
105	Ludhiana	Satisfactory	85	PM ₁₀	1
106	Madikeri	Good	25	03	1
107	Maihar	Satisfactory	58	PM ₁₀	1
108	Mandi Gobindgarh	Moderate	101	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Baghpat, Begusarai, Bhilai, Chengalpattu, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kalyan, Kanchipuram, Korba, Manglore, Muzaffarnagar, Naharlagun, Pune, Raipur, Saharsa, Salem, Sasaram, Srinagar, Tirupati, Tirupur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandideep	Poor	270	PM ₁₀	1
110	Mandikhera	Moderate	158	PM ₁₀	1
111	Manesar	Moderate	131	PM ₁₀	1
112	Manguraha	Moderate	107	PM _{2.5}	1
113	Meerut	Moderate	110	PM _{2.5}	3
114	Moradabad	Satisfactory	92	PM ₁₀	6
115	Motihari	Very Poor	394	PM _{2.5}	1
116	Mumbai	Poor	220	PM _{2.5} , PM ₁₀	19
117	Munger	Poor	229	PM _{2.5}	1
118	Muzaffarpur	Very Poor	358	PM _{2.5}	2
119	Mysuru	Good	44	O ₃	1
120	Nagpur	Poor	201	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bhilai, Chengalpattu, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kalyan,
 Kanchipuram, Korba, Manglore, Muzaffarnagar, Naharlagun, Pune, Raipur,
 Saharsa, Salem, Sasaram, Srinagar, Tirupati, Tirupur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nandesari	Good	50	со	1
122	Narnaul	Moderate	140	PM ₁₀	1
123	Nashik	Moderate	177	PM _{2.5}	1
124	Navi Mumbai	Poor	244	PM _{2.5}	3
125	Noida	Moderate	169	PM _{2.5}	4
126	Ooty	Good	49	SO ₂	1
127	Pali	Moderate	167	PM _{2.5}	1
128	Palwal	Satisfactory	78	PM ₁₀	1
129	Panchkula	Satisfactory	62	со	1
130	Panipat	Moderate	158	PM ₁₀	1
131	Patiala	Satisfactory	70	PM ₁₀	1
132	Patna	Very Poor	340	PM ₁₀ , PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

lotes:

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bhilai, Chengalpattu, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kalyan,
 Kanchipuram, Korba, Manglore, Muzaffarnagar, Naharlagun, Pune, Raipur,
 Saharsa, Salem, Sasaram, Srinagar, Tirupati, Tirupur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pithampur	Moderate	182	PM _{2.5}	1
134	Prayagraj	Moderate	154	PM _{2.5} , PM ₁₀	3
135	Puducherry	Satisfactory	70	PM _{2.5}	1
136	Purnia	Very Poor	367	PM _{2.5}	1
137	Raichur	Moderate	115	PM ₁₀	1
138	Rajamahendravaram	Moderate	137	PM _{2.5}	1
139	Rajgir	Poor	219	PM _{2.5}	1
140	Ramanagara	Good	47	O ₃	1
141	Ramanathapuram	Good	24	СО	1
142	Ratlam	Moderate	158	PM _{2.5}	1
143	Rohtak	Moderate	179	PM _{2.5}	1
144	Rupnagar	Moderate	119	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bhilai, Chengalpattu, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kalyan,
 Kanchipuram, Korba, Manglore, Muzaffarnagar, Naharlagun, Pune, Raipur,
 Saharsa, Salem, Sasaram, Srinagar, Tirupati, Tirupur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sagar	Moderate	114	O ₃ , CO	2
146	Samastipur	Very Poor	395	PM _{2.5}	1
147	Satna	Satisfactory	52	PM ₁₀	1
148	Shillong	Good	27	PM _{2.5}	1
149	Shivamogga	Good	48	PM ₁₀	1
150	Siliguri	Moderate	114	PM ₁₀	1
151	Singrauli	Poor	293	PM _{2.5}	1
152	Sirsa	Poor	225	PM _{2.5}	1
153	Sivasagar	Good	37	PM ₁₀	1
154	Siwan	Severe	430	PM _{2.5}	1
155	Solapur	Satisfactory	97	PM ₁₀	1
156	Sonipat	Moderate	171	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bhilai, Chengalpattu, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kalyan,
 Kanchipuram, Korba, Manglore, Muzaffarnagar, Naharlagun, Pune, Raipur,
 Saharsa, Salem, Sasaram, Srinagar, Tirupati, Tirupur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Surat	Moderate	154	PM ₁₀	1
158	Talcher	Moderate	147	PM _{2.5}	1
159	Thane	Moderate	161	PM ₁₀	1
160	Thiruvananthapuram	Good	38	со	2
161	Thoothukudi	Good	27	PM ₁₀	1
162	Thrissur	Satisfactory	57	PM ₁₀	1
163	Udaipur	Poor	218	PM _{2.5}	1
164	Udupi	Satisfactory	94	СО	1
165	Ujjain	Moderate	195	PM _{2.5}	1
166	Vapi	Very Poor	303	PM _{2.5}	1
167	Varanasi	Moderate	118	PM _{2.5} , PM ₁₀	4
168	Vatva	Moderate	143	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bhilai, Chengalpattu, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kalyan,
 Kanchipuram, Korba, Manglore, Muzaffarnagar, Naharlagun, Pune, Raipur,
 Saharsa, Salem, Sasaram, Srinagar, Tirupati, Tirupur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Vijayapura	Good	47	PM ₁₀	1
170	Visakhapatnam	Poor	216	PM _{2.5}	1
171	Vrindavan	Moderate	114	PM ₁₀	1
172	Yadgir	Moderate	110	PM _{2.5}	1
173	Yamunanagar	Moderate	116	PM ₁₀	1
174	vellore	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai, Bhilai, Chengalpattu, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kalyan, Kanchipuram, Korba, Manglore, Muzaffarnagar, Naharlagun, Pune, Raipur, Saharsa, Salem, Sasaram, Srinagar, Tirupati, Tirupur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.