

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	48	PM <sub>10</sub>	2
2	Agra	Good	24	SO <sub>2</sub> , PM <sub>10</sub>	3
3	Ahmedabad	Satisfactory	61	PM <sub>10</sub>	2
4	Aizawl	Good	24	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	94	PM <sub>10</sub>	1
6	Alwar	Satisfactory	66	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	52	O <sub>3</sub>	1
8	Amritsar	Satisfactory	90	PM <sub>10</sub>	1
9	Anantapur	Moderate	110	PM <sub>10</sub>	1
10	Araria	Satisfactory	84	PM <sub>10</sub>	1
11	Arrah	Satisfactory	74	NO <sub>2</sub>	1
12	Asansol	Moderate	101	O <sub>3</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	123	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Satisfactory	91	PM <sub>10</sub>	1
15	Baddi	Satisfactory	90	PM <sub>10</sub>	1
16	Bagalkot	Good	37	со	1
17	Baghpat	Good	25	03	1
18	Bahadurgarh	Good	50	03	1
19	Ballabgarh	Satisfactory	76	PM <sub>10</sub>	1
20	Bareilly	Satisfactory	66	PM <sub>10</sub>	2
21	Bathinda	Satisfactory	57	PM <sub>10</sub>	1
22	Belgaum	Good	48	PM <sub>2.5</sub>	1
23	Bengaluru	Satisfactory	76	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	7
24	Bhagalpur	Satisfactory	62	NO <sub>2</sub> , O <sub>3</sub>	2

Notes:

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Moderate	184	NO <sub>2</sub>	1
26	Bhopal	Satisfactory	71	PM <sub>10</sub>	2
27	Bihar Sharif	Satisfactory	100	PM <sub>10</sub>	1
28	Bilaspur	Satisfactory	68	со	1
29	Bulandshahr	Good	34	PM <sub>10</sub>	1
30	Buxar	Good	49	PM <sub>10</sub>	1
31	Chamarajanagar	Good	38	PM <sub>10</sub>	1
32	Chandigarh	Good	48	CO, PM <sub>10</sub>	3
33	Chandrapur	Satisfactory	52	NO <sub>2</sub>	1
34	Charkhi Dadri	Good	41	PM <sub>2.5</sub>	1
35	Chennai	Satisfactory	69	CO, PM <sub>10</sub>	8
36	Chhapra	Moderate	127	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	46	PM <sub>10</sub>	1
38	Chikkamagaluru	Good	38	PM <sub>10</sub>	1
39	Darbhanga	Satisfactory	80	PM <sub>2.5</sub>	1
40	Davanagere	Good	36	PM <sub>10</sub>	1
41	Delhi	Satisfactory	66	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	32
42	Dewas	Satisfactory	67	PM <sub>10</sub>	1
43	Dindigul	Good	44	SO <sub>2</sub>	1
44	Durgapur	Satisfactory	90	PM <sub>10</sub>	1
45	Eloor	Satisfactory	54	PM <sub>10</sub>	1
46	Ernakulam	Satisfactory	68	со	1
47	Faridabad	Satisfactory	66	PM <sub>10</sub> , PM <sub>2.5</sub>	3
48	Gadag	Good	24	SO <sub>2</sub>	1

Notes:

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Satisfactory	53	PM <sub>10</sub>	1
50	Gaya	Satisfactory	94	PM <sub>10</sub> , CO, O <sub>3</sub>	3
51	Ghaziabad	Good	49	PM <sub>10</sub> , CO	3
52	Gorakhpur	Satisfactory	52	SO <sub>2</sub>	1
53	Greater Noida	Satisfactory	51	CO, PM <sub>10</sub>	2
54	Gummidipoondi	Good	26	PM <sub>10</sub>	1
55	Gurugram	Satisfactory	96	O <sub>3</sub>	1
56	Guwahati	Good	50	PM <sub>10</sub>	3
57	Gwalior	Good	31	SO <sub>2</sub>	1
58	Hajipur	Satisfactory	72	PM <sub>10</sub>	1
59	Haldia	Good	39	PM <sub>10</sub>	1
60	Hapur	Good	22	PM <sub>2.5</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Good	38	PM <sub>2.5</sub>	1
62	Haveri	Good	40	со	1
63	Hosur	Satisfactory	75	со	1
64	Howrah	Good	39	PM <sub>10</sub> , O <sub>3</sub>	3
65	Hubballi	Satisfactory	65	PM <sub>10</sub>	1
66	Hyderabad	Satisfactory	69	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	12
67	Imphal	Moderate	101	O <sub>3</sub> , PM <sub>10</sub>	2
68	Indore	Satisfactory	66	PM <sub>10</sub>	1
69	Jabalpur	Good	44	со	1
70	Jaipur	Good	43	CO, O <sub>3</sub>	2
71	Jalandhar	Good	45	PM <sub>10</sub>	1
72	Jhansi	Good	27	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Satisfactory	76	PM <sub>10</sub>	1
74	Kaithal	Good	45	O <sub>3</sub>	1
75	Kalyan	Satisfactory	57	PM <sub>10</sub>	1
76	Kannur	Satisfactory	64	PM <sub>2.5</sub>	1
77	Kanpur	Good	36	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	3
78	Karnal	Good	43	SO <sub>2</sub>	1
79	Katihar	Moderate	120	PM <sub>10</sub>	1
80	Katni	Good	35	со	1
81	Khanna	Good	36	PM <sub>10</sub>	1
82	Kishanganj	Satisfactory	58	PM <sub>10</sub>	1
83	Kochi	Good	18	со	1
84	Kolkata	Good	42	O <sub>3</sub> , PM <sub>10</sub>	6

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	60	PM <sub>10</sub>	1
86	Koppal	Satisfactory	81	O <sub>3</sub>	1
87	Kota	Satisfactory	53	PM <sub>10</sub>	1
88	Kozhikode	Satisfactory	61	PM <sub>10</sub>	1
89	Kurukshetra	Good	37	03	1
90	Lucknow	Satisfactory	60	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	6
91	Ludhiana	Satisfactory	53	PM <sub>10</sub>	1
92	Madikeri	Good	29	PM <sub>10</sub>	1
93	Maihar	Good	26	со	1
94	Mandideep	Good	46	PM <sub>10</sub>	1
95	Mandikhera	Good	30	PM <sub>10</sub>	1
96	Manesar	Satisfactory	51	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Satisfactory	59	PM <sub>10</sub>	1
98	Meerut	Good	31	PM <sub>10</sub> , O <sub>3</sub> , NO <sub>2</sub>	3
99	Moradabad	Good	45	PM <sub>2.5</sub> , PM <sub>10</sub>	5
100	Motihari	Satisfactory	55	03	1
101	Mumbai	Good	50	CO, NO <sub>2</sub> , PM <sub>10</sub>	14
102	Muzaffarnagar	Good	33	со	1
103	Muzaffarpur	Satisfactory	63	O <sub>3</sub> , PM <sub>10</sub> , CO	3
104	Mysuru	Satisfactory	52	03	1
105	Nagpur	Satisfactory	68	со	1
106	Naharlagun	Good	22	SO <sub>2</sub>	1
107	Nashik	Good	45	03	1
108	Navi Mumbai	Moderate	101	СО	1

Notes:

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Satisfactory	66	CO, SO <sub>2</sub> , PM <sub>10</sub>	4
110	Ooty	Satisfactory	54	PM <sub>10</sub>	1
111	Pali	Satisfactory	67	PM <sub>10</sub>	1
112	Palwal	Satisfactory	54	03	1
113	Panchkula	Satisfactory	60	со	1
114	Panipat	Satisfactory	53	PM <sub>10</sub>	1
115	Patiala	Satisfactory	56	03	1
116	Patna	Satisfactory	70	PM <sub>10</sub> , PM <sub>2.5</sub>	6
117	Pithampur	Moderate	107	PM <sub>10</sub>	1
118	Prayagraj	Good	48	PM <sub>2.5</sub> , SO <sub>2</sub>	2
119	Pune	Satisfactory	98	PM <sub>2.5</sub>	1
120	Purnia	Satisfactory	96	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AOI is not calculated for today's bulletin for Ambala, Ankleshwar

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Good	40	PM <sub>10</sub>	1
122	Ramanagara	Good	44	03	1
123	Ramanathapuram	Good	44	PM <sub>10</sub>	1
124	Ratlam	Satisfactory	54	PM <sub>10</sub>	1
125	Rupnagar	Satisfactory	59	PM <sub>10</sub>	1
126	Sagar	Satisfactory	53	со	1
127	Sasaram	Good	49	PM <sub>2.5</sub>	1
128	Satna	Good	31	PM <sub>2.5</sub>	1
129	Shillong	Good	42	PM <sub>10</sub>	2
130	Shivamogga	Good	48	PM <sub>10</sub>	1
131	Siliguri	Good	45	PM <sub>10</sub>	1
132	Singrauli	Satisfactory	88	NO <sub>2</sub>	1

Notes:

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sirsa	Satisfactory	69	03	1
134	Siwan	Satisfactory	75	PM <sub>10</sub>	1
135	Solapur	Satisfactory	73	PM <sub>10</sub>	1
136	Srinagar	Good	47	PM <sub>10</sub>	1
137	Thiruvananthapuram	Good	38	CO, NO <sub>2</sub>	2
138	Thoothukudi	Good	43	PM <sub>10</sub>	1
139	Thrissur	Good	47	PM <sub>10</sub>	1
140	Tirupati	Good	43	со	1
141	Tiruppur	Moderate	163	PM <sub>10</sub>	1
142	Udaipur	Satisfactory	76	PM <sub>10</sub>	1
143	Ujjain	Satisfactory	80	PM <sub>10</sub>	1
144	Varanasi	Good	48	PM <sub>10</sub> , O <sub>3</sub>	3

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Moderate	117	PM <sub>10</sub>	1
146	Vijayapura	Good	40	PM <sub>10</sub>	1
147	Visakhapatnam	Moderate	109	PM <sub>10</sub>	1
148	Vrindavan	Satisfactory	60	PM <sub>2.5</sub>	1
149	Yadgir	Good	41	PM <sub>10</sub>	1
150	Yamunanagar	Satisfactory	56	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

#### Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.