

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	SO <sub>2</sub>	1
2	Agra	Good	44	PM <sub>2.5</sub>	3
3	Ahmedabad	Satisfactory	84	PM <sub>2.5</sub> , PM <sub>10</sub>	7
4	Ajmer	Satisfactory	74	PM <sub>10</sub>	1
5	Alwar	Satisfactory	83	PM <sub>10</sub>	1
6	Amaravati	Good	24	PM <sub>10</sub>	1
7	Ambala	Satisfactory	59	PM <sub>10</sub>	1
8	Amritsar	Good	38	PM <sub>10</sub>	1
9	Ankleshwar	Satisfactory	59	PM <sub>10</sub>	1
10	Bagalkot	Good	25	со	1
11	Baghpat	Satisfactory	70	03	1
12	Bahadurgarh	Satisfactory	87	PM <sub>2.5</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kozhikode, Maihar, Manesar, Naharlagun, Nandesari, Rupnagar, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Satisfactory	65	O <sub>3</sub>	1
14	Bathinda	Good	36	PM <sub>10</sub>	1
15	Bengaluru	Satisfactory	57	PM <sub>10</sub> , CO	10
16	Bettiah	Satisfactory	65	PM <sub>10</sub>	1
17	Bhiwadi	Satisfactory	92	PM <sub>10</sub>	1
18	Bhiwani	Satisfactory	89	PM <sub>10</sub>	1
19	Bhopal	Satisfactory	61	PM <sub>10</sub>	1
20	Bihar Sharif	Satisfactory	58	NO <sub>2</sub>	1
21	Brajrajnagar	Satisfactory	99	со	1
22	Bulandshahr	Satisfactory	52	PM <sub>10</sub>	1
23	Chamarajanagar	Good	36	PM <sub>10</sub>	1
24	Chandigarh	Good	33	NH <sub>3</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kozhikode, Maihar, Manesar, Naharlagun, Nandesari, Rupnagar, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Good	42	PM <sub>10</sub>	2
26	Charkhi Dadri	Satisfactory	75	PM <sub>10</sub>	1
27	Chennai	Satisfactory	59	PM <sub>10</sub>	7
28	Chikkaballapur	Good	29	со	1
29	Chikkamagaluru	Good	30	PM <sub>10</sub>	1
30	Damoh	Good	18	NO <sub>2</sub>	1
31	Darbhanga	Satisfactory	79	PM <sub>10</sub>	1
32	Davanagere	Good	26	со	1
33	Delhi	Satisfactory	99	PM <sub>2.5</sub> , PM <sub>10</sub>	35
34	Dewas	Satisfactory	80	PM <sub>10</sub>	1
35	Dharuhera	Moderate	108	PM <sub>2.5</sub>	1
36	Durgapur	Good	28	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kozhikode, Maihar, Manesar, Naharlagun, Nandesari, Rupnagar, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	44	СО	1
38	Faridabad	Satisfactory	71	PM <sub>10</sub> , O <sub>3</sub>	3
39	Fatehabad	Satisfactory	73	03	1
40	Firozabad	Good	36	NH <sub>3</sub>	1
41	Gadag	Good	16	со	1
42	Gandhinagar	Satisfactory	91	PM <sub>2.5</sub> , PM <sub>10</sub>	3
43	Gaya	Satisfactory	57	со	1
44	Ghaziabad	Moderate	136	PM <sub>10</sub> , CO	4
45	Gorakhpur	Good	12	со	1
46	Greater Noida	Satisfactory	82	PM <sub>10</sub>	2
47	Gurugram	Satisfactory	100	PM <sub>2.5</sub> , PM <sub>10</sub>	4
48	Guwahati	Good	46	SO <sub>2</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kozhikode, Maihar, Manesar, Naharlagun, Nandesari, Rupnagar, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Satisfactory	64	PM <sub>10</sub> , O <sub>3</sub>	2
50	Hajipur	Satisfactory	70	O <sub>3</sub>	1
51	Haldia	Good	36	PM <sub>10</sub>	1
52	Hapur	Satisfactory	66	со	1
53	Hassan	Good	37	PM <sub>10</sub>	1
54	Hisar	Satisfactory	79	PM <sub>2.5</sub>	1
55	Howrah	Good	35	CO, PM <sub>10</sub>	3
56	Hubballi	Good	20	NO <sub>2</sub>	1
57	Hyderabad	Good	39	NO <sub>2</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	5
58	Indore	Satisfactory	86	PM <sub>10</sub>	1
59	Jabalpur	Good	41	со	1
60	Jaipur	Satisfactory	63	PM <sub>2.5</sub> , O <sub>3</sub>	3

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kozhikode, Maihar, Manesar, Naharlagun, Nandesari, Rupnagar, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Satisfactory	73	PM <sub>10</sub>	1
62	Jind	Satisfactory	57	PM <sub>2.5</sub>	1
63	Jodhpur	Moderate	129	PM <sub>2.5</sub>	1
64	Kaithal	Satisfactory	72	PM <sub>10</sub>	1
65	Kalyan	Good	39	PM <sub>10</sub>	1
66	Kannur	Good	38	NO <sub>2</sub>	1
67	Kanpur	Good	32	NO <sub>2</sub> , PM <sub>2.5</sub>	2
68	Karnal	Satisfactory	74	PM <sub>2.5</sub>	1
69	Katni	Good	31	со	1
70	Khanna	Satisfactory	61	PM <sub>10</sub>	1
71	Kochi	Good	41	со	1
72	Kohima	Good	43	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kozhikode, Maihar, Manesar, Naharlagun, Nandesari, Rupnagar, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolar	Satisfactory	96	со	1
74	Kolkata	Good	34	O <sub>3</sub> , PM <sub>10</sub>	6
75	Kollam	Satisfactory	58	PM <sub>2.5</sub>	1
76	Koppal	Good	28	03	1
77	Kota	Good	46	PM <sub>10</sub>	1
78	Kurukshetra	Satisfactory	53	PM <sub>10</sub>	1
79	Lucknow	Satisfactory	56	PM <sub>2.5</sub> , CO, O <sub>3</sub>	6
80	Ludhiana	Satisfactory	79	PM <sub>10</sub>	1
81	Mandi Gobindgarh	Good	39	PM <sub>2.5</sub>	1
82	Mandideep	Satisfactory	53	PM <sub>10</sub>	1
83	Mandikhera	Good	49	PM <sub>10</sub>	1
84	Manglore	Satisfactory	70	NO <sub>2</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kozhikode, Maihar, Manesar, Naharlagun, Nandesari, Rupnagar, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Medikeri	Good	23	SO <sub>2</sub>	1
86	Meerut	Satisfactory	55	PM <sub>10</sub> , O <sub>3</sub>	3
87	Moradabad	Satisfactory	78	PM <sub>10</sub>	1
88	Motihari	Good	37	03	1
89	Mumbai	Satisfactory	59	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	15
90	Muzaffarnagar	Satisfactory	71	со	1
91	Muzaffarpur	Good	16	PM <sub>10</sub>	1
92	Mysuru	Good	33	PM <sub>10</sub>	1
93	Nagpur	Satisfactory	83	03	1
94	Narnaul	Moderate	105	PM <sub>10</sub>	1
95	Nashik	Good	40	PM <sub>10</sub>	1
96	Navi Mumbai	Good	36	PM <sub>10</sub>	3

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kozhikode, Maihar, Manesar, Naharlagun, Nandesari, Rupnagar, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Noida	Satisfactory	82	PM <sub>10</sub>	4
98	Pali	Satisfactory	65	PM <sub>10</sub>	1
99	Palwal	Satisfactory	70	PM <sub>10</sub>	1
100	Panchkula	Satisfactory	53	03	1
101	Panipat	Satisfactory	77	PM <sub>10</sub>	1
102	Patiala	Satisfactory	51	PM <sub>10</sub>	1
103	Patna	Satisfactory	55	O <sub>3</sub> , CO, PM <sub>10</sub>	5
104	Pithampur	Satisfactory	66	PM <sub>2.5</sub>	1
105	Prayagraj	Good	41	PM <sub>10</sub>	1
106	Puducherry	Good	44	PM <sub>10</sub>	1
107	Pune	Satisfactory	73	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	3
108	Raichur	Good	46	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kozhikode, Maihar, Manesar, Naharlagun, Nandesari, Rupnagar, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rajamahendravaram	Good	44	PM <sub>10</sub>	1
110	Ramanagara	Good	31	PM <sub>10</sub>	1
111	Ratlam	Satisfactory	71	PM <sub>10</sub>	1
112	Rohtak	Moderate	136	PM <sub>2.5</sub>	1
113	Sagar	Good	24	NO <sub>2</sub>	1
114	Satna	Satisfactory	58	PM <sub>10</sub>	1
115	Shillong	Good	14	SO <sub>2</sub>	1
116	Shivamogga	Good	40	PM <sub>10</sub>	1
117	Siliguri	Good	35	PM <sub>10</sub>	1
118	Singrauli	Good	36	NO <sub>2</sub>	1
119	Sirsa	Satisfactory	69	O <sub>3</sub>	1
120	Solapur	Good	34	O <sub>3</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kozhikode, Maihar, Manesar, Naharlagun, Nandesari, Rupnagar, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sonipat	Moderate	169	PM <sub>10</sub>	1
122	Srinagar	Moderate	103	PM <sub>10</sub>	1
123	Talcher	Satisfactory	98	СО	1
124	Thane	Satisfactory	57	O <sub>3</sub>	1
125	Thiruvananthapuram	Satisfactory	62	со	2
126	Thoothukudi	Good	41	PM <sub>10</sub>	1
127	Thrissur	Satisfactory	55	O <sub>3</sub>	1
128	Tirupati	Good	35	СО	1
129	Udaipur	Satisfactory	70	PM <sub>10</sub>	1
130	Udupi	Satisfactory	79	со	1
131	Ujjain	Moderate	121	PM <sub>10</sub>	1
132	Vapi	Moderate	130	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kozhikode, Maihar, Manesar, Naharlagun, Nandesari, Rupnagar, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Varanasi	Good	30	PM <sub>10</sub> , O <sub>3</sub> , SO <sub>2</sub>	4
134	Vatva	Moderate	108	PM <sub>2.5</sub>	1
135	Visakhapatnam	Satisfactory	86	PM <sub>10</sub>	1
136	Yadgir	Good	22	PM <sub>10</sub>	1
137	Yamunanagar	Moderate	101	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bidar, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Kozhikode, Maihar, Manesar, Naharlagun, Nandesari, Rupnagar, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.