

## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	255	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	123	PM <sub>2.5</sub>	1
3	Ajmer	Satisfactory	82	PM <sub>10</sub>	1
4	Alwar	Satisfactory	91	PM <sub>10</sub>	1
5	Amaravati	Good	41	O <sub>3</sub>	1
6	Ambala	Poor	201	PM <sub>2.5</sub>	1
7	Amritsar	Moderate	167	PM <sub>2.5</sub>	1
8	Asansol	Satisfactory	87	PM <sub>10</sub>	1
9	Aurangabad	Satisfactory	62	PM <sub>10</sub>	1
10	Baghpat	Poor	289	PM <sub>2.5</sub>	1
11	Bahadurgarh	Moderate	191	PM <sub>2.5</sub>	1
12	Ballabgarh	Poor	254	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Charkhi Dadri, Coimbatore, Dharuhera, Jorapokhar, Kochi, Pune, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Good	47	PM <sub>2.5</sub>	1
14	Bengaluru	Satisfactory	57	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	8
15	Bhiwadi	Very Poor	310	PM <sub>2.5</sub>	1
16	Bhiwani	Moderate	171	O <sub>3</sub>	1
17	Bhopal	Moderate	140	PM <sub>2.5</sub>	1
18	Brajrajnagar	Satisfactory	70	PM <sub>10</sub>	1
19	Bulandshahr	Poor	268	PM <sub>2.5</sub>	1
20	Chandigarh	Moderate	106	PM <sub>10</sub>	1
21	Chandrapur	Satisfactory	55	PM <sub>10</sub> , PM <sub>2.5</sub>	2
22	Chennai	Satisfactory	55	PM <sub>10</sub> , PM <sub>2.5</sub>	4
23	Chikkaballapur	Satisfactory	64	PM <sub>2.5</sub>	1
24	Chikkamagaluru	Good	49	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Charkhi Dadri, Coimbatore, Dharuhera, Jorapokhar, Kochi, Pune, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Satisfactory	82	PM <sub>10</sub>	1
26	Delhi	Poor	221	PM <sub>10</sub> , PM <sub>2.5</sub>	34
27	Dewas	Moderate	129	PM <sub>10</sub>	1
28	Eloor	Good	35	со	1
29	Ernakulam	Satisfactory	90	со	1
30	Faridabad	Poor	217	PM <sub>2.5</sub> , PM <sub>10</sub>	3
31	Fatehabad	Poor	242	PM <sub>2.5</sub>	1
32	Gandhinagar	Satisfactory	97	PM <sub>10</sub>	1
33	Gaya	Good	47	PM <sub>10</sub>	1
34	Ghaziabad	Poor	246	PM <sub>2.5</sub>	4
35	Greater Noida	Poor	254	PM <sub>10</sub> , PM <sub>2.5</sub>	2
36	Gurugram	Moderate	190	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Charkhi Dadri, Coimbatore, Dharuhera, Jorapokhar, Kochi, Pune, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Satisfactory	72	PM <sub>10</sub>	1
38	Gwalior	Poor	213	PM <sub>2.5</sub>	1
39	Hajipur	Moderate	139	PM <sub>10</sub>	1
40	Hapur	Poor	221	PM <sub>10</sub>	1
41	Hisar	Moderate	167	PM <sub>2.5</sub>	1
42	Howrah	Moderate	119	PM <sub>2.5</sub>	1
43	Hubballi	Satisfactory	64	PM <sub>10</sub>	1
44	Hyderabad	Satisfactory	62	PM <sub>10</sub> , PM <sub>2.5</sub> , NO <sub>2</sub>	6
45	Indore	Moderate	140	PM <sub>10</sub>	1
46	Jabalpur	Satisfactory	68	PM <sub>10</sub>	1
47	Jaipur	Moderate	102	PM <sub>10</sub>	3
48	Jalandhar	Moderate	158	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Charkhi Dadri, Coimbatore, Dharuhera, Jorapokhar, Kochi, Pune, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Poor	270	PM <sub>2.5</sub>	1
50	Jodhpur	Moderate	142	PM <sub>2.5</sub>	1
51	Kaithal	Moderate	140	PM <sub>10</sub>	1
52	Kalaburgi	Poor	286	PM <sub>10</sub>	1
53	Kalyan	Moderate	121	PM <sub>10</sub>	1
54	Kannur	Good	35	СО	1
55	Kanpur	Moderate	179	PM <sub>2.5</sub>	1
56	Karnal	Moderate	127	PM <sub>10</sub>	1
57	Katni	Satisfactory	78	PM <sub>10</sub>	1
58	Khanna	Moderate	110	PM <sub>10</sub>	1
59	Kohima	Satisfactory	78	PM <sub>10</sub>	1
60	Kolkata	Satisfactory	100	PM <sub>2.5</sub> , PM <sub>10</sub>	5

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Charkhi Dadri, Coimbatore, Dharuhera, Jorapokhar, Kochi, Pune, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kollam	Satisfactory	79	PM <sub>2.5</sub>	1
62	Kota	Moderate	135	PM <sub>2.5</sub>	1
63	Kozhikode	Good	30	со	1
64	Kurukshetra	Poor	206	PM <sub>2.5</sub>	1
65	Lucknow	Poor	255	PM <sub>10</sub> , PM <sub>2.5</sub>	4
66	Ludhiana	Satisfactory	100	PM <sub>10</sub>	1
67	Maihar	Good	39	PM <sub>10</sub>	1
68	Mandi Gobindgarh	Moderate	151	PM <sub>2.5</sub>	1
69	Mandideep	Moderate	104	PM <sub>10</sub>	1
70	Mandikhera	Moderate	195	PM <sub>2.5</sub>	1
71	Manesar	Moderate	168	PM <sub>2.5</sub>	1
72	Meerut	Poor	262	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Charkhi Dadri, Coimbatore, Dharuhera, Jorapokhar, Kochi, Pune, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Moradabad	Poor	218	PM <sub>2.5</sub>	1
74	Mumbai	Moderate	145	PM <sub>2.5</sub>	8
75	Muzaffarnagar	Poor	259	PM <sub>2.5</sub>	1
76	Muzaffarpur	Moderate	127	PM <sub>10</sub> , PM <sub>2.5</sub>	2
77	Mysuru	Good	38	O <sub>3</sub>	1
78	Nagpur	Satisfactory	70	O <sub>3</sub>	1
79	Nandesari	Moderate	188	СО	1
80	Narnaul	Moderate	156	PM <sub>10</sub>	1
81	Nashik	Satisfactory	83	O <sub>3</sub>	1
82	Navi Mumbai	Moderate	154	PM <sub>2.5</sub>	2
83	Noida	Poor	212	PM <sub>2.5</sub> , PM <sub>10</sub>	4
84	Pali	Moderate	123	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Charkhi Dadri, Coimbatore, Dharuhera, Jorapokhar, Kochi, Pune, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Palwal	Moderate	142	PM <sub>10</sub>	1
86	Panchkula	Satisfactory	94	O <sub>3</sub>	1
87	Panipat	Poor	214	PM <sub>10</sub>	1
88	Patiala	Moderate	110	PM <sub>10</sub>	1
89	Patna	Moderate	130	PM <sub>2.5</sub> , PM <sub>10</sub>	6
90	Pithampur	Moderate	165	PM <sub>2.5</sub>	1
91	Rajamahendravaram	Good	39	СО	1
92	Ramanagara	Good	44	O <sub>3</sub>	1
93	Ratlam	Moderate	190	PM <sub>2.5</sub>	1
94	Rohtak	Moderate	200	PM <sub>2.5</sub>	1
95	Rupnagar	Moderate	118	PM <sub>10</sub>	1
96	Sagar	Satisfactory	96	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Charkhi Dadri, Coimbatore, Dharuhera, Jorapokhar, Kochi, Pune, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Satna	Satisfactory	76	PM <sub>10</sub>	1
98	Shillong	Good	21	PM <sub>2.5</sub>	1
99	Siliguri	Satisfactory	84	PM <sub>10</sub>	1
100	Singrauli	Moderate	122	PM <sub>10</sub>	1
101	Sirsa	Moderate	148	PM <sub>10</sub>	1
102	Solapur	Satisfactory	65	PM <sub>10</sub>	1
103	Sonipat	Moderate	166	PM <sub>10</sub>	1
104	Talcher	Moderate	101	PM <sub>10</sub>	1
105	Thane	Moderate	147	PM <sub>10</sub>	1
106	Thiruvananthapuram	Good	46	PM <sub>10</sub>	1
107	Tirupati	Satisfactory	61	PM <sub>2.5</sub>	1
108	Udaipur	Satisfactory	82	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Charkhi Dadri, Coimbatore, Dharuhera, Jorapokhar, Kochi, Pune, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ujjain	Poor	202	O <sub>3</sub>	1
110	Vapi	Moderate	195	PM <sub>2.5</sub>	1
111	Varanasi	Moderate	150	PM <sub>10</sub>	1
112	Vatva	Moderate	185	PM <sub>10</sub>	1
113	Vijayapura	Good	49	O <sub>3</sub>	1
114	Visakhapatnam	Moderate	142	PM <sub>10</sub>	1
115	Yamunanagar	Poor	264	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Charkhi Dadri, Coimbatore, Dharuhera, Jorapokhar, Kochi, Pune, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.