



Air Quality Index on Feb 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	244	PM _{2.5}	1
2	Agra	Moderate	130	O ₃ , PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	114	PM _{2.5} , NO ₂ , PM ₁₀	9
4	Aizawl	Satisfactory	67	PM ₁₀	1
5	Ajmer	Satisfactory	94	PM ₁₀	1
6	Alwar	Satisfactory	96	PM ₁₀	1
7	Amritsar	Moderate	113	PM ₁₀	1
8	Ankleshwar	Moderate	114	PM _{2.5}	1
9	Araria	Poor	235	PM _{2.5}	1
10	Arrah	Poor	242	O ₃	1
11	Aurangabad	Satisfactory	98	PM ₁₀	1
12	Bagalkot	Good	50	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Asansol, Bagpat, Bathinda, Bidar, Jorapokhar, Maihar, Manguraha, Narnaul, Panipat, Purnia, Solapur, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	242	PM _{2.5}	1
14	Ballabgarh	Poor	294	PM _{2.5}	1
15	Bengaluru	Satisfactory	99	PM ₁₀ , PM _{2.5} , CO	9
16	Bettiah	Very Poor	303	PM _{2.5}	1
17	Bhagalpur	Moderate	178	PM _{2.5}	2
18	Bhilai	Good	47	PM ₁₀	1
19	Bhiwadi	Poor	298	PM _{2.5}	1
20	Bhiwani	Poor	225	PM _{2.5}	1
21	Bhopal	Satisfactory	90	O ₃	1
22	Bihar Sharif	Moderate	117	NO ₂	1
23	Bilaspur	Good	49	PM ₁₀	1
24	Brajrajnagar	Satisfactory	90	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Asansol, Baghpat, Bathinda, Bidar, Jorapokhar, Maihar, Manguraha, Narnaul, Panipat, Purnia, Solapur, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Poor	271	PM _{2.5}	1
26	Buxar	Moderate	192	PM ₁₀	1
27	Chamarajanagar	Good	37	PM ₁₀	1
28	Chandigarh	Moderate	162	PM _{2.5} , O ₃ , PM ₁₀	3
29	Chandrapur	Moderate	122	O ₃ , PM _{2.5}	2
30	Charkhi Dadri	Poor	229	PM ₁₀	1
31	Chennai	Satisfactory	91	O ₃ , PM ₁₀	5
32	Chhapra	Poor	203	PM _{2.5}	1
33	Chikkaballapur	Moderate	120	PM _{2.5}	1
34	Chikkamagaluru	Satisfactory	76	PM ₁₀	1
35	Coimbatore	Satisfactory	89	PM _{2.5}	1
36	Damoh	Satisfactory	55	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Asansol, Baghpat, Bathinda, Bidar, Jorapokhar, Maihar, Manguraha, Narnaul, Panipat, Purnia, Solapur, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Moderate	197	PM _{2.5}	1
38	Davanagere	Moderate	112	PM ₁₀	1
39	Delhi	Poor	252	PM ₁₀	38
40	Dewas	Satisfactory	63	PM ₁₀	1
41	Dharuhera	Very Poor	306	PM ₁₀	1
42	Durgapur	Poor	239	PM ₁₀	1
43	Eloor	Satisfactory	75	PM ₁₀	1
44	Ernakulam	Satisfactory	62	CO	1
45	Faridabad	Poor	278	PM _{2.5} , PM ₁₀	4
46	Fatehabad	Moderate	106	PM ₁₀	1
47	Firozabad	Moderate	156	PM _{2.5}	2
48	Gadag	Satisfactory	63	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Asansol, Baghpat, Bathinda, Bidar, Jorapokhar, Maihar, Manguraha, Narnaul, Panipat, Purnia, Solapur, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	108	PM _{2.5} , PM ₁₀	3
50	Gaya	Moderate	138	NO ₂ , PM _{2.5}	3
51	Ghaziabad	Very Poor	304	PM _{2.5} , PM ₁₀	4
52	Gorakhpur	Satisfactory	78	PM ₁₀	1
53	Greater Noida	Poor	244	PM ₁₀	1
54	Gummidipoondi	Satisfactory	53	PM ₁₀	1
55	Gurugram	Poor	267	PM _{2.5} , PM ₁₀	4
56	Guwahati	Poor	248	PM _{2.5}	2
57	Gwalior	Moderate	108	PM ₁₀	1
58	Hajipur	Poor	233	PM _{2.5}	1
59	Haldia	Moderate	171	PM _{2.5}	1
60	Hapur	Poor	231	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Asansol, Baghpat, Bathinda, Bidar, Jorapokhar, Maihar, Manguraha, Narnaul, Panipat, Purnia, Solapur, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Satisfactory	100	PM ₁₀	1
62	Hisar	Poor	231	PM _{2.5}	1
63	Howrah	Poor	239	PM _{2.5}	3
64	Hubballi	Moderate	149	PM ₁₀	1
65	Hyderabad	Satisfactory	98	PM ₁₀ , PM _{2.5} , O ₃	6
66	Indore	Satisfactory	84	O ₃	1
67	Jabalpur	Moderate	128	PM ₁₀	1
68	Jaipur	Satisfactory	78	PM ₁₀	2
69	Jalandhar	Satisfactory	99	PM ₁₀	1
70	Jhansi	Moderate	132	PM ₁₀	1
71	Jind	Moderate	154	PM _{2.5}	1
72	Jodhpur	Poor	213	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Asansol, Baghpat, Bathinda, Bidar, Jorapokhar, Maihar, Manguraha, Narnaul, Panipat, Purnia, Solapur, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	159	PM _{2.5}	1
74	Kalaburgi	Satisfactory	95	PM ₁₀	1
75	Kalyan	Moderate	194	PM _{2.5}	1
76	Kannur	Satisfactory	67	PM ₁₀	1
77	Kanpur	Moderate	131	PM _{2.5} , PM ₁₀	3
78	Karnal	Moderate	111	PM ₁₀	1
79	Katihar	Poor	238	PM _{2.5}	1
80	Katni	Moderate	132	PM ₁₀	1
81	Khanna	Satisfactory	98	PM ₁₀	1
82	Kishanganj	Poor	285	PM _{2.5}	1
83	Kochi	Satisfactory	55	PM _{2.5}	1
84	Kohima	Satisfactory	94	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Asansol, Baghpat, Bathinda, Bidar, Jorapokhar, Maihar, Manguraha, Narnaul, Panipat, Purnia, Solapur, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolar	Satisfactory	84	PM ₁₀	1
86	Kolkata	Poor	232	PM _{2.5}	7
87	Kollam	Satisfactory	90	PM ₁₀	1
88	Koppal	Satisfactory	97	O ₃	1
89	Kota	Moderate	168	PM _{2.5}	1
90	Kozhikode	Satisfactory	58	PM ₁₀	1
91	Kurukshetra	Poor	202	PM _{2.5}	1
92	Lucknow	Moderate	134	PM ₁₀ , PM _{2.5}	6
93	Ludhiana	Moderate	106	PM ₁₀	1
94	Madikeri	Satisfactory	79	PM ₁₀	1
95	Mandi Gobindgarh	Moderate	183	PM ₁₀	1
96	Mandideep	Satisfactory	85	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Asansol, Baghpat, Bathinda, Bidar, Jorapokhar, Maihar, Manguraha, Narnaul, Panipat, Purnia, Solapur, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Moderate	107	PM ₁₀	1
98	Manesar	Poor	286	PM _{2.5}	1
99	Manglore	Good	49	NO ₂	1
100	Meerut	Poor	242	PM ₁₀ , PM _{2.5}	3
101	Moradabad	Moderate	155	PM _{2.5}	4
102	Motihari	Poor	228	PM _{2.5}	1
103	Mumbai	Moderate	111	PM ₁₀ , PM _{2.5}	18
104	Munger	Poor	289	PM _{2.5}	1
105	Muzaffarnagar	Poor	248	PM _{2.5}	1
106	Muzaffarpur	Poor	271	PM ₁₀ , PM _{2.5}	3
107	Mysuru	Satisfactory	65	O ₃	1
108	Nagpur	Moderate	107	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Asansol, Baghpat, Bathinda, Bidar, Jorapokhar, Maihar, Manguraha, Narnaul, Panipat, Purnia, Solapur, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Naharlagun	Satisfactory	95	PM ₁₀	1
110	Nandesari	Satisfactory	79	CO	1
111	Nashik	Satisfactory	67	PM ₁₀	1
112	Navi Mumbai	Moderate	139	PM ₁₀ , CO	3
113	Noida	Poor	237	PM ₁₀ , PM _{2.5}	4
114	Pali	Moderate	113	PM _{2.5}	1
115	Palwal	Moderate	106	PM ₁₀	1
116	Panchkula	Satisfactory	83	PM _{2.5}	1
117	Patiala	Satisfactory	100	PM ₁₀	1
118	Patna	Poor	206	PM _{2.5} , PM ₁₀	6
119	Pithampur	Satisfactory	85	PM ₁₀	1
120	Prayagraj	Satisfactory	89	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Asansol, Baghpat, Bathinda, Bidar, Jorapokhar, Maihar, Manguraha, Narnaul, Panipat, Purnia, Solapur, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Satisfactory	62	PM ₁₀	1
122	Pune	Satisfactory	85	PM _{2.5} , PM ₁₀	6
123	Raichur	Moderate	107	PM ₁₀	1
124	Rajamahendravaram	Moderate	136	PM _{2.5}	1
125	Rajgir	Moderate	118	PM ₁₀	1
126	Ramanagara	Satisfactory	77	PM ₁₀	1
127	Ratlam	Satisfactory	66	PM ₁₀	1
128	Rohtak	Poor	208	PM _{2.5}	1
129	Rupnagar	Moderate	178	PM _{2.5}	1
130	Sagar	Satisfactory	59	CO	1
131	Saharsa	Poor	273	PM _{2.5}	1
132	Sasaram	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Asansol, Baghpat, Bathinda, Bidar, Jorapokhar, Maihar, Manguraha, Narnaul, Panipat, Purnia, Solapur, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Satisfactory	58	PM ₁₀	1
134	Shillong	Satisfactory	54	PM _{2.5}	1
135	Shivamogga	Satisfactory	86	NO ₂	1
136	Siliguri	Moderate	194	PM _{2.5}	1
137	Singrauli	Poor	244	PM ₁₀	1
138	Sirsa	Moderate	117	O ₃	1
139	Siwan	Poor	204	PM _{2.5}	1
140	Sonipat	Moderate	156	PM ₁₀	1
141	Srinagar	Satisfactory	51	PM ₁₀	1
142	Talcher	Satisfactory	98	PM _{2.5}	1
143	Thane	Moderate	160	O ₃	1
144	Thiruvananthapuram	Satisfactory	54	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Asansol, Baghpat, Bathinda, Bidar, Jorapokhar, Maihar, Manguraha, Narnaul, Panipat, Purnia, Solapur, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thoothukudi	Good	40	PM ₁₀	1
146	Thrissur	Satisfactory	88	PM _{2.5}	1
147	Tirupati	Satisfactory	62	PM _{2.5}	1
148	Udaipur	Moderate	130	PM ₁₀	1
149	Udupi	Good	48	O ₃	1
150	Ujjain	Moderate	115	PM _{2.5}	1
151	Vapi	Moderate	142	PM ₁₀	1
152	Varanasi	Satisfactory	86	PM ₁₀	4
153	Vatva	Moderate	119	PM ₁₀	1
154	Vijayapura	Good	46	PM ₁₀	1
155	Visakhapatnam	Moderate	156	PM _{2.5}	1
156	Vrindavan	Moderate	147	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Asansol, Baghpat, Bathinda, Bidar, Jorapokhar, Maihar, Manguraha, Narnaul, Panipat, Purnia, Solapur, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yadgir	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Ambala, Asansol, Baghpat, Bathinda, Bidar, Jorapokhar, Maihar, Manguraha, Narnaul, Panipat, Purnia, Solapur, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.