

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	60	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	73	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	82	PM <sub>2.5</sub>	7
4	Aizawl	Good	10	со	1
5	Ajmer	Satisfactory	83	PM <sub>10</sub>	1
6	Akola	Good	47	PM <sub>10</sub>	1
7	Alwar	Satisfactory	64	PM <sub>10</sub>	1
8	Ambala	Satisfactory	91	со	1
9	Amravati	Good	42	PM <sub>10</sub>	2
10	Amritsar	Satisfactory	79	PM <sub>2.5</sub>	1
11	Anantapur	Good	23	PM <sub>10</sub>	1
12	Ankleshwar	Satisfactory	88	03	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# -Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-

Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur,

Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Good	44	СО	1
14	Ariyalur	Good	24	NO <sub>2</sub>	1
15	Arrah	Satisfactory	83	PM <sub>10</sub>	1
16	Aurangabad (Bihar)	Good	39	PM <sub>10</sub>	1
17	Aurangabad (Maharashtra)	Good	38	PM <sub>10</sub>	3
18	Baddi	Satisfactory	68	PM <sub>10</sub>	1
19	Bagalkot	Good	46	PM <sub>10</sub>	1
20	Baghpat	Good	49	со	1
21	Bahadurgarh	Satisfactory	82	PM <sub>10</sub>	1
22	Ballabgarh	Good	33	PM <sub>10</sub>	1
23	Banswara	Satisfactory	75	PM <sub>10</sub>	1
24	Baran	Satisfactory	81	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur,

Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	46	PM <sub>2.5</sub> , CO	2
26	Baripada	Good	36	PM <sub>10</sub>	1
27	Barmer	Good	45	PM <sub>10</sub>	1
28	Bathinda	Satisfactory	71	PM <sub>10</sub>	1
29	Belapur	Good	26	NH <sub>3</sub>	1
30	Belgaum	Good	48	со	1
31	Bengaluru	Good	39	CO, PM <sub>10</sub>	7
32	Bettiah	Satisfactory	89	PM <sub>10</sub>	1
33	Bhagalpur	Satisfactory	72	со	2
34	Bharatpur	Satisfactory	81	PM <sub>10</sub>	1
35	Bhilai	Good	29	со	3
36	Bhilwara	Satisfactory	58	PM <sub>2.5</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur,

Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Satisfactory	90	PM <sub>10</sub>	1
38	Bhiwandi	Good	18	PM <sub>10</sub>	1
39	Bhiwani	Satisfactory	64	со	1
40	Bhopal	Satisfactory	66	со	3
41	Bihar Sharif	Satisfactory	70	03	1
42	Bikaner	Good	45	NO <sub>2</sub>	1
43	Bileipada	Good	50	PM <sub>10</sub>	1
44	Bulandshahr	Good	45	PM <sub>10</sub>	1
45	Bundi	Satisfactory	66	O <sub>3</sub>	1
46	Chamarajanagar	Good	40	PM <sub>10</sub>	1
47	Chandigarh	Satisfactory	65	O <sub>3</sub>	3
48	Chandrapur	Good	43	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# -Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-

Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Satisfactory	69	PM <sub>10</sub>	1
50	Chennai	Satisfactory	64	СО	6
51	Chhal	Good	21	со	1
52	Chhapra	Satisfactory	95	со	1
53	Chikkaballapur	Good	27	03	1
54	Chittoor	Good	31	03	1
55	Chittorgarh	Satisfactory	56	PM <sub>10</sub>	1
56	Churu	Good	46	PM <sub>10</sub>	1
57	Cuddalore	Moderate	124	NO <sub>2</sub>	2
58	Damoh	Good	26	PM <sub>10</sub>	1
59	Dausa	Satisfactory	96	СО	1
60	Davanagere	Good	16	03	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Notes: Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-

Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur,

Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dehradun	Good	30	PM <sub>10</sub>	1
62	Delhi	Satisfactory	92	PM <sub>10</sub> , O <sub>3</sub>	34
63	Dewas	Good	49	PM <sub>10</sub>	1
64	Dharuhera	Good	44	PM <sub>10</sub>	1
65	Dholpur	Moderate	102	PM <sub>2.5</sub>	1
66	Dhule	Good	40	PM <sub>10</sub>	1
67	Durgapur	Satisfactory	61	PM <sub>10</sub>	1
68	Faridabad	Satisfactory	62	PM <sub>2.5</sub> , PM <sub>10</sub>	4
69	Fatehabad	Moderate	161	O <sub>3</sub>	1
70	Firozabad	Good	39	PM <sub>2.5</sub>	2
71	Gandhinagar	Satisfactory	57	CO, PM <sub>2.5</sub>	2
72	Gangtok	Satisfactory	55	SO <sub>2</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur,

Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gaya	Satisfactory	57	03	3
74	Ghaziabad	Satisfactory	73	PM <sub>10</sub>	4
75	Gorakhpur	Satisfactory	69	SO <sub>2</sub>	1
76	Greater Noida	Satisfactory	91	PM <sub>10</sub>	2
77	Gummidipoondi	Satisfactory	93	PM <sub>10</sub>	1
78	Gurugram	Satisfactory	89	PM <sub>2.5</sub>	3
79	Guwahati	Good	44	SO <sub>2</sub>	4
80	Gwalior	Satisfactory	60	PM <sub>10</sub> , O <sub>3</sub>	4
81	Hajipur	Satisfactory	69	PM <sub>10</sub>	1
82	Haldia	Good	29	O <sub>3</sub>	1
83	Hanumangarh	Good	30	PM <sub>10</sub>	1
84	Hapur	Good	34	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# -Dharwad, Dindigul, Eloor, Ernakulam, Cadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-

Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur,

Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

#### Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haveri	Good	37	СО	1
86	Howrah	Good	39	NO <sub>2</sub> , PM <sub>10</sub>	3
87	Hyderabad	Good	49	PM <sub>10</sub> , O <sub>3</sub>	14
88	Indore	Satisfactory	74	PM <sub>10</sub>	1
89	Jabalpur	Satisfactory	88	PM <sub>2.5</sub> , PM <sub>10</sub>	3
90	Jaipur	Satisfactory	65	PM <sub>2.5</sub> , CO	5
91	Jaisalmer	Satisfactory	57	PM <sub>10</sub>	1
92	Jalgaon	Satisfactory	61	PM <sub>10</sub>	1
93	Jhalawar	Good	46	03	1
94	Jhansi	Satisfactory	71	PM <sub>2.5</sub>	1
95	Jhunjhunu	Good	42	PM <sub>10</sub>	1
96	Jodhpur	Satisfactory	60	PM <sub>10</sub>	4

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# - Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-

Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur,

Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kaithal	Satisfactory	57	PM <sub>2.5</sub>	1
98	Kalyan	Satisfactory	67	со	1
99	Kanpur	Satisfactory	74	со	3
100	Karauli	Satisfactory	54	03	1
101	Karnal	Good	33	PM <sub>10</sub>	1
102	Kashipur	Good	41	PM <sub>10</sub>	1
103	Katihar	Satisfactory	88	со	1
104	Katni	Satisfactory	60	PM <sub>10</sub>	1
105	Khurja	Satisfactory	93	PM <sub>2.5</sub>	1
106	Kishanganj	Satisfactory	54	со	1
107	Kochi	Satisfactory	78	со	1
108	Kohima	Good	46	SO <sub>2</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# -Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-

Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur,

Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolar	Good	23	PM <sub>10</sub>	1
110	Kolhapur	Good	25	PM <sub>2.5</sub>	1
111	Kolkata	Good	32	O <sub>3</sub> , PM <sub>10</sub>	7
112	Kollam	Satisfactory	71	PM <sub>10</sub>	1
113	Koppal	Good	25	СО	1
114	Korba	Good	22	NO <sub>2</sub>	2
115	Kota	Satisfactory	55	PM <sub>2.5</sub>	3
116	Kunjemura	Good	20	СО	1
117	Kurukshetra	Good	41	O <sub>3</sub>	1
118	Latur	Good	33	СО	1
119	Lucknow	Satisfactory	65	PM <sub>10</sub>	6
120	Ludhiana	Moderate	160	со	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# -Dharwad, Dindigul, Eloor, Ernakulam, Cadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-

Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur,

Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Madikeri	Good	28	PM <sub>2.5</sub>	1
122	Mahad	Good	28	NO <sub>2</sub>	1
123	Maihar	Good	31	со	1
124	Mandi Gobindgarh	Good	46	PM <sub>2.5</sub>	1
125	Mandideep	Satisfactory	77	03	1
126	Mandikhera	Good	29	PM <sub>10</sub>	1
127	Manesar	Good	48	PM <sub>2.5</sub>	1
128	Manguraha	Good	34	PM <sub>10</sub>	1
129	Meerut	Satisfactory	65	со	3
130	Moradabad	Satisfactory	79	PM <sub>2.5</sub>	6
131	Motihari	Good	48	со	1
132	Mumbai	Good	45	CO, O <sub>3</sub>	17

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# — Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur,

Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

#### Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Munger	Moderate	117	PM <sub>10</sub>	1
134	Muzaffarnagar	Satisfactory	56	PM <sub>10</sub>	1
135	Muzaffarpur	Satisfactory	62	со	3
136	Mysuru	Satisfactory	56	PM <sub>10</sub>	1
137	Nagaon	Good	50	PM <sub>10</sub>	1
138	Nagaur	Satisfactory	52	O <sub>3</sub>	1
139	Nagpur	Good	46	PM <sub>10</sub> , O <sub>3</sub>	4
140	Nalbari	Satisfactory	58	PM <sub>10</sub>	1
141	Narnaul	Good	38	PM <sub>10</sub>	1
142	Nashik	Good	28	PM <sub>10</sub>	3
143	Navi Mumbai	Good	45	со	6
144	Nayagarh	Good	31	NO <sub>2</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur,

Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

#### Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Noida	Satisfactory	81	PM <sub>2.5</sub>	4
146	Ooty	Satisfactory	51	SO <sub>2</sub>	1
147	Pali	Moderate	120	PM <sub>10</sub>	1
148	Palwal	Good	40	PM <sub>10</sub>	1
149	Panchkula	Satisfactory	74	со	1
150	Panipat	Good	33	03	1
151	Parbhani	Good	36	PM <sub>10</sub>	1
152	Patiala	Good	41	со	1
153	Patna	Satisfactory	96	PM <sub>2.5</sub> , NO <sub>2</sub>	6
154	Pimpri Chinchwad	Good	28	PM <sub>10</sub>	2
155	Pithampur	Satisfactory	67	PM <sub>10</sub>	1
156	Pratapgarh	Satisfactory	90	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Notes: Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-

Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur,

Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Prayagraj	Satisfactory	76	PM <sub>10</sub>	3
158	Puducherry	Good	47	PM <sub>10</sub>	1
159	Pune	Satisfactory	89	NO <sub>2</sub>	6
160	Purnia	Satisfactory	54	PM <sub>10</sub>	1
161	Raichur	Satisfactory	84	03	1
162	Raipur	Good	39	PM <sub>10</sub> , NO <sub>2</sub>	4
163	Rajamahendravaram	Good	15	со	1
164	Rajgir	Good	30	PM <sub>10</sub>	1
165	Rajsamand	Moderate	126	PM <sub>10</sub>	1
166	Ramanagara	Good	46	NO <sub>2</sub>	1
167	Ramanathapuram	Good	37	PM <sub>10</sub>	1
168	Ratlam	Satisfactory	55	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# -Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-

Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur,

Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rishikesh	Good	32	PM <sub>10</sub>	1
170	Rohtak	Satisfactory	68	PM <sub>2.5</sub>	1
171	Rourkela	Good	40	PM <sub>10</sub>	2
172	Sagar	Good	47	03	1
173	Saharsa	Satisfactory	57	PM <sub>10</sub>	1
174	Samastipur	Satisfactory	90	PM <sub>10</sub>	1
175	Sangli	Good	18	O <sub>3</sub>	1
176	Sasaram	Good	34	PM <sub>2.5</sub>	1
177	Satna	Satisfactory	82	PM <sub>10</sub>	1
178	Sawai Madhopur	Satisfactory	53	O <sub>3</sub>	1
179	Shillong	Good	19	SO <sub>2</sub>	1
180	Shivamogga	Good	31	03	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur,

Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sikar	Satisfactory	63	O <sub>3</sub>	1
182	Silchar	Good	26	со	1
183	Siliguri	Good	38	PM <sub>10</sub>	1
184	Singrauli	Moderate	179	NO <sub>2</sub>	1
185	Sirohi	Good	41	PM <sub>10</sub>	1
186	Sivasagar	Good	32	SO <sub>2</sub>	1
187	Siwan	Satisfactory	84	PM <sub>10</sub>	1
188	Solapur	Good	43	NO <sub>2</sub>	3
189	Surat	Good	14	PM <sub>2.5</sub>	1
190	Tensa	Good	37	NO <sub>2</sub>	1
191	Thane	Good	38	O <sub>3</sub> , CO	3
192	Thiruvananthapuram	Good	15	со	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# -Dharwad, Dindigul, Eloor, Ernakulam, Cadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-

Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur,

Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thoothukudi	Good	43	PM <sub>10</sub>	1
194	Thrissur	Satisfactory	54	СО	1
195	Tirupati	Good	26	NO <sub>2</sub>	2
196	Tonk	Satisfactory	51	PM <sub>10</sub>	1
197	Tumakuru	Good	38	со	1
198	Tumidih	Good	33	PM <sub>10</sub>	1
199	Udaipur	Good	47	PM <sub>10</sub>	1
200	Ulhasnagar	Good	32	PM <sub>10</sub>	1
201	Vapi	Satisfactory	91	СО	1
202	Varanasi	Good	29	SO <sub>2</sub>	4
203	Vatva	Satisfactory	94	PM <sub>10</sub>	1
204	Vijayapura	Good	46	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,

# -Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-

Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur,

Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Visakhapatnam	Satisfactory	60	PM <sub>10</sub>	1
206	Vrindavan	Good	27	SO <sub>2</sub>	1
207	Yamunanagar	Satisfactory	80	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Hassan, Hisar, Hosur, Hubballi, Imphal, Jalandhar, Jalna, Jind, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kannur, Keonjhar, Khanna, Kozhikode, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sirsa, Sonipat, Sri Ganganagar, Srinagar, Suakati, Talcher, Tirupur, Udupi, Ujjain, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

<sup>\*</sup> AQI is not calculated for today's bulletin for Ahmednagar, Amaravati,
Asansol, Badlapur, Begusarai, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar,
Byrnihat, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dhanbad,