

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	79	PM _{2.5}	1
2	Ahmedabad	Poor	208	O ₃	1
3	Aizawl	Good	29	PM ₁₀	1
4	Ajmer	Satisfactory	72	PM ₁₀	1
5	Alwar	Satisfactory	64	PM ₁₀	1
6	Amaravati	Good	19	со	1
7	Ambala	Moderate	124	PM _{2.5}	1
8	Amritsar	Moderate	108	PM ₁₀	1
9	Ankleshwar	Satisfactory	84	O ₃	1
10	Asansol	Satisfactory	59	PM ₁₀	1
11	Aurangabad	Satisfactory	80	PM ₁₀	1
12	Bagalkot	Good	45	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Naharlagun, Shivamogga, Sonipat, Thoothukudi, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	199	PM ₁₀	1
14	Bahadurgarh	Moderate	133	PM ₁₀	1
15	Ballabgarh	Satisfactory	82	со	1
16	Bathinda	Satisfactory	63	PM _{2.5}	1
17	Bengaluru	Satisfactory	61	CO, PM ₁₀ , SO ₂	8
18	Bhiwadi	Moderate	179	PM _{2.5}	1
19	Bhiwani	Moderate	189	PM ₁₀	1
20	Bhopal	Satisfactory	92	PM ₁₀	1
21	Brajrajnagar	Satisfactory	59	со	1
22	Bulandshahr	Moderate	117	PM ₁₀	1
23	Chamarajanagar	Satisfactory	60	PM ₁₀	1
24	Chandigarh	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Naharlagun, Shivamogga, Sonipat, Thoothukudi, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Good	35	PM ₁₀ , PM _{2.5}	2
26	Charkhi Dadri	Moderate	126	PM ₁₀	1
27	Chennai	Good	43	CO, SO ₂ , PM ₁₀	7
28	Chikkaballapur	Good	39	PM ₁₀	1
29	Chikkamagaluru	Good	48	03	1
30	Damoh	Good	43	PM _{2.5}	1
31	Delhi	Moderate	156	PM ₁₀ , O ₃ , PM _{2.5}	28
32	Dewas	Satisfactory	71	PM ₁₀	1
33	Dharuhera	Moderate	156	PM ₁₀	1
34	Durgapur	Moderate	104	PM ₁₀	1
35	Eloor	Good	47	со	1
36	Faridabad	Moderate	134	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore,
 Davanagere, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar,
 Maihar, Moradabad, Naharlagun, Shivamogga, Sonipat, Thoothukudi, Udupi,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	183	PM ₁₀	1
38	Gandhinagar	Satisfactory	57	O ₃	1
39	Gaya	Moderate	178	03	2
40	Ghaziabad	Moderate	167	O ₃ , PM ₁₀	3
41	Greater Noida	Moderate	157	PM ₁₀	1
42	Gummidipoondi	Satisfactory	74	PM ₁₀	1
43	Gurugram	Moderate	122	PM _{2.5} , PM ₁₀	3
44	Guwahati	Good	35	SO ₂ , O ₃	2
45	Gwalior	Satisfactory	86	03	1
46	Hajipur	Moderate	113	PM ₁₀	1
47	Haldia	Satisfactory	55	PM ₁₀	1
48	Hapur	Satisfactory	81	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Naharlagun, Shivamogga, Sonipat, Thoothukudi, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Satisfactory	80	СО	1
50	Hisar	Poor	202	PM _{2.5}	1
51	Howrah	Satisfactory	51	PM ₁₀ , O ₃	3
52	Hubballi	Satisfactory	63	03	1
53	Hyderabad	Satisfactory	57	NO ₂ , PM ₁₀ , PM _{2.5}	5
54	Indore	Satisfactory	99	PM ₁₀	1
55	Jabalpur	Satisfactory	92	PM ₁₀	1
56	Jaipur	Moderate	130	PM _{2.5} , PM ₁₀	3
57	Jalandhar	Moderate	125	PM ₁₀	1
58	Jind	Poor	258	PM _{2.5}	1
59	Jodhpur	Poor	221	PM _{2.5}	1
60	Kaithal	Moderate	144	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Naharlagun, Shivamogga, Sonipat, Thoothukudi, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	96	PM ₁₀	1
62	Kanpur	Satisfactory	73	PM _{2.5}	2
63	Karnal	Moderate	131	PM _{2.5}	1
64	Katni	Satisfactory	95	PM ₁₀	1
65	Khanna	Satisfactory	93	PM ₁₀	1
66	Kohima	Satisfactory	70	PM ₁₀	1
67	Kolkata	Satisfactory	66	CO, O ₃	7
68	Kollam	Good	48	PM ₁₀	1
69	Koppal	Satisfactory	68	СО	1
70	Kota	Satisfactory	71	PM ₁₀	1
71	Kozhikode	Satisfactory	59	PM ₁₀	1
72	Kurukshetra	Moderate	157	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Naharlagun, Shivamogga, Sonipat, Thoothukudi, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Moderate	119	PM _{2.5} , PM ₁₀ , O ₃	4
74	Ludhiana	Moderate	101	PM ₁₀	1
75	Mandi Gobindgarh	Satisfactory	96	PM ₁₀	1
76	Mandideep	Good	42	PM _{2.5}	1
77	Mandikhera	Moderate	109	PM ₁₀	1
78	Manesar	Moderate	141	PM _{2.5}	1
79	Manglore	Good	37	PM _{2.5}	1
80	Medikeri	Good	30	со	1
81	Meerut	Moderate	154	PM ₁₀ , PM _{2.5}	3
82	Mumbai	Satisfactory	72	PM ₁₀ , PM _{2.5}	16
83	Muzaffarnagar	Moderate	169	PM ₁₀	1
84	Muzaffarpur	Satisfactory	77	CO, PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Naharlagun, Shivamogga, Sonipat, Thoothukudi, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Satisfactory	66	PM ₁₀	1
86	Nagpur	Satisfactory	62	PM ₁₀	1
87	Nandesari	Moderate	115	СО	1
88	Narnaul	Moderate	170	PM ₁₀	1
89	Nashik	Satisfactory	77	PM _{2.5}	1
90	Navi Mumbai	Satisfactory	72	PM ₁₀	2
91	Noida	Moderate	154	PM ₁₀	3
92	Pali	Moderate	118	PM ₁₀	1
93	Palwal	Moderate	129	PM ₁₀	1
94	Panchkula	Satisfactory	63	PM _{2.5}	1
95	Panipat	Poor	256	PM ₁₀	1
96	Patiala	Moderate	125	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Naharlagun, Shivamogga, Sonipat, Thoothukudi, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Moderate	107	O ₃ , PM ₁₀	5
98	Pithampur	Satisfactory	73	O ₃	1
99	Puducherry	Good	17	03	1
100	Pune	Satisfactory	72	PM _{2.5} , PM ₁₀ , CO	6
101	Raichur	Satisfactory	58	PM ₁₀	1
102	Rajamahendravaram	Good	46	со	1
103	Ramanagara	Good	50	PM _{2.5}	1
104	Ratlam	Satisfactory	68	PM ₁₀	1
105	Rohtak	Poor	259	PM _{2.5}	1
106	Rupnagar	Satisfactory	97	PM ₁₀	1
107	Sagar	Satisfactory	72	PM _{2.5}	1
108	Satna	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Naharlagun, Shivamogga, Sonipat, Thoothukudi, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shillong	Good	20	PM _{2.5}	1
110	Siliguri	Satisfactory	58	PM ₁₀	1
111	Singrauli	Moderate	159	PM ₁₀	1
112	Sirsa	Moderate	111	PM ₁₀	1
113	Solapur	Satisfactory	72	PM _{2.5}	1
114	Srinagar	Satisfactory	76	PM ₁₀	1
115	Talcher	Satisfactory	74	со	1
116	Thane	Moderate	111	PM ₁₀	1
117	Thiruvananthapuram	Good	46	PM ₁₀ , O ₃	2
118	Thrissur	Satisfactory	70	SO ₂	1
119	Tirupati	Good	34	PM ₁₀	1
120	Udaipur	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore, Davanagere, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Naharlagun, Shivamogga, Sonipat, Thoothukudi, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Moderate	108	PM ₁₀	1
122	Vapi	Satisfactory	69	PM ₁₀	1
123	Varanasi	Satisfactory	80	PM ₁₀	1
124	Vatva	Moderate	107	PM ₁₀	1
125	Visakhapatnam	Satisfactory	58	PM ₁₀	1
126	Yadgir	Satisfactory	52	O ₃	1
127	Yamunanagar	Moderate	182	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bidar, Coimbatore,
 Davanagere, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar,
 Maihar, Moradabad, Naharlagun, Shivamogga, Sonipat, Thoothukudi, Udupi,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.