

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	42	PM <sub>10</sub>	2
2	Agra	Satisfactory	82	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	6
3	Ahmedabad	Satisfactory	64	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	7
4	Aizawl	Good	28	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	70	PM <sub>10</sub>	1
6	Alwar	Satisfactory	64	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	52	O <sub>3</sub>	1
8	Ambala	Very Poor	318	PM <sub>2.5</sub>	1
9	Amritsar	Poor	235	PM <sub>2.5</sub>	1
10	Ankleshwar	Satisfactory	60	PM <sub>2.5</sub>	1
11	Arrah	Poor	202	PM <sub>10</sub>	1
12	Asansol	Satisfactory	68	NO <sub>2</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Bidar, Bihar Sharif, Davanagere, Dehradun, Dewas, Durgapur, Gadag, Hapur, Haveri, Jorapokhar, Kolar, Maihar, Mandi Gobindgarh, Manglore, Naharlagun, Nandesari, Nashik, Rohtak, Saharsa, Siwan, Solapur, Talcher, Tirupati, Udupi, Ujjain, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	167	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Good	43	PM <sub>2.5</sub>	1
15	Baddi	Poor	245	PM <sub>10</sub>	1
16	Baghpat	Satisfactory	94	PM <sub>10</sub>	1
17	Bahadurgarh	Moderate	122	PM <sub>10</sub>	1
18	Ballabgarh	Moderate	118	PM <sub>10</sub>	1
19	Bareilly	Moderate	146	PM <sub>10</sub>	1
20	Bathinda	Moderate	104	PM <sub>10</sub>	1
21	Begusarai	Moderate	111	PM <sub>2.5</sub>	1
22	Bengaluru	Satisfactory	52	PM <sub>10</sub> , CO	10
23	Bettiah	Moderate	176	PM <sub>10</sub>	1
24	Bhagalpur	Satisfactory	84	PM <sub>10</sub> , PM <sub>2.5</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Bidar, Bihar Sharif, Davanagere, Dehradun, Dewas, Durgapur, Gadag, Hapur, Haveri, Jorapokhar, Kolar, Maihar, Mandi Gobindgarh, Manglore, Naharlagun, Nandesari, Nashik, Rohtak, Saharsa, Siwan, Solapur, Talcher, Tirupati, Udupi, Ujjain, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Moderate	125	PM <sub>10</sub>	1
26	Bhiwani	Moderate	103	PM <sub>2.5</sub>	1
27	Bhopal	Satisfactory	65	PM <sub>10</sub>	1
28	Bilaspur	Satisfactory	54	PM <sub>10</sub>	1
29	Brajrajnagar	Satisfactory	57	NO <sub>2</sub>	1
30	Bulandshahr	Moderate	163	PM <sub>10</sub>	1
31	Buxar	Poor	268	PM <sub>10</sub>	1
32	Chamarajanagar	Good	36	PM <sub>10</sub>	1
33	Chandigarh	Poor	201	PM <sub>2.5</sub> , PM <sub>10</sub>	3
34	Chandrapur	Satisfactory	88	PM <sub>10</sub> , PM <sub>2.5</sub>	2
35	Charkhi Dadri	Moderate	112	PM <sub>10</sub>	1
36	Chennai	Satisfactory	54	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	8

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Bidar, Bihar Sharif, Davanagere, Dehradun, Dewas, Durgapur, Gadag, Hapur, Haveri, Jorapokhar, Kolar, Maihar, Mandi Gobindgarh, Manglore, Naharlagun, Nandesari, Nashik, Rohtak, Saharsa, Siwan, Solapur, Talcher, Tirupati, Udupi, Ujjain, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Moderate	169	PM <sub>10</sub>	1
38	Chikkaballapur	Good	30	PM <sub>10</sub>	1
39	Chikkamagaluru	Good	33	PM <sub>10</sub>	1
40	Coimbatore	Good	43	PM <sub>10</sub>	1
41	Damoh	Good	27	PM <sub>10</sub>	1
42	Darbhanga	Moderate	121	PM <sub>10</sub>	1
43	Delhi	Moderate	153	PM <sub>10</sub> , PM <sub>2.5</sub>	28
44	Dharuhera	Moderate	139	PM <sub>10</sub>	1
45	Eloor	Satisfactory	63	PM <sub>10</sub>	1
46	Ernakulam	Good	45	со	1
47	Faridabad	Moderate	137	PM <sub>10</sub> , PM <sub>2.5</sub>	3
48	Fatehabad	Satisfactory	72	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Bidar, Bihar Sharif, Davanagere, Dehradun, Dewas, Durgapur, Gadag, Hapur, Haveri, Jorapokhar, Kolar, Maihar, Mandi Gobindgarh, Manglore, Naharlagun, Nandesari, Nashik, Rohtak, Saharsa, Siwan, Solapur, Talcher, Tirupati, Udupi, Ujjain, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Satisfactory	58	PM <sub>10</sub> , PM <sub>2.5</sub>	2
50	Gandhinagar	Satisfactory	52	NO <sub>2</sub> , PM <sub>10</sub>	3
51	Gangtok	Good	26	03	1
52	Gaya	Satisfactory	91	PM <sub>10</sub> , CO	3
53	Ghaziabad	Moderate	179	PM <sub>10</sub>	4
54	Gorakhpur	Satisfactory	58	03	1
55	Greater Noida	Moderate	163	PM <sub>10</sub>	2
56	Gummidipoondi	Good	21	PM <sub>2.5</sub>	1
57	Gurugram	Moderate	175	PM <sub>10</sub> , PM <sub>2.5</sub>	3
58	Guwahati	Good	36	со	1
59	Gwalior	Satisfactory	84	PM <sub>10</sub>	1
60	Hajipur	Moderate	137	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Bidar, Bihar Sharif, Davanagere, Dehradun, Dewas, Durgapur, Gadag, Hapur, Haveri, Jorapokhar, Kolar, Maihar, Mandi Gobindgarh, Manglore, Naharlagun, Nandesari, Nashik, Rohtak, Saharsa, Siwan, Solapur, Talcher, Tirupati, Udupi, Ujjain, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Good	50	PM <sub>10</sub>	1
62	Hassan	Good	48	PM <sub>10</sub>	1
63	Hisar	Satisfactory	89	PM <sub>10</sub>	1
64	Howrah	Good	49	PM <sub>2.5</sub> , CO	2
65	Hubballi	Good	50	со	1
66	Hyderabad	Satisfactory	74	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	13
67	Imphal	Good	43	SO <sub>2</sub>	1
68	Indore	Satisfactory	56	NO <sub>2</sub>	1
69	Jabalpur	Satisfactory	99	PM <sub>10</sub>	1
70	Jaipur	Satisfactory	84	CO, NO <sub>2</sub> , PM <sub>10</sub>	3
71	Jalandhar	Moderate	124	PM <sub>10</sub>	1
72	Jhansi	Satisfactory	82	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Bidar, Bihar Sharif, Davanagere, Dehradun, Dewas, Durgapur, Gadag, Hapur, Haveri, Jorapokhar, Kolar, Maihar, Mandi Gobindgarh, Manglore, Naharlagun, Nandesari, Nashik, Rohtak, Saharsa, Siwan, Solapur, Talcher, Tirupati, Udupi, Ujjain, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Moderate	116	PM <sub>10</sub>	1
74	Jodhpur	Satisfactory	85	PM <sub>10</sub>	1
75	Kaithal	Moderate	153	PM <sub>10</sub>	1
76	Kalaburgi	Satisfactory	60	PM <sub>10</sub>	1
77	Kalyan	Satisfactory	67	PM <sub>10</sub>	1
78	Kannur	Satisfactory	54	PM <sub>2.5</sub>	1
79	Kanpur	Moderate	125	PM <sub>2.5</sub> , PM <sub>10</sub>	3
80	Karnal	Moderate	147	PM <sub>10</sub>	1
81	Katihar	Moderate	114	PM <sub>10</sub>	1
82	Katni	Moderate	112	PM <sub>10</sub>	1
83	Khanna	Moderate	118	PM <sub>10</sub>	1
84	Khurja	Moderate	122	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Bidar, Bihar Sharif, Davanagere, Dehradun, Dewas, Durgapur, Gadag, Hapur, Haveri, Jorapokhar, Kolar, Maihar, Mandi Gobindgarh, Manglore, Naharlagun, Nandesari, Nashik, Rohtak, Saharsa, Siwan, Solapur, Talcher, Tirupati, Udupi, Ujjain, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Satisfactory	99	O <sub>3</sub>	1
86	Kochi	Good	44	PM <sub>10</sub>	1
87	Kohima	Satisfactory	65	PM <sub>10</sub>	1
88	Kolkata	Satisfactory	55	PM <sub>10</sub> , O <sub>3</sub>	7
89	Kollam	Satisfactory	62	PM <sub>10</sub>	1
90	Koppal	Satisfactory	76	03	1
91	Kota	Satisfactory	80	PM <sub>10</sub>	1
92	Kozhikode	Satisfactory	67	PM <sub>10</sub>	1
93	Kurukshetra	Poor	211	PM <sub>2.5</sub>	1
94	Lucknow	Moderate	165	PM <sub>2.5</sub> , PM <sub>10</sub>	6
95	Ludhiana	Moderate	170	PM <sub>10</sub>	1
96	Madikeri	Good	32	SO <sub>2</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Bidar, Bihar Sharif, Davanagere, Dehradun, Dewas, Durgapur, Gadag, Hapur, Haveri, Jorapokhar, Kolar, Maihar, Mandi Gobindgarh, Manglore, Naharlagun, Nandesari, Nashik, Rohtak, Saharsa, Siwan, Solapur, Talcher, Tirupati, Udupi, Ujjain, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Satisfactory	52	O <sub>3</sub>	1
98	Mandikhera	Satisfactory	61	PM <sub>10</sub>	1
99	Manesar	Satisfactory	98	PM <sub>10</sub>	1
100	Manguraha	Satisfactory	56	03	1
101	Meerut	Moderate	184	PM <sub>10</sub>	3
102	Moradabad	Moderate	152	PM <sub>10</sub>	4
103	Motihari	Satisfactory	88	03	1
104	Mumbai	Satisfactory	56	CO, PM <sub>10</sub>	17
105	Munger	Moderate	179	PM <sub>10</sub>	1
106	Muzaffarnagar	Moderate	196	PM <sub>10</sub>	1
107	Muzaffarpur	Satisfactory	96	PM <sub>10</sub> , PM <sub>2.5</sub>	3
108	Mysuru	Good	41	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Bidar, Bihar Sharif, Davanagere, Dehradun, Dewas, Durgapur, Gadag, Hapur, Haveri, Jorapokhar, Kolar, Maihar, Mandi Gobindgarh, Manglore, Naharlagun, Nandesari, Nashik, Rohtak, Saharsa, Siwan, Solapur, Talcher, Tirupati, Udupi, Ujjain, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Satisfactory	82	03	1
110	Narnaul	Satisfactory	56	PM <sub>10</sub>	1
111	Navi Mumbai	Satisfactory	59	PM <sub>10</sub>	1
112	Noida	Moderate	175	CO, PM <sub>10</sub>	4
113	Pali	Moderate	134	PM <sub>2.5</sub>	1
114	Palwal	Satisfactory	95	PM <sub>10</sub>	1
115	Panchkula	Moderate	190	PM <sub>2.5</sub>	1
116	Panipat	Moderate	163	PM <sub>10</sub>	1
117	Patiala	Moderate	154	PM <sub>10</sub>	1
118	Patna	Moderate	154	PM <sub>2.5</sub> , PM <sub>10</sub>	6
119	Pithampur	Moderate	139	PM <sub>10</sub>	1
120	Prayagraj	Moderate	109	PM <sub>10</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Bidar, Bihar Sharif, Davanagere, Dehradun, Dewas, Durgapur, Gadag, Hapur, Haveri, Jorapokhar, Kolar, Maihar, Mandi Gobindgarh, Manglore, Naharlagun, Nandesari, Nashik, Rohtak, Saharsa, Siwan, Solapur, Talcher, Tirupati, Udupi, Ujjain, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Good	46	03	1
122	Pune	Satisfactory	80	SO <sub>2</sub> , CO, PM <sub>2.5</sub>	6
123	Purnia	Moderate	126	PM <sub>10</sub>	1
124	Raichur	Good	50	со	1
125	Rajamahendravaram	Good	44	PM <sub>10</sub>	1
126	Rajgir	Moderate	121	PM <sub>10</sub>	1
127	Ramanagara	Good	33	PM <sub>10</sub>	1
128	Ratlam	Good	49	PM <sub>10</sub>	1
129	Rupnagar	Moderate	104	PM <sub>10</sub>	1
130	Sagar	Satisfactory	60	со	1
131	Samastipur	Moderate	167	PM <sub>10</sub>	1
132	Sasaram	Moderate	133	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Bidar, Bihar Sharif, Davanagere, Dehradun, Dewas, Durgapur, Gadag, Hapur, Haveri, Jorapokhar, Kolar, Maihar, Mandi Gobindgarh, Manglore, Naharlagun, Nandesari, Nashik, Rohtak, Saharsa, Siwan, Solapur, Talcher, Tirupati, Udupi, Ujjain, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Satisfactory	61	PM <sub>10</sub>	1
134	Shillong	Good	48	NO <sub>2</sub>	1
135	Shivamogga	Satisfactory	62	NO <sub>2</sub>	1
136	Siliguri	Good	45	PM <sub>10</sub>	1
137	Singrauli	Satisfactory	93	NO <sub>2</sub>	1
138	Sirsa	Moderate	129	PM <sub>10</sub>	1
139	Sonipat	Satisfactory	90	PM <sub>10</sub>	1
140	Srinagar	Satisfactory	84	PM <sub>10</sub>	1
141	Thane	Moderate	102	NO <sub>2</sub>	1
142	Thiruvananthapuram	Satisfactory	59	PM <sub>2.5</sub> , CO	2
143	Thoothukudi	Good	35	O <sub>3</sub>	1
144	Thrissur	Good	37	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Bidar, Bihar Sharif, Davanagere, Dehradun, Dewas, Durgapur, Gadag, Hapur, Haveri, Jorapokhar, Kolar, Maihar, Mandi Gobindgarh, Manglore, Naharlagun, Nandesari, Nashik, Rohtak, Saharsa, Siwan, Solapur, Talcher, Tirupati, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Satisfactory	63	PM <sub>10</sub>	1
146	Varanasi	Satisfactory	100	PM <sub>10</sub>	2
147	Vatva	Satisfactory	63	PM <sub>10</sub>	1
148	Vijayapura	Good	44	PM <sub>10</sub>	1
149	Visakhapatnam	Satisfactory	85	PM <sub>10</sub>	1
150	Vrindavan	Satisfactory	87	PM <sub>10</sub>	1
151	Yadgir	Good	33	PM <sub>10</sub>	1
152	Yamunanagar	Poor	214	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Bidar, Bihar Sharif, Davanagere, Dehradun, Dewas, Durgapur, Gadag, Hapur, Haveri, Jorapokhar, Kolar, Maihar, Mandi Gobindgarh, Manglore, Naharlagun, Nandesari, Nashik, Rohtak, Saharsa, Siwan, Solapur, Talcher, Tirupati, Udupi, Ujjain, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.