Air Quality Index on Dec 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	158	PM_{10}, $PM_{2.5}$	2
2	Agra	Moderate	131	$PM_{2.5}$	6
3	Ahmedabad	Moderate	146	NO_2	1
4	Aizawl	Good	22	PM_{10}	1
5	Alwar	Satisfactory	81	PM_{10}	1
6	Amaravati	Moderate	166	$PM_{2.5}$	1
7	Ambala	Very Poor	317	$PM_{2.5}$	1
8	Amritsar	Very Poor	304	$PM_{2.5}$	1
9	Anantapur	Satisfactory	65	O_3	1
10	Ankleshwar	Moderate	171	$PM_{2.5}$	1
11	Araria	Very Poor	305	$PM_{2.5}$	1
12	Arrah	Very Poor	398	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Bhilai, Bihar Sharif, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Ernakulam, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Khurja, Kollam, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Pune, Raipur, Rajgir, Solapur, Thrissur, Tumakuru, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	292	$PM_{2.5}$	1
14	Aurangabad (Bihar)	Very Poor	348	$PM_{2.5}$	1
15	Aurangabad (Maharashtra)	Satisfactory	71	PM_{10}	1
16	Baddi	Poor	298	$PM_{2.5}$	1
17	Bagalkot	Good	42	PM_{10}	1
18	Baghpat	Poor	263	$PM_{2.5}$	1
19	Bahadurgarh	Poor	264	$PM_{2.5}$	1
20	Ballabgarh	Moderate	179	PM_{10}	1
21	Bareilly	Poor	225	$PM_{2.5}$, PM_{10}	2
22	Baripada	Moderate	193	$PM_{2.5}$	1
23	Bathinda	Moderate	128	$PM_{2.5}$	1
24	Begusarai	Severe	474	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Bhilai, Bihar Sharif, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Ernakulam, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Khurja, Kollam, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Pune, Raipur, Rajgir, Solapur, Thrissur, Tumakuru, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Poor	234	$PM_{2.5}$	1
26	Bengaluru	Moderate	146	$PM_{2.5}$	7
27	Bettiah	Very Poor	334	$PM_{2.5}$	1
28	Bhagalpur	Very Poor	388	$PM_{2.5}$	2
29	Bhiwadi	Poor	214	PM_{10}	1
30	Bhiwani	Moderate	188	$PM_{2.5}$	1
31	Bhopal	Moderate	118	PM_{10}	2
32	Bidar	Satisfactory	84	SO_2	1
33	Bilaspur	Satisfactory	81	CO	1
34	Bileipada	Moderate	156	PM_{10}	1
35	Brajrajnagar	Satisfactory	81	PM_{10}	1
36	Bulandshahr	Poor	248	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Bhilai, Bihar Sharif, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Ernakulam, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Khurja, Kollam, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Pune, Raipur, Rajgir, Solapur, Thrissur, Tumakuru, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	42	PM_{10}	1
38	Chandigarh	Poor	293	$PM_{2.5}$	3
39	Chandrapur	Moderate	125	$PM_{2.5}$, PM_{10}	2
40	Charkhi Dadri	Moderate	185	PM_{10}	1
41	Chennai	Moderate	120	$PM_{2.5}$, PM_{10}	8
42	Chikkaballapur	Moderate	121	PM_{10}	1
43	Chikkamagaluru	Good	47	PM_{10}	1
44	Damoh	Good	29	PM_{10}	1
45	Darbhanga	Severe	446	$PM_{2.5}$	1
46	Davanagere	Satisfactory	97	PM_{10}	1
47	Delhi	Very Poor	353	$PM_{2.5}$, PM_{10}	35
48	Dewas	Satisfactory	94	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Bhilai, Bihar Sharif, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Ernakulam, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Khurja, Kollam, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Pune, Raipur, Rajgir, Solapur, Thrissur, Tumakuru, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dharuhera	Very Poor	307	$PM_{2.5}$	1
50	Dindigul	Poor	269	NO_2	1
51	Durgapur	Moderate	178	PM_{10}	1
52	Eloor	Satisfactory	54	$PM_{2.5}$	1
53	Faridabad	Very Poor	305	$PM_{2.5}$	4
54	Fatehabad	Moderate	168	$PM_{2.5}$	1
55	Gandhinagar	Satisfactory	86	PM_{10}	1
56	Gangtok	Good	45	$PM_{2.5}$	1
57	Gaya	Very Poor	301	$PM_{2.5}$	3
58	Ghaziabad	Very Poor	354	PM_{10}	4
59	Gorakhpur	Moderate	184	$PM_{2.5}$	1
60	Greater Noida	Very Poor	398	$PM_{10}, PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Bhilai, Bihar Sharif, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Ernakulam, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Khurja, Kollam, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Pune, Raipur, Rajgir, Solapur, Thrissur, Tumakuru, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Very Poor	328	$PM_{2.5}$	4
62	Guwahati	Moderate	185	$PM_{2.5}$	3
63	Gwalior	Poor	276	$PM_{2.5}$	3
64	Hajipur	Very Poor	312	$PM_{2.5}$	1
65	Haldia	Moderate	156	PM_{10}	1
66	Hapur	Poor	225	$PM_{2.5}$	1
67	Hassan	Satisfactory	76	$PM_{2.5}$	1
68	Haveri	Moderate	159	$PM_{2.5}$	1
69	Hisar	Moderate	173	PM_{10}	1
70	Hosur	Moderate	107	CO	1
71	Howrah	Very Poor	326	$PM_{2.5}$	3
72	Hubballi	Moderate	113	$PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Bhilai, Bihar Sharif, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Ernakulam, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Khurja, Kollam, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Pune, Raipur, Rajgir, Solapur, Thrissur, Tumakuru, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hyderabad	Moderate	101	$PM_{2.5}$, PM_{10}	11
74	Imphal	Poor	252	O_3	2
75	Indore	Satisfactory	87	PM_{10}	1
76	Jabalpur	Moderate	138	PM_{10}	1
77	Jaipur	Moderate	144	$PM_{2.5}$, PM_{10}	3
78	Jalandhar	Very Poor	301	$PM_{2.5}$	1
79	Jhansi	Moderate	114	PM_{10}	1
80	Jind	Poor	278	$PM_{2.5}$	1
81	Jodhpur	Moderate	119	PM_{10}	1
82	Kaithal	Poor	286	$PM_{2.5}$	1
83	Kalaburgi	Moderate	136	$PM_{2.5}$	1
84	Kalyan	Moderate	126	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Bhilai, Bihar Sharif, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Ernakulam, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Khurja, Kollam, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Pune, Raipur, Rajgir, Solapur, Thrissur, Tumakuru, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kanchipuram	Satisfactory	88	PM_{10}	1
86	Kannur	Satisfactory	74	$PM_{2.5}$	1
87	Kanpur	Poor	225	$PM_{2.5}$	3
88	Karnal	Poor	262	$PM_{2.5}$	1
89	Katihar	Severe	442	$PM_{2.5}$	1
90	Katni	Moderate	158	$PM_{2.5}$	1
91	Keonjhar	Moderate	164	O_3	1
92	Khanna	Poor	229	$PM_{2.5}$	1
93	Kishanganj	Poor	282	$PM_{2.5}$	1
94	Kochi	Moderate	138	$PM_{2.5}$	1
95	Kohima	Satisfactory	55	$PM_{2.5}$	1
96	Kolar	Moderate	162	SO_2	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Bhilai, Bihar Sharif, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Ernakulam, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Khurja, Kollam, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Pune, Raipur, Rajgir, Solapur, Thrissur, Tumakuru, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Very Poor	303	$PM_{2.5}$	7
98	Koppal	Moderate	156	O_3	1
99	Kota	Moderate	137	PM_{10}	1
100	Kurukshetra	Poor	258	$PM_{2.5}$	1
101	Lucknow	Poor	282	$PM_{2.5}$	6
102	Ludhiana	Very Poor	332	$PM_{2.5}$	1
103	Madikeri	Satisfactory	60	$PM_{2.5}$	1
104	Maihar	Good	41	PM_{10}	1
105	Mandi Gobindgarh	Poor	217	$PM_{2.5}$	1
106	Mandideep	Satisfactory	70	PM_{10}	1
107	Mandikhera	Moderate	115	PM_{10}	1
108	Manesar	Poor	266	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Bhilai, Bihar Sharif, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Ernakulam, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Khurja, Kollam, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Pune, Raipur, Rajgir, Solapur, Thrissur, Tumakuru, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mangalore	Satisfactory	79	PM_{10}	1
110	Manguraha	Moderate	110	$PM_{2.5}$	1
111	Meerut	Poor	281	$PM_{2.5}$	3
112	Moradabad	Satisfactory	99	$PM_{2.5}$	6
113	Motihari	Very Poor	322	PM_{10}	1
114	Mumbai	Moderate	165	$PM_{2.5}$, NO_2	16
115	Munger	Very Poor	344	$PM_{2.5}$	1
116	Muzaffarnagar	Very Poor	336	$PM_{2.5}$	1
117	Muzaffarpur	Very Poor	383	$PM_{2.5}$	2
118	Mysuru	Good	47	PM_{10}	1
119	Nagpur	Satisfactory	95	$PM_{2.5}$	1
120	Nalbari	Moderate	140	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Bhilai, Bihar Sharif, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Ernakulam, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Khurja, Kollam, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Pune, Raipur, Rajgir, Solapur, Thrissur, Tumakuru, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Narnaul	Moderate	134	PM_{10}	1
122	Navi Mumbai	Moderate	186	$PM_{2.5}$	2
123	Nayagarh	Moderate	126	$PM_{2.5}$	1
124	Noida	Very Poor	328	$PM_{2.5}$	4
125	Ooty	Satisfactory	64	CO	1
126	Pali	Moderate	111	$PM_{2.5}$	1
127	Palwal	Satisfactory	63	PM_{10}	1
128	Panchkula	Moderate	188	$PM_{2.5}$	1
129	Panipat	Moderate	173	PM_{10}	1
130	Patiala	Moderate	136	$PM_{2.5}$	1
131	Patna	Severe	402	PM_{10}, $PM_{2.5}$	6
132	Pithampur	Satisfactory	96	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Bhilai, Bihar Sharif, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Ernakulam, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Khurja, Kollam, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Pune, Raipur, Rajgir, Solapur, Thrissur, Tumakuru, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Prayagraj	Moderate	120	$PM_{2.5}$	3
134	Puducherry	Moderate	118	$PM_{2.5}$	1
135	Purnia	Severe	404	$PM_{2.5}$	1
136	Raichur	Moderate	113	PM_{10}	1
137	Rairangpur	Moderate	183	$PM_{2.5}$	1
138	Rajamahendravaram	Moderate	157	$PM_{2.5}$	1
139	Ramanagara	Satisfactory	99	$PM_{2.5}$	1
140	Ramanathapuram	Satisfactory	87	$PM_{2.5}$	1
141	Ratlam	Satisfactory	84	PM_{10}	1
142	Rohtak	Poor	235	$PM_{2.5}$	1
143	Rourkela	Poor	221	PM_{10}	1
144	Rupnagar	Moderate	130	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Bhilai, Bihar Sharif, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Ernakulam, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Khurja, Kollam, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Pune, Raipur, Rajgir, Solapur, Thrissur, Tumakuru, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sagar	Satisfactory	88	O_3, CO	2
146	Saharsa	Severe	404	$PM_{2.5}$	1
147	Salem	Moderate	137	$PM_{2.5}$	1
148	Samastipur	Very Poor	399	$PM_{2.5}$	1
149	Sasaram	Very Poor	341	$PM_{2.5}$	1
150	Satna	Satisfactory	87	PM_{10}	1
151	Shillong	Good	45	$PM_{2.5}$	1
152	Shivamogga	Good	46	PM_{10}	1
153	Siliguri	Moderate	130	PM_{10}	1
154	Singrauli	Very Poor	317	$PM_{2.5}$	1
155	Sirsa	Moderate	111	$PM_{2.5}$	1
156	Sivasagar	Good	48	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Bhilai, Bihar Sharif, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Ernakulam, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Khurja, Kollam, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Pune, Raipur, Rajgir, Solapur, Thrissur, Tumakuru, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Siwan	Severe	429	$PM_{2.5}$	1
158	Sonipat	Poor	218	PM_{10}	1
159	Srinagar	Satisfactory	80	$PM_{2.5}$	1
160	Suakati	Moderate	140	$PM_{2.5}$	1
161	Surat	Moderate	156	$PM_{2.5}$	1
162	Talcher	Poor	220	$PM_{2.5}$	1
163	Tensa	Moderate	105	PM_{10}	1
164	Thane	Moderate	140	PM_{10}	1
165	Thiruvananthapuram	Satisfactory	79	$PM_{2.5}$	2
166	Thoothukudi	Satisfactory	75	PM_{10}	1
167	Tirupati	Moderate	158	$PM_{2.5}$	2
168	Tirupur	Moderate	129	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Bhilai, Bihar Sharif, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Ernakulam, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Khurja, Kollam, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Pune, Raipur, Rajgir, Solapur, Thrissur, Tumakuru, vellore as data was not available.
\# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Udaipur	Moderate	130	$PM_{2.5}$	1
170	Udupi	Moderate	148	O_3	1
171	Ujjain	Moderate	116	PM_{10}	1
172	Vapi	Poor	256	$PM_{2.5}$	1
173	Varanasi	Moderate	119	$PM_{2.5}$, PM_{10}	4
174	Vatva	Moderate	102	PM_{10}	1
175	Vijayapura	Satisfactory	58	PM_{10}	1
176	Visakhapatnam	Moderate	159	$PM_{2.5}$	1
177	Vrindavan	Satisfactory	86	PM_{10}	1
178	Yadgir	Satisfactory	93	$PM_{2.5}$	1
179	Yamunanagar	Very Poor	322	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Bhilai, Bihar Sharif, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Ernakulam, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Khurja, Kollam, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Pune, Raipur, Rajgir, Solapur, Thrissur, Tumakuru, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.