



Air Quality Index on May 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	81	SO ₂	1
2	Agra	Satisfactory	86	O ₃	5
3	Ahmedabad	Moderate	120	PM ₁₀	6
4	Aizawl	Good	30	PM ₁₀	1
5	Ajmer	Poor	214	PM ₁₀	1
6	Alwar	Satisfactory	80	PM ₁₀	1
7	Amaravati	Satisfactory	80	PM ₁₀	1
8	Amritsar	Moderate	118	PM _{2.5}	1
9	Anantapur	Satisfactory	91	O ₃	1
10	Ankleshwar	Satisfactory	64	CO	1
11	Ariyalur	Satisfactory	83	PM ₁₀	1
12	Arrah	Moderate	148	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Bahadurgarh, Baran, Bareilly, Belgaum, Bhiwadi, Bidar, Bilaspur, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatchabad, Hanumangarh, Imphal, Kaithal, Kanchipuram, Karnal, Kashipur, Khanna, Kishanganj, Kolar, Kozhikode, Kunjemura, Kurukshetra, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Manesar, Manguraha, Nandesari, Palkaiperur, Pratapgargh, Purnia, Saharsa, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Thane, Tirupur, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	105	PM ₁₀	1
14	Aurangabad (Maharashtra)	Satisfactory	83	PM ₁₀	1
15	Baddi	Moderate	172	O ₃	1
16	Bagalkot	Good	46	PM ₁₀	1
17	Baghpat	Moderate	135	PM ₁₀	1
18	Ballabgarh	Moderate	104	PM _{2.5}	1
19	Banswara	Satisfactory	98	PM ₁₀	1
20	Baripada	Satisfactory	98	PM ₁₀	1
21	Barmer	Satisfactory	78	PM ₁₀	1
22	Bathinda	Moderate	162	PM _{2.5}	1
23	Begusarai	Moderate	163	PM ₁₀	1
24	Bengaluru	Satisfactory	74	PM _{2.5} , CO	11

* AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Bahadurgarh, Baran, Bareilly, Belgaum, Bhiwadi, Bidar, Bilaspur, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatchabad, Hanumangarh, Imphal, Kaithal, Kanchipuram, Karnal, Kashipur, Khanna, Kishanganj, Kolar, Kozhikode, Kunjemura, Kurukshetra, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Manesar, Manguraha, Nandesari, Palkalaiperur, Pratapgarh, Purnia, Saharsa, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Thane, Tirupur, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Moderate	106	PM ₁₀	1
26	Bhagalpur	Moderate	128	PM ₁₀	2
27	Bharatpur	Satisfactory	94	PM ₁₀	1
28	Bhilai	Satisfactory	64	PM ₁₀	3
29	Bhilwara	Satisfactory	88	PM ₁₀	1
30	Bhiwani	Moderate	112	NO ₂	1
31	Bhopal	Satisfactory	80	PM ₁₀	3
32	Bihar Sharif	Moderate	163	O ₃	1
33	Bikaner	Very Poor	339	PM ₁₀	1
34	Bileipada	Moderate	121	PM ₁₀	1
35	Bulandshahr	Satisfactory	72	O ₃	1
36	Chamarajanagar	Good	41	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Bahadurgarh, Baran, Bareilly, Belgaum, Bhiwadi, Bidar, Bilaspur, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatchabad, Hanumangarh, Imphal, Kaithal, Kanchipuram, Karnal, Kashipur, Khanna, Kishanganj, Kolar, Kozhikode, Kunjemura, Kurukshetra, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Manesar, Manguraha, Nandesari, Palkaiperur, Pratapgarh, Purnia, Saharsa, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Thane, Tirupur, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Satisfactory	100	PM ₁₀	3
38	Chandrapur	Moderate	117	PM ₁₀	1
39	Charkhi Dadri	Moderate	151	PM _{2.5}	1
40	Chennai	Satisfactory	71	CO, O ₃	6
41	Chhal	Satisfactory	76	PM ₁₀	1
42	Chhapra	Moderate	180	PM ₁₀	1
43	Chikkaballapur	Satisfactory	68	PM ₁₀	1
44	Chikkamagaluru	Satisfactory	63	PM ₁₀	1
45	Chittorgarh	Satisfactory	80	PM ₁₀	1
46	Cuddalore	Satisfactory	91	NO ₂	2
47	Damoh	Good	26	PM _{2.5}	1
48	Dausa	Moderate	150	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Bahadurgarh, Baran, Bareilly, Belgaum, Bhiwadi, Bidar, Bilaspur, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatchabad, Hanumangarh, Imphal, Kaithal, Kanchipuram, Karnal, Kashipur, Khanna, Kishanganj, Kolar, Kozhikode, Kunjemura, Kurukshetra, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Manesar, Manguraha, Nandesari, Palkaiperur, Pratapgarh, Purnia, Saharsa, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Thane, Tirupur, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Davanagere	Good	41	PM _{2.5}	1
50	Dehradun	Satisfactory	98	PM ₁₀	1
51	Delhi	Moderate	149	O ₃ , PM ₁₀	37
52	Dewas	Moderate	103	PM ₁₀	1
53	Dharwad	Satisfactory	57	PM ₁₀	1
54	Dholpur	Satisfactory	86	O ₃	1
55	Durgapur	Satisfactory	84	PM ₁₀	1
56	Eloor	Satisfactory	69	PM ₁₀	1
57	Faridabad	Moderate	110	PM _{2.5}	3
58	Firozabad	Satisfactory	81	PM ₁₀	1
59	Gadag	Good	45	SO ₂	1
60	Gandhinagar	Satisfactory	73	PM _{2.5} , PM ₁₀	3

* AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Bahadurgarh, Baran, Bareilly, Belgaum, Bhiwadi, Bidar, Bilaspur, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dharwad, Dharuhera, Dindigul, Ernakulam, Fatchabad, Hanumangarh, Imphal, Kaithal, Kanchipuram, Karnal, Kashipur, Khanna, Kishanganj, Kolar, Kozhikode, Kunjemura, Kurukshetra, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Manesar, Manguraha, Nandesari, Palkaiperur, Pratapgarh, Purnia, Saharsa, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Thane, Tirupur, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gangtok	Good	47	O ₃	1
62	Gaya	Moderate	116	PM ₁₀ , PM _{2.5}	3
63	Ghaziabad	Moderate	134	PM ₁₀	4
64	Gorakhpur	Moderate	116	PM ₁₀	1
65	Greater Noida	Moderate	196	O ₃	2
66	Gummidipoondi	Satisfactory	88	PM _{2.5}	1
67	Gurugram	Moderate	160	PM _{2.5}	4
68	Guwahati	Good	40	O ₃ , SO ₂	4
69	Gwalior	Moderate	109	O ₃ , PM ₁₀	3
70	Hajipur	Satisfactory	90	PM ₁₀	1
71	Haldia	Good	43	PM ₁₀	1
72	Hapur	Poor	203	O ₃	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Bahadurgarh, Baran, Bareilly, Belgaum, Bhiwadi, Bidar, Bilaspur, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatchabad, Hanumangarh, Imphal, Kaithal, Kanchipuram, Karnal, Kashipur, Khanna, Kishanganj, Kolar, Kozhikode, Kunjemura, Kurukshetra, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Manesar, Manguraha, Nandesari, Palkalaiperur, Pratapgarh, Purnia, Saharsa, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Thane, Tirupur, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hassan	Satisfactory	75	PM ₁₀	1
74	Haveri	Good	43	PM ₁₀	1
75	Hisar	Satisfactory	98	PM _{2.5}	1
76	Hosur	Satisfactory	84	PM ₁₀	1
77	Howrah	Satisfactory	58	PM ₁₀	3
78	Hubballi	Satisfactory	78	PM ₁₀	2
79	Hyderabad	Satisfactory	96	CO, PM ₁₀	12
80	Indore	Satisfactory	60	O ₃	2
81	Jabalpur	Moderate	104	PM ₁₀	1
82	Jaipur	Moderate	164	PM _{2.5} , PM ₁₀	6
83	Jaisalmer	Moderate	115	PM ₁₀	1
84	Jalandhar	Moderate	151	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Bahadurgarh, Baran, Bareilly, Belgaum, Bhiwadi, Bidar, Bilaspur, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatchabad, Hanumangarh, Imphal, Kaithal, Kanchipuram, Karnal, Kashipur, Khanna, Kishanganj, Kolar, Kozhikode, Kunjemura, Kurukshetra, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Manesar, Manguraha, Nandesari, Palkaiperur, Pratapgarh, Purnia, Saharsa, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Thane, Tirupur, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jhalawar	Satisfactory	72	PM ₁₀	1
86	Jhansi	Moderate	119	PM ₁₀	1
87	Jhunjhunu	Poor	220	O ₃	1
88	Jind	Satisfactory	92	PM _{2.5}	1
89	Jodhpur	Moderate	114	PM ₁₀	3
90	Jorapokhar	Moderate	115	PM ₁₀	1
91	Kadapa	Satisfactory	70	O ₃	1
92	Kalaburgi	Satisfactory	64	PM ₁₀	2
93	Kalyan	Satisfactory	77	PM ₁₀	1
94	Kannur	Satisfactory	77	PM ₁₀	1
95	Kanpur	Moderate	164	PM ₁₀	3
96	Karauli	Moderate	111	O ₃	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Bahadurgarh, Baran, Bareilly, Belgaum, Bhiwadi, Bidar, Bilaspur, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatchabad, Hanumangarh, Imphal, Kaithal, Kanchipuram, Karnal, Kashipur, Khanna, Kishanganj, Kolar, Kozhikode, Kunjemura, Kurukshetra, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Manesar, Manguraha, Nandesari, Palkalaiperur, Pratapgarh, Purnia, Saharsa, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Thane, Tirupur, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Katihar	Satisfactory	85	CO	1
98	Katni	Moderate	129	PM ₁₀	1
99	Keonjhar	Satisfactory	84	PM ₁₀	1
100	Khurja	Good	49	PM _{2.5}	1
101	Kochi	Satisfactory	72	PM ₁₀	1
102	Kohima	Satisfactory	64	PM ₁₀	1
103	Kolhapur	Satisfactory	58	O ₃ , PM _{2.5}	2
104	Kolkata	Satisfactory	53	O ₃ , PM ₁₀	7
105	Kollam	Satisfactory	97	PM ₁₀	1
106	Koppal	Satisfactory	68	O ₃	1
107	Korba	Moderate	178	PM ₁₀	2
108	Kota	Moderate	173	PM ₁₀ , PM _{2.5}	3

* AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Bahadurgarh, Baran, Bareilly, Belgaum, Bhiwadi, Bidar, Bilaspur, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatchabad, Hanumangarh, Imphal, Kaithal, Kanchipuram, Karnal, Kashipur, Khanna, Kishanganj, Kolar, Kozhikode, Kunjemura, Kurukshetra, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Manesar, Manguraha, Nandesari, Palkaiperur, Pratapgarh, Purnia, Saharsa, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Thane, Tirupur, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Lucknow	Poor	201	PM _{2.5}	6
110	Madikeri	Good	33	PM ₁₀	1
111	Mandikhera	Moderate	103	PM ₁₀	1
112	Mangalore	Satisfactory	55	PM ₁₀	1
113	Meerut	Moderate	120	O ₃ , PM ₁₀	3
114	Milupara	Satisfactory	70	PM ₁₀	1
115	Moradabad	Satisfactory	92	PM _{2.5}	6
116	Motihari	Satisfactory	69	NO ₂	1
117	Mumbai	Satisfactory	75	PM ₁₀	18
118	Munger	Moderate	181	PM ₁₀	1
119	Muzaffarnagar	Moderate	152	PM ₁₀	1
120	Muzaffarpur	Moderate	197	O ₃	3

* AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Bahadurgarh, Baran, Bareilly, Belgaum, Bhiwadi, Bidar, Bilaspur, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatchabad, Hanumangarh, Imphal, Kaithal, Kanchipuram, Karnal, Kashipur, Khanna, Kishanganj, Kolar, Kozhikode, Kunjemura, Kurukshetra, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Manesar, Manguraha, Nandesari, Palkalaiperur, Pratapgarh, Purnia, Saharsa, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Thane, Tirupur, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mysuru	Satisfactory	61	PM ₁₀	1
122	Nagaon	Satisfactory	58	O ₃	1
123	Nagpur	Satisfactory	72	PM ₁₀	1
124	Naharlagun	Good	49	PM _{2.5}	1
125	Nalbari	Satisfactory	99	PM ₁₀	1
126	Narnaul	Moderate	105	PM ₁₀	1
127	Nashik	Good	50	PM ₁₀	1
128	Navi Mumbai	Satisfactory	74	NO ₂ , CO	3
129	Nayagarh	Satisfactory	100	PM ₁₀	1
130	Noida	Moderate	144	NO ₂ , PM ₁₀	4
131	Ooty	Moderate	119	PM ₁₀	1
132	Pali	Moderate	107	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Bahadurgarh, Baran, Bareilly, Belgaum, Bhiwadi, Bidar, Bilaspur, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatchabad, Hanumangarh, Imphal, Kaithal, Kanchipuram, Karnal, Kashipur, Khanna, Kishanganj, Kolar, Kozhikode, Kunjemura, Kurukshetra, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Manesar, Manguraha, Nandesari, Palkaiperur, Pratapgarh, Purnia, Saharsa, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Thane, Tirupur, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Palwal	Satisfactory	70	PM ₁₀	1
134	Panchkula	Moderate	165	PM _{2.5}	1
135	Panipat	Moderate	156	PM ₁₀	1
136	Patiala	Satisfactory	99	PM ₁₀	1
137	Patna	Moderate	157	PM _{2.5} , CO	6
138	Pimpri Chinchwad	Satisfactory	94	PM _{2.5} , PM ₁₀	2
139	Pithampur	Satisfactory	80	PM ₁₀	1
140	Prayagraj	Moderate	123	PM ₁₀	3
141	Puducherry	Satisfactory	58	PM ₁₀	1
142	Pune	Moderate	130	PM ₁₀	3
143	Raichur	Satisfactory	56	PM _{2.5}	1
144	Raipur	Satisfactory	80	PM ₁₀ , NO ₂	4

* AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Bahadurgarh, Baran, Bareilly, Belgaum, Bhiwadi, Bidar, Bilaspur, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatchabad, Hanumangarh, Imphal, Kaithal, Kanchipuram, Karnal, Kashipur, Khanna, Kishanganj, Kolar, Kozhikode, Kunjemura, Kurukshetra, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Manesar, Manguraha, Nandesari, Palkalaiperur, Pratapgarh, Purnia, Saharsa, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Thane, Tirupur, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rairangpur	Satisfactory	77	O ₃	1
146	Rajamahendravaram	Satisfactory	70	PM ₁₀	1
147	Rajgir	Moderate	130	PM ₁₀	1
148	Rajsamand	Satisfactory	81	PM ₁₀	1
149	Ramanagara	Satisfactory	72	PM ₁₀	1
150	Ramanathapuram	Good	47	PM ₁₀	1
151	Ratlam	Satisfactory	93	PM ₁₀	1
152	Rishikesh	Satisfactory	90	PM _{2.5}	1
153	Rohtak	Satisfactory	79	PM _{2.5}	1
154	Rourkela	Moderate	116	PM ₁₀	2
155	Rupnagar	Moderate	130	PM ₁₀	1
156	Sagar	Satisfactory	83	O ₃	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Bahadurgarh, Baran, Bareilly, Belgaum, Bhiwadi, Bidar, Bilaspur, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatchabad, Hanumangarh, Imphal, Kaithal, Kanchipuram, Karnal, Kashipur, Khanna, Kishanganj, Kolar, Kozhikode, Kunjemura, Kurukshetra, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Manesar, Manguraha, Nandesari, Palkaiperur, Pratapgarh, Purnia, Saharsa, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Thane, Tirupur, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Salem	Satisfactory	77	SO ₂	1
158	Samastipur	Satisfactory	100	PM ₁₀	1
159	Sasaram	Moderate	169	O ₃	1
160	Satna	Moderate	126	PM ₁₀	1
161	Shillong	Satisfactory	54	PM ₁₀	1
162	Shivamogga	Satisfactory	76	O ₃	1
163	Sikar	Moderate	192	PM ₁₀	1
164	Silchar	Good	29	CO	1
165	Siliguri	Good	48	O ₃	1
166	Singrauli	Poor	239	PM ₁₀	1
167	Sirsa	Moderate	194	PM ₁₀	1
168	Sivasagar	Good	19	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Bahadurgarh, Baran, Bareilly, Belgaum, Bhiwadi, Bidar, Bilaspur, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatchabad, Hanumangarh, Imphal, Kaithal, Kanchipuram, Karnal, Kashipur, Khanna, Kishanganj, Kolar, Kozhikode, Kunjemura, Kurukshetra, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Manesar, Manguraha, Nandesari, Palkaiperur, Pratapgarh, Purnia, Saharsa, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Thane, Tirupur, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Siwan	Moderate	160	PM ₁₀	1
170	Solapur	Moderate	122	PM ₁₀	2
171	Srinagar	Moderate	111	PM ₁₀	1
172	Suakati	Satisfactory	92	PM ₁₀	1
173	Surat	Satisfactory	65	CO	1
174	Talcher	Satisfactory	68	PM _{2.5}	1
175	Tensa	Satisfactory	81	PM ₁₀	1
176	Thiruvananthapuram	Good	47	CO	2
177	Thoothukudi	Satisfactory	84	PM ₁₀	1
178	Thrissur	Satisfactory	88	PM ₁₀	1
179	Tirupati	Moderate	126	PM _{2.5} , PM ₁₀	2
180	Tonk	Moderate	179	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Bahadurgarh, Baran, Bareilly, Belgaum, Bhiwadi, Bidar, Bilaspur, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatchabad, Hanumangarh, Imphal, Kaithal, Kanchipuram, Karnal, Kashipur, Khanna, Kishanganj, Kolar, Kozhikode, Kunjemura, Kurukshetra, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Manesar, Manguraha, Nandesari, Palkalaiperur, Pratapgarh, Purnia, Saharsa, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Thane, Tirupur, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Tumakuru	Moderate	145	PM ₁₀	1
182	Tumidih	Moderate	193	PM ₁₀	1
183	Udaipur	Moderate	109	PM ₁₀	1
184	Ujjain	Satisfactory	97	PM _{2.5}	1
185	Vapi	Good	49	PM _{2.5}	1
186	Varanasi	Satisfactory	89	PM ₁₀ , NO ₂	4
187	Vatva	Moderate	116	PM ₁₀	1
188	Vijayapura	Good	49	PM ₁₀	1
189	Visakhapatnam	Moderate	102	PM ₁₀	1
190	Vrindavan	Moderate	109	PM ₁₀	1
191	Yadgir	Satisfactory	70	PM ₁₀	1
192	Yamunanagar	Moderate	132	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Aurangabad (Bihar), Bahadurgarh, Baran, Bareilly, Belgaum, Bhiwadi, Bidar, Bilaspur, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Dindigul, Ernakulam, Fatchabad, Hanumangarh, Imphal, Kaithal, Kanchipuram, Karnal, Kashipur, Khanna, Kishanganj, Kolar, Kozhikode, Kunjemura, Kurukshetra, Ludhiana, Maihar, Mandi Gobindgarh, Mandideep, Manesar, Manguraha, Nandesari, Palkalaiperur, Pratapgarh, Purnia, Saharsa, Sawai Madhopur, Sirohi, Sonipat, Sri Ganganagar, Thane, Tirupur, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: