



Air Quality Index on Feb 23, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	120	PM _{2.5}	1
2	Agra	Satisfactory	98	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	110	PM ₁₀ , PM _{2.5}	8
4	Aizawl	Satisfactory	79	PM ₁₀	1
5	Ajmer	Moderate	195	PM _{2.5}	1
6	Alwar	Satisfactory	85	PM ₁₀	1
7	Amaravati	Good	42	PM ₁₀	1
8	Ambala	Moderate	119	PM ₁₀	1
9	Amritsar	Satisfactory	99	PM ₁₀	1
10	Ankleshwar	Moderate	167	PM _{2.5}	1
11	Araria	Moderate	198	PM _{2.5}	1
12	Arrah	Moderate	163	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Chandigarh, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Mandideep, Manesar, Naharlagun, Panipat, Raichur, Rajgir, Solapur, Srinagar, Vijayapura, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 23, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	184	O ₃	1
14	Aurangabad	Moderate	108	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Bahadurgarh	Moderate	171	PM ₁₀	1
17	Ballabgarh	Satisfactory	94	PM ₁₀	1
18	Bathinda	Moderate	169	PM ₁₀	1
19	Bengaluru	Satisfactory	84	PM _{2.5} , CO, PM ₁₀	9
20	Bettiah	Poor	251	PM _{2.5}	1
21	Bhagalpur	Poor	242	PM ₁₀ , PM _{2.5}	2
22	Bhiwadi	Moderate	135	PM ₁₀	1
23	Bhiwani	Moderate	129	PM ₁₀	1
24	Bhopal	Moderate	108	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpur, Bhilai, Brajrajnagar, Chandigarh, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Mandideep, Manesar, Naharlagun, Panipat, Raichur, Rajgir, Solapur, Srinagar, Vijayapura, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 23, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Satisfactory	93	PM ₁₀	1
26	Bihar Sharif	Moderate	157	PM _{2.5}	1
27	Bilaspur	Satisfactory	93	CO	1
28	Bulandshahr	Moderate	189	PM _{2.5}	1
29	Buxar	Poor	250	PM _{2.5}	1
30	Chamarajanagar	Good	36	PM ₁₀	1
31	Chandrapur	Moderate	186	O ₃ , PM ₁₀	2
32	Charkhi Dadri	Moderate	137	PM _{2.5}	1
33	Chennai	Satisfactory	62	O ₃ , CO, PM ₁₀	8
34	Chhapra	Poor	294	PM _{2.5}	1
35	Chikkaballapur	Satisfactory	88	PM _{2.5}	1
36	Chikkamagaluru	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpatt, Bhilai, Brajrajnagar, Chandigarh, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Mandideep, Manesar, Naharlagun, Panipat, Raichur, Rajgir, Solapur, Srinagar, Vijayapura, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 23, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	65	PM _{2.5}	1
38	Damoh	Good	50	PM _{2.5}	1
39	Darbhanga	Moderate	158	PM ₁₀	1
40	Davanagere	Moderate	112	PM ₁₀	1
41	Delhi	Poor	211	PM _{2.5}	39
42	Dewas	Moderate	136	PM _{2.5}	1
43	Dharuhera	Moderate	190	PM ₁₀	1
44	Durgapur	Poor	204	PM _{2.5}	1
45	Eloor	Satisfactory	75	PM ₁₀	1
46	Ernakulam	Satisfactory	64	NO ₂	1
47	Faridabad	Poor	204	PM _{2.5}	4
48	Fatehabad	Moderate	142	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Chandigarh, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Mandideep, Manesar, Naharlagun, Panipat, Raichur, Rajgir, Solapur, Srinagar, Vijayapura, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 23, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	117	PM _{2.5}	2
50	Gadag	Satisfactory	66	PM _{2.5}	1
51	Gandhinagar	Moderate	182	PM _{2.5}	2
52	Gaya	Moderate	108	PM _{2.5}	2
53	Ghaziabad	Poor	213	PM _{2.5}	3
54	Gorakhpur	Satisfactory	72	PM _{2.5}	1
55	Greater Noida	Moderate	142	PM ₁₀	2
56	Gummidipoondi	Good	29	PM ₁₀	1
57	Gurugram	Poor	237	PM _{2.5}	3
58	Guwahati	Moderate	192	PM _{2.5}	2
59	Gwalior	Moderate	106	PM ₁₀	1
60	Hajipur	Moderate	177	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Chandigarh, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Mandideep, Manesar, Naharlagun, Panipat, Raichur, Rajgir, Solapur, Srinagar, Vijayapura, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 23, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Satisfactory	88	PM ₁₀	1
62	Hapur	Moderate	157	O ₃	1
63	Hassan	Satisfactory	96	PM ₁₀	1
64	Hisar	Moderate	187	PM _{2.5}	1
65	Howrah	Poor	230	PM _{2.5}	3
66	Hubballi	Moderate	158	PM _{2.5}	1
67	Hyderabad	Moderate	106	PM _{2.5} , PM ₁₀	6
68	Indore	Moderate	182	PM ₁₀	1
69	Jabalpur	Moderate	113	PM ₁₀	1
70	Jaipur	Poor	220	PM ₁₀	2
71	Jalandhar	Moderate	102	PM ₁₀	1
72	Jhansi	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Chandigarh, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Mandideep, Manesar, Naharlagun, Panipat, Raichur, Rajgir, Solapur, Srinagar, Vijayapura, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 23, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Moderate	144	PM _{2.5}	1
74	Jodhpur	Poor	261	PM _{2.5}	1
75	Kaithal	Moderate	140	PM ₁₀	1
76	Kalyan	Moderate	132	PM ₁₀	1
77	Kannur	Satisfactory	58	PM ₁₀	1
78	Kanpur	Moderate	102	PM _{2.5}	2
79	Karnal	Moderate	131	PM ₁₀	1
80	Katihar	Very Poor	374	PM ₁₀	1
81	Katni	Moderate	165	PM ₁₀	1
82	Khanna	Moderate	125	PM ₁₀	1
83	Kishanganj	Poor	272	PM _{2.5}	1
84	Kochi	Satisfactory	51	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Chandigarh, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Mandideep, Manesar, Naharlagun, Panipat, Raichur, Rajgir, Solapur, Srinagar, Vijayapura, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 23, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Moderate	165	PM _{2.5} , PM ₁₀	7
86	Kollam	Satisfactory	69	CO	1
87	Koppal	Satisfactory	85	PM ₁₀	1
88	Kota	Satisfactory	82	PM ₁₀	1
89	Kozhikode	Satisfactory	63	PM ₁₀	1
90	Kurukshetra	Moderate	128	PM ₁₀	1
91	Lucknow	Moderate	134	PM _{2.5} , PM ₁₀	6
92	Ludhiana	Moderate	137	PM ₁₀	1
93	Madikeri	Satisfactory	65	PM ₁₀	1
94	Mandi Gobindgarh	Moderate	111	PM ₁₀	1
95	Mandikhera	Satisfactory	100	PM ₁₀	1
96	Manglore	Satisfactory	56	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Chandigarh, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Mandideep, Manesar, Naharlagun, Panipat, Raichur, Rajgir, Solapur, Srinagar, Vijayapura, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 23, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manguraha	Satisfactory	90	O ₃	1
98	Meerut	Poor	201	PM ₁₀ , PM _{2.5}	3
99	Moradabad	Satisfactory	83	PM ₁₀	3
100	Motihari	Poor	210	PM _{2.5}	1
101	Mumbai	Moderate	119	PM _{2.5} , PM ₁₀	17
102	Munger	Very Poor	336	PM _{2.5}	1
103	Muzaffarnagar	Poor	224	O ₃	1
104	Muzaffarpur	Poor	213	PM _{2.5}	3
105	Mysuru	Satisfactory	61	O ₃	1
106	Nagpur	Satisfactory	81	PM ₁₀	1
107	Nandesari	Satisfactory	74	CO	1
108	Narnaul	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Chandigarh, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Mandideep, Manesar, Naharlagun, Panipat, Raichur, Rajgir, Solapur, Srinagar, Vijayapura, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 23, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Satisfactory	64	PM ₁₀	1
110	Navi Mumbai	Moderate	149	O ₃ , PM ₁₀	3
111	Noida	Moderate	174	PM _{2.5} , PM ₁₀	4
112	Pali	Moderate	116	PM ₁₀	1
113	Palwal	Satisfactory	78	PM ₁₀	1
114	Panchkula	Moderate	139	PM _{2.5}	1
115	Patiala	Moderate	120	PM ₁₀	1
116	Patna	Poor	204	PM _{2.5} , PM ₁₀	6
117	Pithampur	Satisfactory	95	PM _{2.5}	1
118	Prayagraj	Moderate	101	PM ₁₀	3
119	Puducherry	Good	33	PM ₁₀	1
120	Pune	Moderate	162	PM _{2.5}	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Chandigarh, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Mandideep, Manesar, Naharlagun, Panipat, Raichur, Rajgir, Solapur, Srinagar, Vijayapura, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 23, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Moderate	160	PM _{2.5}	1
122	Rajamahendravaram	Satisfactory	68	PM ₁₀	1
123	Ramanagara	Satisfactory	69	PM ₁₀	1
124	Ratlam	Satisfactory	95	PM ₁₀	1
125	Rohtak	Poor	232	PM _{2.5}	1
126	Rupnagar	Satisfactory	88	PM ₁₀	1
127	Sagar	Satisfactory	83	PM _{2.5}	1
128	Saharsa	Very Poor	308	PM _{2.5}	1
129	Sasaram	Moderate	163	PM ₁₀	1
130	Satna	Satisfactory	61	PM ₁₀	1
131	Shillong	Good	49	PM _{2.5}	1
132	Shivamogga	Satisfactory	82	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpatt, Bhilai, Brajrajnagar, Chandigarh, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Mandideep, Manesar, Naharlagun, Panipat, Raichur, Rajgir, Solapur, Srinagar, Vijayapura, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 23, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Satisfactory	100	PM ₁₀	1
134	Singrauli	Poor	203	PM ₁₀	1
135	Sirsa	Moderate	136	PM ₁₀	1
136	Siwan	Poor	256	PM _{2.5}	1
137	Sonipat	Moderate	161	PM ₁₀	1
138	Talcher	Moderate	102	PM ₁₀	1
139	Thane	Moderate	154	O ₃	1
140	Thiruvananthapuram	Satisfactory	66	PM ₁₀ , PM _{2.5}	2
141	Thoothukudi	Good	36	PM ₁₀	1
142	Thrissur	Satisfactory	99	PM _{2.5}	1
143	Tirupati	Satisfactory	74	PM ₁₀	1
144	Udaipur	Moderate	104	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Chandigarh, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Mandideep, Manesar, Naharlagun, Panipat, Raichur, Rajgir, Solapur, Srinagar, Vijayapura, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 23, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udupi	Satisfactory	59	O ₃	1
146	Ujjain	Moderate	162	PM ₁₀	1
147	Vapi	Moderate	145	PM ₁₀	1
148	Varanasi	Moderate	110	O ₃ , PM ₁₀	4
149	Vatva	Moderate	118	PM ₁₀	1
150	Visakhapatnam	Moderate	107	PM ₁₀	1
151	Vrindavan	Satisfactory	96	PM ₁₀	1
152	Yadgir	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Chandigarh, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Mandideep, Manesar, Naharlagun, Panipat, Raichur, Rajgir, Solapur, Srinagar, Vijayapura, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.