

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	32	PM ₁₀	1
2	Agra	Satisfactory	85	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	65	PM ₁₀ , PM _{2.5}	9
4	Aizawl	Good	18	SO ₂	1
5	Ajmer	Satisfactory	74	PM ₁₀	1
6	Alwar	Satisfactory	79	PM ₁₀	1
7	Amaravati	Good	34	O ₃	1
8	Ambala	Satisfactory	78	PM ₁₀	1
9	Amritsar	Satisfactory	99	PM ₁₀	1
10	Ankleshwar	Satisfactory	69	PM _{2.5}	1
11	Asansol	Satisfactory	64	PM _{2.5}	1
12	Bagalkot	Good	35	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Kaithal, Maihar, Manglore, Motihari, Nandesari, Rupnagar, Solapur, Thane, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	123	PM ₁₀	1
14	Bahadurgarh	Satisfactory	77	PM ₁₀	1
15	Ballabgarh	Satisfactory	93	PM ₁₀	1
16	Bathinda	Satisfactory	56	PM ₁₀	1
17	Bengaluru	Satisfactory	69	PM _{2.5} , PM ₁₀	9
18	Bhiwadi	Moderate	120	PM ₁₀	1
19	Bhiwani	Satisfactory	99	PM ₁₀	1
20	Bhopal	Satisfactory	85	PM ₁₀	1
21	Bidar	Satisfactory	67	SO ₂	1
22	Bulandshahr	Satisfactory	93	PM ₁₀	1
23	Chamarajanagar	Good	38	PM ₁₀	1
24	Chandigarh	Satisfactory	88	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Kaithal, Maihar, Manglore, Motihari, Nandesari, Rupnagar, Solapur, Thane, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Good	50	PM ₁₀	2
26	Chennai	Satisfactory	65	PM ₁₀ , PM _{2.5}	7
27	Chikkaballapur	Good	41	PM ₁₀	1
28	Chikkamagaluru	Good	36	PM ₁₀	1
29	Damoh	Good	35	PM _{2.5}	1
30	Davanagere	Good	27	PM ₁₀	1
31	Delhi	Moderate	116	PM ₁₀	31
32	Dewas	Satisfactory	66	PM ₁₀	1
33	Dharuhera	Satisfactory	78	со	1
34	Eloor	Good	48	03	1
35	Ernakulam	Good	39	со	1
36	Faridabad	Moderate	118	PM ₁₀ , O ₃	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Kaithal, Maihar, Manglore, Motihari, Nandesari, Rupnagar, Solapur, Thane, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	138	PM ₁₀	1
38	Firozabad	Satisfactory	81	PM ₁₀	1
39	Gadag	Good	20	PM _{2.5}	1
40	Gandhinagar	Satisfactory	60	PM _{2.5} , PM ₁₀	2
41	Gaya	Satisfactory	56	CO, PM ₁₀	2
42	Ghaziabad	Moderate	143	PM ₁₀	3
43	Gorakhpur	Good	21	со	1
44	Greater Noida	Moderate	152	O ₃ , PM ₁₀	2
45	Gurugram	Satisfactory	91	PM _{2.5} , PM ₁₀	3
46	Guwahati	Satisfactory	58	SO ₂ , PM ₁₀	2
47	Gwalior	Satisfactory	74	PM ₁₀	2
48	Hajipur	Moderate	110	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Kaithal, Maihar, Manglore, Motihari, Nandesari, Rupnagar, Solapur, Thane, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Satisfactory	55	PM ₁₀	1
50	Hapur	Moderate	101	PM ₁₀	1
51	Hassan	Satisfactory	86	PM ₁₀	1
52	Howrah	Satisfactory	68	PM ₁₀	3
53	Hubballi	Satisfactory	73	PM ₁₀	1
54	Hyderabad	Satisfactory	58	NO ₂ , PM ₁₀ , CO	6
55	Indore	Satisfactory	68	PM ₁₀	1
56	Jabalpur	Satisfactory	97	PM ₁₀	1
57	Jaipur	Satisfactory	84	PM ₁₀	2
58	Jalandhar	Satisfactory	78	PM ₁₀	1
59	Jind	Moderate	151	PM _{2.5}	1
60	Jodhpur	Moderate	110	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Kaithal, Maihar, Manglore, Motihari, Nandesari, Rupnagar, Solapur, Thane, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Satisfactory	56	PM ₁₀	1
62	Kalyan	Good	44	со	1
63	Kannur	Satisfactory	57	PM _{2.5}	1
64	Kanpur	Satisfactory	74	PM ₁₀ , O ₃ , PM _{2.5}	3
65	Karnal	Satisfactory	52	PM _{2.5}	1
66	Katni	Moderate	112	PM ₁₀	1
67	Khanna	Satisfactory	63	PM ₁₀	1
68	Kochi	Good	41	PM ₁₀	1
69	Kohima	Satisfactory	54	PM ₁₀	1
70	Kolar	Satisfactory	61	PM ₁₀	1
71	Kolkata	Satisfactory	70	PM ₁₀ , O ₃ , PM _{2.5}	7
72	Kollam	Satisfactory	89	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Kaithal, Maihar, Manglore, Motihari, Nandesari, Rupnagar, Solapur, Thane, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Good	35	со	1
74	Kota	Satisfactory	62	PM _{2.5}	1
75	Kozhikode	Good	32	PM ₁₀	1
76	Kurukshetra	Moderate	107	PM ₁₀	1
77	Lucknow	Satisfactory	75	PM ₁₀ , PM _{2.5}	6
78	Ludhiana	Satisfactory	71	PM ₁₀	1
79	Mandi Gobindgarh	Moderate	132	PM _{2.5}	1
80	Mandideep	Good	50	PM ₁₀	1
81	Mandikhera	Satisfactory	74	PM ₁₀	1
82	Manesar	Moderate	153	PM _{2.5}	1
83	Medikeri	Good	29	03	1
84	Meerut	Satisfactory	68	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Kaithal, Maihar, Manglore, Motihari, Nandesari, Rupnagar, Solapur, Thane, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Satisfactory	74	PM _{2.5}	1
86	Mumbai	Satisfactory	53	PM ₁₀ , CO, PM _{2.5}	20
87	Muzaffarnagar	Moderate	117	PM ₁₀	1
88	Muzaffarpur	Good	50	PM ₁₀	1
89	Mysuru	Good	42	03	1
90	Nagpur	Satisfactory	70	PM ₁₀	1
91	Naharlagun	Good	37	SO ₂	1
92	Narnaul	Good	46	PM _{2.5}	1
93	Nashik	Good	33	PM ₁₀	1
94	Navi Mumbai	Satisfactory	51	CO, PM ₁₀	3
95	Noida	Moderate	124	PM ₁₀	4
96	Pali	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Kaithal, Maihar, Manglore, Motihari, Nandesari, Rupnagar, Solapur, Thane, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Satisfactory	88	PM ₁₀	1
98	Panchkula	Satisfactory	88	PM _{2.5}	1
99	Panipat	Moderate	113	PM ₁₀	1
100	Patiala	Satisfactory	83	PM ₁₀	1
101	Patna	Satisfactory	81	PM ₁₀ , PM _{2.5}	5
102	Pithampur	Satisfactory	62	PM _{2.5}	1
103	Prayagraj	Satisfactory	77	PM ₁₀	3
104	Puducherry	Good	47	PM ₁₀	1
105	Pune	Satisfactory	65	NO ₂ , CO	5
106	Raichur	Good	45	PM ₁₀	1
107	Rajamahendravaram	Good	42	PM ₁₀	1
108	Ramanagara	Good	48	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Kaithal, Maihar, Manglore, Motihari, Nandesari, Rupnagar, Solapur, Thane, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ratlam	Satisfactory	60	PM ₁₀	1
110	Rohtak	Satisfactory	97	NO ₂	1
111	Sagar	Good	33	PM _{2.5}	1
112	Satna	Satisfactory	66	PM ₁₀	1
113	Shillong	Good	16	O ₃	1
114	Shivamogga	Good	48	PM ₁₀	1
115	Siliguri	Good	37	PM ₁₀	1
116	Singrauli	Moderate	104	PM ₁₀	1
117	Sirsa	Moderate	144	PM ₁₀	1
118	Sonipat	Moderate	120	PM ₁₀	1
119	Srinagar	Good	43	PM ₁₀	1
120	Talcher	Moderate	111	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Kaithal, Maihar, Manglore, Motihari, Nandesari, Rupnagar, Solapur, Thane, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thiruvananthapuram	Good	40	PM ₁₀ , CO	2
122	Thoothukudi	Satisfactory	61	PM ₁₀	1
123	Tirupati	Good	50	PM ₁₀	1
124	Udaipur	Satisfactory	84	PM ₁₀	1
125	Udupi	Satisfactory	88	со	1
126	Ujjain	Satisfactory	78	PM ₁₀	1
127	Vapi	Good	45	PM ₁₀	1
128	Varanasi	Satisfactory	80	PM ₁₀	4
129	Vatva	Satisfactory	75	PM ₁₀	1
130	Vijayapura	Good	49	со	1
131	Visakhapatnam	Moderate	151	03	1
132	Vrindavan	Satisfactory	87	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Kaithal, Maihar, Manglore, Motihari, Nandesari, Rupnagar, Solapur, Thane, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yadgir	Good	43	PM ₁₀	1
134	Yamunanagar	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Kaithal, Maihar, Manglore, Motihari, Nandesari, Rupnagar, Solapur, Thane, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.