



## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	47	PM <sub>2.5</sub>	1
2	Agra	Good	49	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	76	CO, O <sub>3</sub>	8
4	Ajmer	Satisfactory	56	PM <sub>10</sub>	1
5	Akola	Good	36	PM <sub>10</sub>	1
6	Alwar	Satisfactory	54	NO <sub>2</sub>	1
7	Amaravati	Good	36	PM <sub>10</sub>	1
8	Ambala	Satisfactory	97	CO	1
9	Amravati	Good	32	PM <sub>10</sub>	2
10	Amritsar	Satisfactory	61	PM <sub>10</sub>	1
11	Anantapur	Satisfactory	56	PM <sub>10</sub>	1
12	Asansol	Good	32	CO	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Good	36	O <sub>3</sub>	2
14	Baddi	Moderate	102	PM <sub>10</sub>	1
15	Badlapur	Good	40	PM <sub>10</sub>	1
16	Bagalkot	Good	43	PM <sub>10</sub>	1
17	Baghpat	Satisfactory	59	PM <sub>10</sub>	1
18	Bahadurgarh	Satisfactory	65	PM <sub>10</sub>	1
19	Ballabgarh	Good	45	PM <sub>10</sub>	1
20	Banswara	Satisfactory	55	CO	1
21	Bareilly	Good	36	CO	2
22	Baripada	Good	33	CO	1
23	Bathinda	Moderate	121	PM <sub>10</sub>	1
24	Belapur	Good	33	CO	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Good	46	CO	1
26	Bengaluru	Good	48	PM <sub>10</sub>	8
27	Bettiah	Satisfactory	63	CO	1
28	Bhagalpur	Satisfactory	60	CO	2
29	Bharatpur	Satisfactory	55	PM <sub>10</sub>	1
30	Bhilai	Good	24	CO	3
31	Bhilwara	Satisfactory	79	PM <sub>10</sub>	1
32	Bhiwadi	Satisfactory	93	PM <sub>10</sub>	1
33	Bhiwandi	Good	40	PM <sub>10</sub>	1
34	Bhiwani	Satisfactory	66	CO	1
35	Bhopal	Moderate	142	PM <sub>10</sub> , CO	3
36	Bidar	Good	28	CO	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Good	29	CO	1
38	Bikaner	Moderate	141	PM <sub>10</sub>	1
39	Bileipada	Satisfactory	52	PM <sub>10</sub>	1
40	Bulandshahr	Satisfactory	55	PM <sub>10</sub>	1
41	Bundi	Satisfactory	59	O <sub>3</sub>	1
42	Byrnihat	Poor	230	PM <sub>2.5</sub>	1
43	Chamarajanagar	Good	42	PM <sub>10</sub>	1
44	Chandigarh	Moderate	101	PM <sub>2.5</sub> , PM <sub>10</sub>	3
45	Chandrapur	Satisfactory	94	CO	1
46	Charkhi Dadri	Satisfactory	53	PM <sub>10</sub>	1
47	Chennai	Satisfactory	51	O <sub>3</sub> , NO <sub>2</sub>	8
48	Chhal	Good	26	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Satisfactory	63	PM <sub>10</sub>	1
50	Chikkaballapur	Good	27	PM <sub>10</sub>	1
51	Chikkamagaluru	Good	46	O <sub>3</sub>	1
52	Chittoor	Good	45	O <sub>3</sub>	1
53	Chittorgarh	Satisfactory	60	PM <sub>2.5</sub>	1
54	Churu	Satisfactory	82	O <sub>3</sub>	1
55	Cuddalore	Poor	232	NO <sub>2</sub>	2
56	Dausa	Satisfactory	62	O <sub>3</sub>	1
57	Davanagere	Good	33	PM <sub>10</sub>	1
58	Delhi	Satisfactory	83	CO, PM <sub>10</sub>	36
59	Dewas	Good	37	CO	1
60	Dharuhera	Satisfactory	80	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharwad	Satisfactory	97	PM <sub>2.5</sub>	1
62	Dholpur	Good	33	PM <sub>10</sub>	1
63	Dhule	Satisfactory	53	PM <sub>2.5</sub>	1
64	Durgapur	Good	38	CO	1
65	Eloor	Good	47	PM <sub>10</sub>	1
66	Faridabad	Satisfactory	91	PM <sub>10</sub> , PM <sub>2.5</sub>	4
67	Firozabad	Good	38	PM <sub>10</sub>	1
68	Gadag	Good	46	SO <sub>2</sub>	1
69	Gandhinagar	Good	38	PM <sub>10</sub>	2
70	Gangtok	Satisfactory	62	SO <sub>2</sub>	1
71	Gaya	Good	44	O <sub>3</sub>	3
72	Ghaziabad	Satisfactory	79	PM <sub>10</sub>	4

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Moderate	114	PM <sub>10</sub> , O <sub>3</sub>	2
74	Gummidipoondi	Satisfactory	92	PM <sub>10</sub>	1
75	Gurugram	Moderate	118	PM <sub>2.5</sub> , CO	3
76	Guwahati	Satisfactory	68	CO, SO <sub>2</sub>	3
77	Gwalior	Satisfactory	56	PM <sub>10</sub> , O <sub>3</sub>	4
78	Hajipur	Good	17	PM <sub>10</sub>	1
79	Haldia	Good	31	O <sub>3</sub>	1
80	Hanumangarh	Moderate	187	PM <sub>10</sub>	1
81	Hapur	Good	41	PM <sub>10</sub>	1
82	Hassan	Satisfactory	54	PM <sub>10</sub>	1
83	Haveri	Good	40	CO	1
84	Hisar	Moderate	120	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgam Cheruvu, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hosur	Good	31	PM <sub>10</sub>	1
86	Howrah	Good	32	PM <sub>10</sub>	3
87	Hubballi	Satisfactory	64	PM <sub>10</sub> , CO	2
88	Hyderabad	Satisfactory	53	PM <sub>10</sub> , CO	13
89	Indore	Good	43	PM <sub>10</sub>	1
90	Jabalpur	Satisfactory	84	PM <sub>10</sub> , CO	2
91	Jaipur	Satisfactory	55	O <sub>3</sub>	5
92	Jaisalmer	Moderate	117	PM <sub>10</sub>	1
93	Jalandhar	Satisfactory	86	PM <sub>10</sub>	1
94	Jalgaon	Good	39	PM <sub>2.5</sub>	1
95	Jalna	Satisfactory	65	PM <sub>10</sub>	1
96	Jhalawar	Good	43	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases





## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhansi	Good	29	PM <sub>10</sub>	1
98	Jhunjhunu	Moderate	103	O <sub>3</sub>	1
99	Jind	Satisfactory	65	PM <sub>10</sub>	1
100	Jodhpur	Satisfactory	77	O <sub>3</sub> , PM <sub>2.5</sub>	5
101	Kadapa	Good	29	NO <sub>2</sub>	1
102	Kaithal	Satisfactory	86	PM <sub>2.5</sub>	1
103	Kalaburgi	Satisfactory	68	PM <sub>10</sub>	1
104	Kalyan	Satisfactory	88	CO	1
105	Kannur	Satisfactory	70	PM <sub>10</sub>	1
106	Kanpur	Good	32	CO	3
107	Karauli	Good	46	O <sub>3</sub>	1
108	Karnal	Satisfactory	80	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kashipur	Satisfactory	94	CO	1
110	Katihar	Satisfactory	76	CO	1
111	Katni	Good	32	O <sub>3</sub>	1
112	Keonjhar	Good	37	PM <sub>10</sub>	1
113	Khanna	Satisfactory	89	PM <sub>10</sub>	1
114	Khurja	Satisfactory	80	PM <sub>2.5</sub>	1
115	Kishanganj	Satisfactory	68	NO <sub>2</sub>	1
116	Kochi	Satisfactory	90	CO	1
117	Kohima	Satisfactory	52	SO <sub>2</sub>	1
118	Kolar	Good	29	PM <sub>10</sub>	1
119	Kolhapur	Good	40	CO, PM <sub>10</sub>	2
120	Kolkata	Good	29	O <sub>3</sub> , CO	7

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kollam	Satisfactory	68	PM <sub>10</sub>	1
122	Korba	Good	28	CO, PM <sub>10</sub>	2
123	Kota	Good	49	O <sub>3</sub>	2
124	Kurukshetra	Satisfactory	93	PM <sub>10</sub>	1
125	Latur	Good	23	O <sub>3</sub>	1
126	Lucknow	Satisfactory	64	PM <sub>10</sub> , O <sub>3</sub>	4
127	Ludhiana	Satisfactory	94	PM <sub>10</sub>	1
128	Madikeri	Good	39	PM <sub>2.5</sub>	1
129	Mahad	Satisfactory	69	PM <sub>10</sub>	1
130	Maihar	Good	33	CO	1
131	Mandi Gobindgarh	Satisfactory	74	PM <sub>2.5</sub>	1
132	Mandideep	Satisfactory	87	SO <sub>2</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Manesar	Satisfactory	58	PM <sub>2.5</sub>	1
134	Mangalore	Satisfactory	53	CO	1
135	Meerut	Good	44	O <sub>3</sub> , PM <sub>10</sub>	3
136	Milupara	Good	28	CO	1
137	Moradabad	Satisfactory	62	PM <sub>10</sub> , CO	6
138	Mumbai	Satisfactory	65	CO, SO <sub>2</sub>	22
139	Muzaffarnagar	Satisfactory	72	PM <sub>2.5</sub>	1
140	Muzaffarpur	Satisfactory	56	NO <sub>2</sub>	3
141	Mysuru	Good	44	O <sub>3</sub>	1
142	Nagaon	Satisfactory	60	PM <sub>10</sub>	1
143	Nagaur	Satisfactory	90	PM <sub>10</sub>	1
144	Nagpur	Good	38	PM <sub>2.5</sub> , PM <sub>10</sub>	4

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nanded	Good	35	PM <sub>10</sub>	1
146	Narnaul	Satisfactory	76	PM <sub>10</sub>	1
147	Nashik	Good	39	PM <sub>10</sub> , CO	4
148	Navi Mumbai	Good	41	NO <sub>2</sub> , CO	5
149	Nayagarh	Good	32	PM <sub>10</sub>	1
150	Noida	Satisfactory	88	CO	4
151	Ooty	Good	23	PM <sub>10</sub>	1
152	Pali	Satisfactory	93	PM <sub>10</sub>	1
153	Palwal	Good	40	PM <sub>10</sub>	1
154	Panchkula	Satisfactory	94	PM <sub>2.5</sub>	1
155	Panipat	Satisfactory	72	PM <sub>10</sub>	1
156	Parbhani	Good	46	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patiala	Satisfactory	75	PM <sub>10</sub>	1
158	Patna	Good	44	PM <sub>10</sub> , O <sub>3</sub>	6
159	Pimpri Chinchwad	Good	39	PM <sub>10</sub> , CO	3
160	Pithampur	Satisfactory	63	PM <sub>10</sub>	1
161	Pratapgarh	Good	44	O <sub>3</sub>	1
162	Prayagraj	Good	46	PM <sub>10</sub>	3
163	Puducherry	Good	41	CO	1
164	Pune	Satisfactory	74	NO <sub>2</sub> , PM <sub>10</sub>	6
165	Purnia	Satisfactory	62	CO	1
166	Raichur	Satisfactory	55	CO	1
167	Raipur	Good	33	PM <sub>10</sub> , CO	2
168	Rajamahendravaram	Satisfactory	94	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rajgir	Satisfactory	90	PM <sub>2.5</sub>	1
170	Rajsamand	Good	42	O <sub>3</sub>	1
171	Ramanagara	Good	32	PM <sub>10</sub>	1
172	Ramanathapuram	Good	25	PM <sub>10</sub>	1
173	Ratlam	Good	22	PM <sub>10</sub>	1
174	Rishikesh	Good	40	PM <sub>10</sub>	1
175	Rohtak	Good	47	PM <sub>2.5</sub>	1
176	Rourkela	Satisfactory	56	O <sub>3</sub>	2
177	Sagar	Good	38	O <sub>3</sub>	1
178	Saharsa	Good	36	PM <sub>10</sub>	1
179	Samastipur	Good	39	PM <sub>2.5</sub>	1
180	Sangli	Good	26	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sasaram	Good	24	PM <sub>10</sub>	1
182	Satna	Satisfactory	60	O <sub>3</sub>	1
183	Shillong	Good	18	SO <sub>2</sub>	1
184	Shivamogga	Satisfactory	64	O <sub>3</sub>	1
185	Sikar	Satisfactory	88	O <sub>3</sub>	1
186	Silchar	Good	36	CO	1
187	Siliguri	Good	38	O <sub>3</sub>	1
188	Sirohi	Good	30	PM <sub>10</sub>	1
189	Sirsa	Satisfactory	71	O <sub>3</sub>	1
190	Sivasagar	Good	19	PM <sub>10</sub>	1
191	Solapur	Good	45	PM <sub>10</sub>	3
192	Sri Ganganagar	Moderate	152	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases





## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Srinagar	Satisfactory	94	PM <sub>10</sub>	1
194	Suakati	Good	49	PM <sub>10</sub>	1
195	Tensa	Good	38	NO <sub>2</sub>	1
196	Thane	Good	47	NO <sub>2</sub>	3
197	Thiruvananthapuram	Good	37	PM <sub>10</sub> , CO	2
198	Thoothukudi	Good	48	PM <sub>10</sub>	1
199	Thrissur	Satisfactory	58	PM <sub>10</sub>	1
200	Tirupati	Good	42	PM <sub>2.5</sub> , NO <sub>2</sub>	2
201	Tirupur	Good	30	PM <sub>10</sub>	1
202	Tonk	Satisfactory	51	O <sub>3</sub>	1
203	Tumakuru	Moderate	114	CO	1
204	Tumidih	Good	44	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Sep 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Udaipur	Good	47	PM <sub>10</sub>	1
206	Ujjain	Satisfactory	69	CO	1
207	Ulhasnagar	Good	46	PM <sub>2.5</sub>	1
208	Vapi	Moderate	113	CO	1
209	Varanasi	Good	23	O <sub>3</sub>	4
210	Vatva	Satisfactory	61	PM <sub>10</sub>	1
211	Vijayapura	Satisfactory	53	PM <sub>10</sub>	1
212	Vijayawada	Good	42	NO <sub>2</sub> , O <sub>3</sub>	3
213	Vrindavan	Good	28	SO <sub>2</sub>	1
214	Yadgir	Good	29	PM <sub>10</sub>	1
215	Yamunanagar	Satisfactory	94	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Araria, Ariyalur, Arrah, Aurangabad (Bihar), Baran, Barmer, Begusarai, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Dehradun, Dhanbad, Dindigul, Durgapur, Ernakulam, Fatehabad, Gorakhpur, Imphal, Jalore, Jorapokhar, Kanchipuram, Koppal, Kozhikode, Kunjemura, Malegaon, Mandikhera, Manguraha, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Salem, Sawai Madhopur, Singrauli, Siwan, Sonipat, Surat, Talcher, Udupi, Virar, Visakhapatnam, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases