

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	158	PM _{2.5}	1
2	Agra	Very Poor	319	PM _{2.5}	1
3	Ahmedabad	Moderate	162	PM ₁₀	1
4	Aizawl	Good	12	SO ₂	1
5	Ajmer	Moderate	118	PM _{2.5}	1
6	Alwar	Moderate	103	PM ₁₀	1
7	Amaravati	Poor	299	PM _{2.5}	1
8	Ambala	Poor	218	PM _{2.5}	1
9	Amritsar	Moderate	102	PM ₁₀	1
10	Ankleshwar	Very Poor	323	PM _{2.5}	1
11	Asansol	Poor	243	PM _{2.5}	1
12	Aurangabad	Moderate	121	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Raichur, Ramanagara, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	82	PM ₁₀	1
14	Baghpat	Very Poor	364	PM _{2.5}	1
15	Bahadurgarh	Very Poor	376	PM _{2.5}	1
16	Ballabgarh	Poor	281	PM _{2.5}	1
17	Bathinda	Poor	237	PM _{2.5}	1
18	Bengaluru	Moderate	110	PM _{2.5} , O ₃ , PM ₁₀	9
19	Bhiwadi	Very Poor	343	PM _{2.5}	1
20	Bhiwani	Moderate	180	PM ₁₀	1
21	Bhopal	Moderate	163	PM _{2.5}	1
22	Brajrajnagar	Poor	207	PM _{2.5}	1
23	Bulandshahr	Severe	413	PM _{2.5}	1
24	Chamarajanagar	Good	38	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Raichur, Ramanagara, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	157	PM _{2.5}	1
26	Chandrapur	Poor	212	PM _{2.5} , PM ₁₀	2
27	Charkhi Dadri	Poor	262	PM _{2.5}	1
28	Chennai	Satisfactory	95	PM _{2.5} , PM ₁₀	6
29	Chikkaballapur	Moderate	119	PM _{2.5}	1
30	Damoh	Poor	217	PM _{2.5}	1
31	Delhi	Very Poor	396	PM _{2.5}	38
32	Dewas	Moderate	177	O ₃	1
33	Dharuhera	Very Poor	371	PM _{2.5}	1
34	Durgapur	Poor	202	PM ₁₀	1
35	Eloor	Good	43	PM _{2.5}	1
36	Faridabad	Severe	404	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Raichur, Ramanagara, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Poor	294	PM _{2.5}	1
38	Gandhinagar	Moderate	127	PM ₁₀	1
39	Gaya	Moderate	144	PM _{2.5} , O ₃	2
40	Ghaziabad	Severe	407	PM _{2.5}	4
41	Greater Noida	Severe	418	PM _{2.5}	2
42	Gurugram	Very Poor	359	PM _{2.5}	3
43	Guwahati	Poor	296	PM _{2.5}	1
44	Gwalior	Poor	245	PM _{2.5}	1
45	Hajipur	Poor	250	PM ₁₀	1
46	Haldia	Moderate	151	PM ₁₀	1
47	Hapur	Moderate	138	PM ₁₀	1
48	Hisar	Very Poor	352	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Raichur, Ramanagara, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Poor	281	PM _{2.5}	2
50	Hubballi	Moderate	160	PM _{2.5}	1
51	Hyderabad	Moderate	185	PM _{2.5}	6
52	Indore	Moderate	181	PM _{2.5}	1
53	Jabalpur	Poor	216	PM _{2.5}	1
54	Jaipur	Moderate	192	PM _{2.5}	3
55	Jalandhar	Satisfactory	90	PM ₁₀	1
56	Jind	Very Poor	355	PM _{2.5}	1
57	Jodhpur	Poor	235	PM _{2.5}	1
58	Kaithal	Moderate	130	PM _{2.5}	1
59	Kalaburgi	Moderate	155	PM ₁₀	1
60	Kalyan	Poor	296	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Raichur, Ramanagara, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Moderate	110	PM _{2.5}	1
62	Kanpur	Very Poor	390	PM _{2.5}	2
63	Karnal	Moderate	124	PM _{2.5}	1
64	Katni	Poor	289	PM _{2.5}	1
65	Khanna	Moderate	112	PM ₁₀	1
66	Kochi	Moderate	106	PM _{2.5}	1
67	Kohima	Satisfactory	59	PM ₁₀	1
68	Kolkata	Poor	285	PM _{2.5}	7
69	Koppal	Moderate	107	PM ₁₀	1
70	Kota	Moderate	187	PM _{2.5}	1
71	Kozhikode	Satisfactory	76	PM _{2.5}	1
72	Kurukshetra	Poor	237	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Raichur, Ramanagara, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Very Poor	350	PM _{2.5}	4
74	Ludhiana	Moderate	150	PM _{2.5}	1
75	Mandi Gobindgarh	Moderate	127	PM _{2.5}	1
76	Mandideep	Poor	232	PM _{2.5}	1
77	Mandikhera	Moderate	168	PM _{2.5}	1
78	Manesar	Very Poor	304	PM _{2.5}	1
79	Medikeri	Moderate	163	O ₃	1
80	Meerut	Very Poor	362	PM _{2.5}	3
81	Moradabad	Very Poor	367	PM _{2.5}	1
82	Mumbai	Poor	225	PM _{2.5}	16
83	Muzaffarpur	Very Poor	312	PM _{2.5} , PM ₁₀	2
84	Nandesari	Moderate	120	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Raichur, Ramanagara, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Poor	234	PM _{2.5}	1
86	Nashik	Moderate	110	PM _{2.5}	1
87	Navi Mumbai	Poor	281	PM _{2.5}	3
88	Noida	Severe	405	PM _{2.5}	3
89	Pali	Moderate	160	PM _{2.5}	1
90	Palwal	Poor	208	PM ₁₀	1
91	Panchkula	Poor	272	PM _{2.5}	1
92	Panipat	Poor	257	PM ₁₀	1
93	Patiala	Moderate	159	PM _{2.5}	1
94	Patna	Very Poor	329	PM _{2.5} , PM ₁₀	5
95	Pithampur	Moderate	152	PM _{2.5}	1
96	Pune	Moderate	179	PM _{2.5}	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Raichur, Ramanagara, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Poor	286	PM _{2.5}	1
98	Ratlam	Moderate	118	PM ₁₀	1
99	Rohtak	Very Poor	327	PM _{2.5}	1
100	Rupnagar	Moderate	161	PM ₁₀	1
101	Sagar	Satisfactory	63	PM _{2.5}	1
102	Satna	Satisfactory	84	PM ₁₀	1
103	Shillong	Good	20	PM ₁₀	1
104	Shivamogga	Satisfactory	94	PM ₁₀	1
105	Siliguri	Poor	249	PM _{2.5}	1
106	Singrauli	Poor	286	PM _{2.5}	1
107	Sonipat	Poor	266	PM _{2.5}	1
108	Talcher	Moderate	186	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Raichur, Ramanagara, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thane	Poor	214	PM ₁₀	1
110	Thiruvananthapuram	Satisfactory	84	PM _{2.5}	1
111	Thoothukudi	Satisfactory	79	03	1
112	Thrissur	Moderate	112	03	1
113	Tirupati	Moderate	188	PM _{2.5}	1
114	Udaipur	Poor	214	PM _{2.5}	1
115	Ujjain	Moderate	166	O ₃	1
116	Vapi	Very Poor	303	PM _{2.5}	1
117	Varanasi	Very Poor	308	PM _{2.5}	1
118	Vatva	Poor	264	PM ₁₀	1
119	Visakhapatnam	Very Poor	314	PM _{2.5}	1
120	Yadgir	Moderate	153	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Raichur, Ramanagara, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yamunanagar	Poor	266	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Raichur, Ramanagara, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.