

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	45	03	1
2	Agra	Satisfactory	59	PM _{2.5}	1
3	Ahmedabad	Poor	214	03	1
4	Aizawl	Good	15	PM ₁₀	1
5	Ajmer	Satisfactory	63	03	1
6	Alwar	Satisfactory	70	PM ₁₀	1
7	Amaravati	Satisfactory	53	03	1
8	Ambala	Satisfactory	83	PM _{2.5}	1
9	Amritsar	Satisfactory	100	PM ₁₀	1
10	Asansol	Good	45	03	1
11	Aurangabad	Satisfactory	64	PM ₁₀	1
12	Bagalkot	Good	50	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani,
 Bidar, Brajrajnagar, Coimbatore, Davanagere, Hisar, Jorapokhar, Kalaburgi,
 Kolar, Koppal, Maihar, Manesar, Mysuru, Nagpur, Nandesari, Narnaul,
 Raichur, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	164	PM ₁₀	1
14	Bahadurgarh	Moderate	109	PM ₁₀	1
15	Ballabgarh	Satisfactory	89	со	1
16	Bathinda	Satisfactory	100	PM _{2.5}	1
17	Bengaluru	Satisfactory	57	CO, PM ₁₀ , PM _{2.5}	8
18	Bhiwadi	Poor	217	03	1
19	Bhopal	Satisfactory	70	O ₃	1
20	Bulandshahr	Moderate	118	O ₃	1
21	Chamarajanagar	Good	48	PM ₁₀	1
22	Chandigarh	Satisfactory	80	PM ₁₀	1
23	Chandrapur	Good	46	O ₃ , PM _{2.5}	2
24	Charkhi Dadri	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani,
 Bidar, Brajrajnagar, Coimbatore, Davanagere, Hisar, Jorapokhar, Kalaburgi,
 Kolar, Koppal, Maihar, Manesar, Mysuru, Nagpur, Nandesari, Narnaul,
 Raichur, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	72	PM ₁₀ , O ₃ , CO	8
26	Chikkaballapur	Good	39	03	1
27	Chikkamagaluru	Satisfactory	61	03	1
28	Damoh	Good	26	PM ₁₀	1
29	Delhi	Moderate	115	PM ₁₀ , O ₃	32
30	Dewas	Satisfactory	72	PM ₁₀	1
31	Dharuhera	Moderate	108	PM ₁₀	1
32	Durgapur	Satisfactory	80	PM ₁₀	1
33	Eloor	Good	46	со	1
34	Ernakulam	Good	28	со	1
35	Faridabad	Moderate	133	O ₃ , PM ₁₀	3
36	Fatehabad	Poor	208	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Davanagere, Hisar, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manesar, Mysuru, Nagpur, Nandesari, Narnaul, Raichur, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Good	23	PM _{2.5}	1
38	Gandhinagar	Satisfactory	51	O ₃	1
39	Gaya	Satisfactory	96	O ₃	2
40	Ghaziabad	Moderate	136	PM ₁₀	4
41	Greater Noida	Moderate	109	PM ₁₀	2
42	Gummidipoondi	Satisfactory	60	PM ₁₀	1
43	Gurugram	Satisfactory	82	PM ₁₀ , O ₃	3
44	Guwahati	Good	39	O ₃	2
45	Gwalior	Satisfactory	91	O ₃	1
46	Hajipur	Moderate	112	PM ₁₀	1
47	Haldia	Good	27	O ₃	1
48	Hapur	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani,
 Bidar, Brajrajnagar, Coimbatore, Davanagere, Hisar, Jorapokhar, Kalaburgi,
 Kolar, Koppal, Maihar, Manesar, Mysuru, Nagpur, Nandesari, Narnaul,
 Raichur, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Satisfactory	52	PM ₁₀	1
50	Howrah	Good	40	O ₃	2
51	Hubballi	Good	47	PM ₁₀	1
52	Hyderabad	Satisfactory	55	NO ₂ , PM ₁₀	5
53	Indore	Satisfactory	94	PM ₁₀	1
54	Jabalpur	Satisfactory	78	O ₃	1
55	Jaipur	Satisfactory	82	PM ₁₀	2
56	Jalandhar	Moderate	114	PM _{2.5}	1
57	Jind	Moderate	113	PM ₁₀	1
58	Jodhpur	Moderate	116	PM ₁₀	1
59	Kaithal	Moderate	108	PM ₁₀	1
60	Kalyan	Good	42	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani,
 Bidar, Brajrajnagar, Coimbatore, Davanagere, Hisar, Jorapokhar, Kalaburgi,
 Kolar, Koppal, Maihar, Manesar, Mysuru, Nagpur, Nandesari, Narnaul,
 Raichur, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	84	PM ₁₀	1
62	Kanpur	Satisfactory	60	PM _{2.5}	2
63	Karnal	Moderate	106	PM ₁₀	1
64	Katni	Satisfactory	71	03	1
65	Khanna	Moderate	103	PM ₁₀	1
66	Kochi	Good	45	со	1
67	Kohima	Satisfactory	58	PM ₁₀	1
68	Kolkata	Good	48	O ₃ , PM _{2.5} , PM ₁₀	7
69	Kollam	Good	31	со	1
70	Kota	Satisfactory	77	PM ₁₀	1
71	Kozhikode	Good	32	со	1
72	Kurukshetra	Moderate	116	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani,
 Bidar, Brajrajnagar, Coimbatore, Davanagere, Hisar, Jorapokhar, Kalaburgi,
 Kolar, Koppal, Maihar, Manesar, Mysuru, Nagpur, Nandesari, Narnaul,
 Raichur, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Moderate	116	PM _{2.5} , PM ₁₀	4
74	Ludhiana	Moderate	121	PM _{2.5}	1
75	Mandi Gobindgarh	Satisfactory	87	PM ₁₀	1
76	Mandideep	Satisfactory	61	PM _{2.5}	1
77	Mandikhera	Satisfactory	61	PM _{2.5}	1
78	Manglore	Satisfactory	52	PM _{2.5}	1
79	Medikeri	Good	25	PM ₁₀	1
80	Meerut	Moderate	116	PM ₁₀	2
81	Moradabad	Moderate	125	PM _{2.5}	1
82	Mumbai	Satisfactory	59	PM ₁₀ , PM _{2.5}	13
83	Muzaffarnagar	Moderate	133	PM ₁₀	1
84	Muzaffarpur	Satisfactory	64	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani,
 Bidar, Brajrajnagar, Coimbatore, Davanagere, Hisar, Jorapokhar, Kalaburgi,
 Kolar, Koppal, Maihar, Manesar, Mysuru, Nagpur, Nandesari, Narnaul,
 Raichur, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Naharlagun	Good	27	SO ₂	1
86	Nashik	Good	37	PM _{2.5}	1
87	Navi Mumbai	Satisfactory	54	PM ₁₀	2
88	Noida	Moderate	112	PM ₁₀	3
89	Pali	Moderate	146	PM ₁₀	1
90	Palwal	Satisfactory	78	PM ₁₀	1
91	Panchkula	Satisfactory	80	PM _{2.5}	1
92	Panipat	Moderate	160	PM ₁₀	1
93	Patiala	Satisfactory	80	PM ₁₀	1
94	Patna	Satisfactory	82	PM _{2.5} , PM ₁₀	5
95	Pithampur	Satisfactory	65	PM ₁₀	1
96	Puducherry	Good	32	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani,
 Bidar, Brajrajnagar, Coimbatore, Davanagere, Hisar, Jorapokhar, Kalaburgi,
 Kolar, Koppal, Maihar, Manesar, Mysuru, Nagpur, Nandesari, Narnaul,
 Raichur, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Satisfactory	54	PM _{2.5} , PM ₁₀ , CO	7
98	Rajamahendravaram	Good	45	со	1
99	Ratlam	Satisfactory	70	PM ₁₀	1
100	Rupnagar	Satisfactory	94	PM ₁₀	1
101	Sagar	Good	35	PM _{2.5}	1
102	Satna	Satisfactory	70	PM ₁₀	1
103	Shillong	Good	13	PM ₁₀	1
104	Siliguri	Satisfactory	54	PM ₁₀	1
105	Singrauli	Moderate	105	PM _{2.5}	1
106	Sirsa	Moderate	117	PM ₁₀	1
107	Sonipat	Moderate	182	PM ₁₀	1
108	Srinagar	Satisfactory	51	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani,
 Bidar, Brajrajnagar, Coimbatore, Davanagere, Hisar, Jorapokhar, Kalaburgi,
 Kolar, Koppal, Maihar, Manesar, Mysuru, Nagpur, Nandesari, Narnaul,
 Raichur, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Moderate	114	СО	1
110	Thane	Poor	239	NO ₂	1
111	Thiruvananthapuram	Satisfactory	64	со	2
112	Tirupati	Good	37	PM ₁₀	1
113	Udaipur	Satisfactory	92	PM ₁₀	1
114	Udupi	Moderate	118	03	1
115	Ujjain	Moderate	101	PM ₁₀	1
116	Vapi	Satisfactory	57	PM ₁₀	1
117	Varanasi	Moderate	111	PM ₁₀	1
118	Vatva	Moderate	126	PM ₁₀	1
119	Visakhapatnam	Good	48	NO ₂	1
120	Yadgir	Good	44	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Davanagere, Hisar, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manesar, Mysuru, Nagpur, Nandesari, Narnaul, Raichur, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yamunanagar	Moderate	176	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwani,
 Bidar, Brajrajnagar, Coimbatore, Davanagere, Hisar, Jorapokhar, Kalaburgi,
 Kolar, Koppal, Maihar, Manesar, Mysuru, Nagpur, Nandesari, Narnaul,
 Raichur, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.