

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	65	PM _{2.5}	1
2	Agra	Satisfactory	53	PM ₁₀ , NO ₂	6
3	Ahmedabad	Satisfactory	81	PM ₁₀	7
4	Aizawl	Good	16	PM ₁₀	1
5	Ajmer	Moderate	167	PM ₁₀	1
6	Akola	Good	46	PM ₁₀	1
7	Alwar	Satisfactory	63	PM ₁₀	1
8	Amaravati	Good	27	PM ₁₀	1
9	Ambala	Moderate	102	СО	1
10	Amravati	Good	34	PM ₁₀	2
11	Amritsar	Satisfactory	52	03	1
12	Anantapur	Satisfactory	55 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Ariyalur,

Notes:

Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

Gadag, Gummidipoondi, Hapur, Hassan, Hisar, Hosur, Hubbaili, Imphai,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode, Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Satisfactory	67	03	1
14	Araria	Good	45	со	1
15	Arrah	Satisfactory	72	PM ₁₀	1
16	Asansol	Good	44	PM ₁₀	1
17	Aurangabad (Bihar)	Good	44	03	1
18	Badlapur	Good	24	PM ₁₀	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Baghpat	Satisfactory	54	PM ₁₀	1
21	Bahadurgarh	Good	43	PM _{2.5}	1
22	Ballabgarh	Moderate	107	PM ₁₀	1
23	Banswara	Satisfactory	91	PM ₁₀	1
24	Baran	Moderate	129 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Ariyalur,

Notes:

Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

- Cadag, Gummidipoondi, Hapur, Hassan, Hisar, Hosur, Hubballi, Imphal,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode, Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	50	PM _{2.5} , PM ₁₀	2
26	Baripada	Satisfactory	61	PM ₁₀	1
27	Barmer	Moderate	106	PM ₁₀	1
28	Bathinda	Good	27	NO ₂	1
29	Begusarai	Moderate	130	PM ₁₀	1
30	Belapur	Good	26	PM ₁₀	1
31	Belgaum	Good	47	со	1
32	Bengaluru	Good	47	PM ₁₀	10
33	Bettiah	Satisfactory	80	PM ₁₀	1
34	Bhagalpur	Satisfactory	59	PM ₁₀	2
35	Bharatpur	Satisfactory	79	O ₃	1
36	Bhilai	Good	22 * AC	CO, NO ₂ I is not calculated for today's bullet	2 n for Ahmednagar, Ariyalur,

Notes:

Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

-Cadag, Cummidipoondi, Hapur, Hassan, Hisar, Hosur, Hubballi, Imphal,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode, Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Satisfactory	70	PM ₁₀	1
38	Bhiwani	Good	48	со	1
39	Bhopal	Satisfactory	90	PM _{2.5} , PM ₁₀	3
40	Bidar	Good	27	со	1
41	Bihar Sharif	Good	35	03	1
42	Bilaspur	Moderate	151	со	1
43	Bileipada	Good	50	PM ₁₀	1
44	Bulandshahr	Satisfactory	78	PM ₁₀	1
45	Byrnihat	Satisfactory	52	PM ₁₀	1
46	Chamarajanagar	Good	45	PM ₁₀	1
47	Chandigarh	Satisfactory	64	PM ₁₀	3
48	Charkhi Dadri	Good	50 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Ariyalur,

Notes:

Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

-Cadag, Cummidipoondi, Hapur, Hassan, Hisar, Hosur, Hubballi, Imphal,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode, Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chengalpattu	Satisfactory	55	со	1
50	Chennai	Satisfactory	78	NO ₂ , CO	7
51	Chhapra	Satisfactory	92	со	1
52	Chikkaballapur	Good	32	PM ₁₀	1
53	Chittoor	Good	33	03	1
54	Chittorgarh	Satisfactory	62	PM ₁₀	1
55	Coimbatore	Satisfactory	51	PM ₁₀	1
56	Cuddalore	Moderate	195	NO ₂	1
57	Damoh	Good	22	СО	1
58	Dausa	Satisfactory	95	PM ₁₀	1
59	Davanagere	Good	20	PM _{2.5}	1
60	Delhi	Satisfactory	85 * AC	CO, PM	12 n for Ahmednagar, Ariyalur,

Notes:

Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

Gadag, Gummidipoondi, Hapur, Hassan, Hisar, Hosur, Hubbaili, Imphai,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode, Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dewas	Good	44	PM ₁₀	1
62	Dharuhera	Satisfactory	76	PM ₁₀	1
63	Dholpur	Satisfactory	57	PM ₁₀	1
64	Dhule	Good	38	PM ₁₀	1
65	Eloor	Satisfactory	68	PM ₁₀	1
66	Faridabad	Satisfactory	88	PM ₁₀ , PM _{2.5}	2
67	Fatehabad	Moderate	117	03	1
68	Firozabad	Satisfactory	62	PM _{2.5}	2
69	Gandhinagar	Moderate	113	PM _{2.5} , PM ₁₀	3
70	Gangtok	Satisfactory	53	SO ₂	1
71	Gaya	Satisfactory	81	NO ₂ , O ₃	3
72	Ghaziabad	Satisfactory	91 * AC	PM 10 I is not calculated for today's bullet	3 n for Ahmednagar, Ariyalur,

Notes:

Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

Cadag, Gummidipoondi, Hapur, Hassan, Hisar, Hosur, Hubballi, Imphal,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode, Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gorakhpur	Good	49	SO ₂	1
74	Greater Noida	Moderate	106	PM ₁₀	2
75	Gurugram	Satisfactory	77	PM ₁₀ , PM _{2.5}	3
76	Guwahati	Good	50	CO, SO ₂	4
77	Gwalior	Good	42	O ₃ , PM _{2.5}	4
78	Hajipur	Good	37	PM ₁₀	1
79	Haldia	Good	38	03	1
80	Hanumangarh	Very Poor	382	PM ₁₀	1
81	Haveri	Good	21	PM ₁₀	1
82	Howrah	Good	42	NO ₂	3
83	Hyderabad	Satisfactory	52	PM ₁₀	10
84	Indore	Satisfactory	79 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Ariyalur,

Notes:

Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

Gadag, Gummidipoondi, Hapur, Hassan, Hisar, Hosur, Hubballi, Imphal,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode, Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jabalpur	Good	46	O ₃ , CO	2
86	Jaipur	Satisfactory	80	PM _{2.5} , PM ₁₀	5
87	Jaisalmer	Moderate	173	PM ₁₀	1
88	Jalandhar	Satisfactory	74	PM ₁₀	1
89	Jalgaon	Satisfactory	77	PM ₁₀	1
90	Jalna	Satisfactory	51	PM ₁₀	1
91	Jhalawar	Good	37	03	1
92	Jhansi	Satisfactory	57	PM _{2.5}	1
93	Jhunjhunu	Satisfactory	58	03	1
94	Jind	Satisfactory	84	со	1
95	Jodhpur	Moderate	137	PM ₁₀	5
96	Kadapa	Good	28 * AC	PM _{2.5} I is not calculated for today's bullet	1 n for Ahmednagar, Ariyalur,

Notes:

Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

Gadag, Gummidipoondi, Hapur, Hassan, Hisar, Hosur, Hubbaili, Imphai,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode, Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kaithal	Satisfactory	69	PM _{2.5}	1
98	Kalyan	Satisfactory	88	со	1
99	Kanchipuram	Good	40	PM ₁₀	1
100	Kannur	Satisfactory	70	PM ₁₀	1
101	Kanpur	Satisfactory	67	со	3
102	Karnal	Satisfactory	54	PM _{2.5}	1
103	Kashipur	Satisfactory	52	PM ₁₀	1
104	Katihar	Satisfactory	59	PM ₁₀	1
105	Katni	Good	39	PM ₁₀	1
106	Khanna	Satisfactory	58	PM ₁₀	1
107	Khurja	Satisfactory	96	PM _{2.5}	1
108	Kishanganj	Satisfactory	53 * AC	CO I is not calculated for today's bullet	1 n for Ahmednagar, Ariyalur,

Notes:

Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

Gadag, Gummidipoondi, Hapur, Hassan, Hisar, Hosur, Hubballi, Imphal,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode, Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kohima	Satisfactory	61	SO ₂	1
110	Kolhapur	Good	42	PM ₁₀	2
111	Kolkata	Good	34	O ₃	6
112	Kollam	Satisfactory	74	PM ₁₀	1
113	Koppal	Good	20	SO ₂	1
114	Korba	Good	23	NO ₂ , PM ₁₀	2
115	Kota	Satisfactory	68	PM ₁₀	3
116	Kunjemura	Good	31	PM ₁₀	1
117	Kurukshetra	Satisfactory	68	O ₃	1
118	Latur	Good	36	PM ₁₀	1
119	Lucknow	Satisfactory	56	PM ₁₀	6
120	Mahad	Satisfactory	74	O ₃ I is not calculated for today's bullet	1 n for Ahmednagar, Ariyalur,

Notes:

Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

-Gadag, Gummidipoondi, Hapur, Hassan, Hisar, Hosur, Hubbaili, Imphal,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode, Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Maihar	Good	25	PM ₁₀	1
122	Mandi Gobindgarh	Satisfactory	94	PM _{2.5}	1
123	Mandikhera	Good	32	PM ₁₀	1
124	Manesar	Satisfactory	62	PM ₁₀	1
125	Mangalore	Satisfactory	62	PM ₁₀	1
126	Manguraha	Good	35	PM ₁₀	1
127	Meerut	Satisfactory	67	CO, NO ₂	3
128	Moradabad	Satisfactory	87	PM ₁₀	6
129	Motihari	Good	45	NO ₂	1
130	Mumbai	Satisfactory	83	PM _{2.5} , CO	20
131	Munger	Satisfactory	99	со	1
132	Muzaffarpur	Satisfactory	71 * AC	O ₃ I is not calculated for today's bullet	3 n for Ahmednagar, Ariyalur,

Notes:

Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode,

Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mysuru	Satisfactory	58	03	1
134	Nagaur	Moderate	116	PM ₁₀	1
135	Nagpur	Good	35	CO, PM ₁₀	4
136	Nalbari	Good	26	PM ₁₀	1
137	Nanded	Good	44	PM ₁₀	1
138	Narnaul	Good	42	PM _{2.5}	1
139	Nashik	Good	29	PM ₁₀	4
140	Navi Mumbai	Satisfactory	52	NO ₂ , CO	4
141	Nayagarh	Good	28	PM ₁₀	1
142	Noida	Moderate	118	NO ₂ , PM _{2.5}	4
143	Ooty	Good	50	SO ₂	1
144	Pali	Poor	239 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Ariyalur,

Notes:

Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

Gadag, Gummidipoondi, Hapur, Hassan, Hisar, Hosur, Hubbaili, Imphai,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode, Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Palkalaiperur	Satisfactory	67	SO ₂	1
146	Palwal	Good	41	03	1
147	Panipat	Satisfactory	98	PM ₁₀	1
148	Patiala	Satisfactory	63	PM ₁₀	1
149	Patna	Satisfactory	66	NO ₂ , PM ₁₀	6
150	Pimpri Chinchwad	Good	39	NO ₂ , PM ₁₀	3
151	Prayagraj	Satisfactory	52	PM ₁₀	3
152	Puducherry	Satisfactory	60	PM ₁₀	1
153	Pune	Moderate	103	NO ₂ , CO	5
154	Purnia	Satisfactory	87	со	1
155	Raipur	Good	45	PM ₁₀ , NO ₂	4
156	Rairangpur	Satisfactory	57 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Ariyalur,

Notes:

Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

Gadag, Gummidipoondi, Hapur, Hassan, Hisar, Hosur, Hubballi, Imphal,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode, Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rajamahendravaram	Good	32	PM ₁₀	1
158	Rajgir	Satisfactory	74	PM ₁₀	1
159	Rajsamand	Moderate	132	PM ₁₀	1
160	Ramanagara	Good	44	PM ₁₀	1
161	Ramanathapuram	Good	40	PM ₁₀	1
162	Ratlam	Satisfactory	53	PM ₁₀	1
163	Rohtak	Good	39	O ₃	1
164	Rourkela	Good	49	PM _{2.5}	1
165	Rupnagar	Moderate	109	PM ₁₀	1
166	Sagar	Good	33	O ₃	1
167	Saharsa	Good	50	со	1
168	Sangli	Good	25 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Ariyalur,

Notes:

Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

-Cadag, Cummidipoondi, Hapur, Hassan, Hisar, Hosur, Hubballi, Imphal,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode, Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Satna	Satisfactory	67	PM ₁₀	1
170	Sawai Madhopur	Satisfactory	83	PM _{2.5}	1
171	Shillong	Good	20	SO ₂	1
172	Shivamogga	Satisfactory	54	03	1
173	Sikar	Satisfactory	69	PM ₁₀	1
174	Silchar	Good	43	со	1
175	Siliguri	Good	36	PM ₁₀	1
176	Singrauli	Satisfactory	69	NO ₂	1
177	Sirohi	Moderate	108	PM ₁₀	1
178	Solapur	Satisfactory	65	PM ₁₀	3
179	Sri Ganganagar	Moderate	111	PM ₁₀	1
180	Srinagar	Good	33 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Ariyalur,

Notes:

Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

-Cadag, Cummidipoondi, Hapur, Hassan, Hisar, Hosur, Hubballi, Imphal,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode, Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Suakati	Good	36	O ₃	1
182	Surat	Good	30	PM _{2.5}	1
183	Thane	Good	36	PM ₁₀	3
184	Thiruvananthapuram	Good	15	PM ₁₀	1
185	Thoothukudi	Satisfactory	69	PM ₁₀	1
186	Thrissur	Satisfactory	56	PM ₁₀	1
187	Tirupati	Good	49	PM ₁₀	1
188	Tirupur	Good	43	PM ₁₀	1
189	Tumakuru	Moderate	105	PM ₁₀	1
190	Tumidih	Good	24	O ₃	1
191	Udaipur	Satisfactory	75	PM ₁₀	1
192	Vapi	Satisfactory	51 * AC	CO I is not calculated for today's bullet	1 n for Ahmednagar, Ariyalur,

Notes:

Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

- Gadag, Gummidipoondi, Hapur, Hassan, Hisar, Hosur, Hubballi, Imphal,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode, Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Varanasi	Good	31	PM ₁₀	4
194	Vatva	Satisfactory	78	PM ₁₀	1
195	Vijayapura	Good	46	PM ₁₀	1
196	Visakhapatnam	Satisfactory	72	PM ₁₀	1
197	Vrindavan	Satisfactory	58	PM _{2.5}	1
198	Yadgir	Good	26	PM ₁₀	1
199	Yamunanagar	Satisfactory	80	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Maharashtra), Baddi, Bhilwara, Bhiwandi, Bikaner, Boisar, Brajrajnagar, Bundi, Buxar, Chandrapur, Chhal, Chikkamagaluru, Churu, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Durgapur, Ernakulam,

Cadag, Gummidipoondi, Hapur, Hassan, Hisar, Hosur, Hubballi, Imphal,

Jorapokhar, Kalaburgi, Karauli, Keonjhar, Kochi, Kolar, Kozhikode, Ludhiana, Madikeri, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Parbhani, Pithampur, Pratapgarh, Raichur, Rishikesh, Salem, Samastipur, Sasaram, Sirsa, Sivasagar, Siwan, Sonipat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases