

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	205	PM _{2.5}	1
2	Agra	Poor	213	PM _{2.5}	1
3	Ahmedabad	Moderate	108	NO ₂	1
4	Aizawl	Moderate	104	PM _{2.5}	1
5	Ajmer	Satisfactory	59	PM ₁₀	1
6	Alwar	Satisfactory	78	PM ₁₀	1
7	Amaravati	Moderate	158	PM _{2.5}	1
8	Ambala	Satisfactory	98	PM _{2.5}	1
9	Ankleshwar	Poor	224	PM _{2.5}	1
10	Asansol	Moderate	142	PM _{2.5}	1
11	Aurangabad	Satisfactory	90	PM ₁₀	1
12	Bagalkot	Good	43	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Baghpat, Chamarajanagar, Coimbatore, Gummidipoondi, Kalaburgi, Kochi, Kollam, Ludhiana, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Shivamogga, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	202	PM _{2.5}	1
14	Ballabgarh	Moderate	169	PM _{2.5}	1
15	Bathinda	Moderate	137	PM _{2.5}	1
16	Bengaluru	Satisfactory	63	PM ₁₀ , PM _{2.5}	9
17	Bhiwadi	Poor	256	PM _{2.5}	1
18	Bhiwani	Moderate	116	PM ₁₀	1
19	Bhopal	Moderate	135	PM _{2.5}	1
20	Bidar	Satisfactory	67	PM _{2.5}	1
21	Brajrajnagar	Satisfactory	93	PM ₁₀	1
22	Bulandshahr	Poor	299	PM _{2.5}	1
23	Chandigarh	Satisfactory	64	PM ₁₀	1
24	Chandrapur	Moderate	162	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Baghpat, Chamarajanagar, Coimbatore, Gummidipoondi, Kalaburgi, Kochi, Kollam, Ludhiana, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Shivamogga, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	171	PM ₁₀	1
26	Chennai	Satisfactory	74	CO, PM ₁₀ , PM _{2.5}	7
27	Chikkaballapur	Good	40	PM ₁₀	1
28	Chikkamagaluru	Satisfactory	73	03	1
29	Damoh	Moderate	108	PM _{2.5}	1
30	Delhi	Poor	293	PM _{2.5}	36
31	Dewas	Moderate	107	PM _{2.5}	1
32	Dharuhera	Moderate	182	PM _{2.5}	1
33	Durgapur	Moderate	168	PM _{2.5}	1
34	Eloor	Satisfactory	83	PM _{2.5}	1
35	Ernakulam	Satisfactory	69	PM ₁₀	1
36	Faridabad	Poor	260	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Baghpat, Chamarajanagar, Coimbatore, Gummidipoondi, Kalaburgi, Kochi, Kollam, Ludhiana, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Shivamogga, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Poor	202	PM _{2.5}	1
38	Gadag	Satisfactory	56	PM ₁₀	1
39	Gandhinagar	Satisfactory	76	PM ₁₀	1
40	Gaya	Satisfactory	75	CO, PM _{2.5}	2
41	Ghaziabad	Very Poor	324	PM _{2.5}	4
42	Greater Noida	Very Poor	312	PM _{2.5}	2
43	Gurugram	Poor	213	PM _{2.5}	3
44	Guwahati	Poor	244	PM _{2.5}	2
45	Gwalior	Moderate	156	PM _{2.5}	1
46	Hajipur	Poor	258	PM ₁₀	1
47	Haldia	Moderate	179	PM _{2.5}	1
48	Hapur	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Baghpat, Chamarajanagar, Coimbatore, Gummidipoondi, Kalaburgi, Kochi, Kollam, Ludhiana, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Shivamogga, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Poor	219	PM _{2.5}	1
50	Howrah	Poor	213	PM _{2.5}	3
51	Hubballi	Satisfactory	87	PM ₁₀	1
52	Hyderabad	Moderate	163	PM _{2.5} , PM ₁₀	4
53	Indore	Moderate	147	PM _{2.5}	1
54	Jabalpur	Moderate	152	PM _{2.5}	1
55	Jaipur	Moderate	108	PM _{2.5} , PM ₁₀	3
56	Jalandhar	Satisfactory	65	PM ₁₀	1
57	Jind	Poor	252	PM _{2.5}	1
58	Jodhpur	Moderate	175	PM _{2.5}	1
59	Jorapokhar	Satisfactory	90	PM ₁₀	1
60	Kaithal	Moderate	130	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Baghpat, Chamarajanagar, Coimbatore, Gummidipoondi, Kalaburgi, Kochi, Kollam, Ludhiana, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Shivamogga, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Poor	237	PM _{2.5}	1
62	Kannur	Satisfactory	83	PM ₁₀	1
63	Kanpur	Moderate	199	PM _{2.5}	2
64	Karnal	Moderate	143	PM _{2.5}	1
65	Katni	Moderate	159	PM _{2.5}	1
66	Khanna	Satisfactory	91	PM ₁₀	1
67	Kohima	Poor	226	PM _{2.5}	1
68	Kolkata	Moderate	174	PM _{2.5} , PM ₁₀	6
69	Koppal	Satisfactory	65	PM ₁₀	1
70	Kota	Moderate	161	PM _{2.5}	1
71	Kozhikode	Satisfactory	88	СО	1
72	Kurukshetra	Moderate	175	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Baghpat, Chamarajanagar, Coimbatore, Gummidipoondi, Kalaburgi, Kochi, Kollam, Ludhiana, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Shivamogga, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Poor	288	PM _{2.5}	4
74	Mandi Gobindgarh	Moderate	114	PM ₁₀	1
75	Mandideep	Moderate	106	PM ₁₀	1
76	Mandikhera	Satisfactory	74	PM _{2.5}	1
77	Manesar	Moderate	190	PM _{2.5}	1
78	Manglore	Satisfactory	63	PM _{2.5}	1
79	Medikeri	Satisfactory	61	O ₃	1
80	Meerut	Poor	208	PM _{2.5}	3
81	Moradabad	Moderate	188	PM _{2.5}	1
82	Mumbai	Moderate	194	PM _{2.5}	18
83	Muzaffarnagar	Poor	210	PM _{2.5}	1
84	Muzaffarpur	Poor	292	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Baghpat, Chamarajanagar, Coimbatore, Gummidipoondi, Kalaburgi, Kochi, Kollam, Ludhiana, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Shivamogga, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Satisfactory	62	PM _{2.5}	1
86	Nashik	Moderate	111	PM _{2.5}	1
87	Navi Mumbai	Poor	276	PM _{2.5}	3
88	Noida	Poor	278	PM _{2.5} , PM ₁₀	4
89	Pali	Satisfactory	70	PM ₁₀	1
90	Palwal	Moderate	118	со	1
91	Panchkula	Moderate	149	03	1
92	Patiala	Moderate	108	PM ₁₀	1
93	Patna	Moderate	182	PM _{2.5} , PM ₁₀ , CO	6
94	Pithampur	Poor	242	PM _{2.5}	1
95	Pune	Satisfactory	97	PM _{2.5} , CO	5
96	Raichur	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Baghpat, Chamarajanagar, Coimbatore, Gummidipoondi, Kalaburgi, Kochi, Kollam, Ludhiana, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Shivamogga, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Moderate	165	PM _{2.5}	1
98	Ratlam	Moderate	107	PM ₁₀	1
99	Rohtak	Poor	268	PM _{2.5}	1
100	Rupnagar	Satisfactory	51	PM ₁₀	1
101	Sagar	Good	29	со	1
102	Satna	Satisfactory	86	PM ₁₀	1
103	Singrauli	Moderate	199	PM _{2.5}	1
104	Sirsa	Moderate	117	PM _{2.5}	1
105	Solapur	Moderate	107	PM ₁₀	1
106	Sonipat	Moderate	136	PM ₁₀	1
107	Talcher	Moderate	116	PM ₁₀	1
108	Thane	Moderate	182	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Baghpat, Chamarajanagar, Coimbatore, Gummidipoondi, Kalaburgi, Kochi, Kollam, Ludhiana, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Shivamogga, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thiruvananthapuram	Satisfactory	54	PM ₁₀ , CO	2
110	Thoothukudi	Satisfactory	57	03	1
111	Tirupati	Satisfactory	68	PM _{2.5}	1
112	Udaipur	Moderate	164	PM _{2.5}	1
113	Ujjain	Moderate	155	PM _{2.5}	1
114	Vapi	Poor	221	PM _{2.5}	1
115	Varanasi	Moderate	182	PM _{2.5}	1
116	Vatva	Moderate	160	PM _{2.5}	1
117	Vijayapura	Satisfactory	72	со	1
118	Visakhapatnam	Poor	245	PM ₁₀	1
119	Yadgir	Satisfactory	72	03	1
120	Yamunanagar	Moderate	119	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Baghpat, Chamarajanagar, Coimbatore, Gummidipoondi, Kalaburgi, Kochi, Kollam, Ludhiana, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Shivamogga, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.