



Air Quality Index on Dec 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Ahmedabad	Moderate	135	PM _{2.5}	1
2	Ajmer	Moderate	114	PM _{2.5}	1
3	Alwar	Moderate	118	PM _{2.5}	1
4	Amaravati	Moderate	128	PM _{2.5}	1
5	Ambala	Moderate	131	PM _{2.5}	1
6	Ankleshwar	Moderate	159	PM _{2.5}	1
7	Asanol	Moderate	167	PM _{2.5}	1
8	Aurangabad	Satisfactory	90	PM ₁₀	1
9	Baghpat	Very Poor	341	PM _{2.5}	1
10	Bahadurgarh	Poor	252	PM _{2.5}	1
11	Ballabgarh	Severe	407	PM _{2.5}	1
12	Bathinda	Satisfactory	92	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is calculated for today's bulletin for Agra, Amritsar, Bulandshahr, Chandrapur, Coimbatore, Damoh, GandhiNagar, Karnal, Ludhiana, Mandikhera, Manesar, Moradabad, Muzaffarnagar, Mysuru, Nagpur, Ramanagara, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Dec 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	90	PM _{2.5} , PM ₁₀ , O ₃	8
14	Bhiwadi	Very Poor	359	PM _{2.5}	1
15	Bhiwani	Poor	252	PM _{2.5}	1
16	Bhopal	Moderate	125	PM _{2.5}	1
17	Brajrajnagar	Moderate	148	PM _{2.5}	1
18	Chandigarh	Satisfactory	99	PM _{2.5}	1
19	Chennai	Satisfactory	76	PM _{2.5} , O ₃	4
20	Chikkaballapur	Satisfactory	65	PM ₁₀	1
21	Delhi	Severe	446	PM _{2.5}	31
22	Dewas	Satisfactory	83	PM _{2.5}	1
23	Dharuhera	Very Poor	321	PM _{2.5}	1
24	Eloor	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Agra, Amritsar, Bulandshahr, Chandrapur, Coimbatore, Damoh, GandhiNagar, Karnal, Ludhiana, Mandikhera, Manesar, Moradabad, Muzaffarnagar, Mysuru, Nagpur, Ramanagara, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Dec 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Faridabad	Severe	459	PM _{2.5}	1
26	Fatehabad	Satisfactory	98	PM _{2.5}	1
27	Gaya	Poor	282	PM _{2.5}	1
28	Ghaziabad	Severe	439	PM _{2.5}	4
29	Greater_Noida	Severe	434	PM _{2.5}	2
30	Gurugram	Very Poor	316	PM _{2.5}	1
31	Guwahati	Poor	255	PM _{2.5}	1
32	Haldia	Satisfactory	79	PM ₁₀	1
33	Hapur	Poor	266	PM ₁₀	1
34	Hisar	Poor	246	PM _{2.5}	1
35	Howrah	Poor	284	PM _{2.5}	3
36	Hubballi	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Agra, Amritsar, Bulandshahr, Chandrapur, Coimbatore, Damoh, GandhiNagar, Karnal, Ludhiana, Mandikhera, Manesar, Moradabad, Muzaffarnagar, Mysuru, Nagpur, Ramanagara, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Dec 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hyderabad	Moderate	138	PM _{2.5} , PM ₁₀	4
38	Indore	Moderate	106	PM ₁₀	1
39	Jabalpur	Poor	265	PM _{2.5}	1
40	Jaipur	Moderate	192	PM _{2.5} , PM ₁₀	3
41	Jalandhar	Moderate	189	PM _{2.5}	1
42	Jind	Poor	212	PM _{2.5}	1
43	Jodhpur	Moderate	171	PM _{2.5}	1
44	Jorapokhar	Moderate	148	PM ₁₀	1
45	Kaithal	Moderate	121	PM ₁₀	1
46	Kalaburagi	Moderate	142	PM _{2.5}	1
47	Kalyan	Moderate	169	PM ₁₀	1
48	Kanpur	Severe	424	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Agra, Amritsar, Bulandshahr, Chandrapur, Coimbatore, Damoh, GandhiNagar, Karnal, Ludhiana, Mandikhera, Manesar, Moradabad, Muzaffarnagar, Mysuru, Nagpur, Ramanagara, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Dec 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Katni	Very Poor	309	PM _{2.5}	1
50	Khanna	Moderate	178	PM ₁₀	1
51	Kolkata	Poor	243	PM _{2.5}	7
52	Kota	Poor	244	PM _{2.5}	1
53	Kurukshetra	Moderate	165	PM _{2.5}	1
54	Lucknow	Very Poor	309	PM _{2.5}	4
55	Maihar	Moderate	168	PM _{2.5}	1
56	Mandi Gobindgarh	Moderate	157	PM _{2.5}	1
57	Mandideep	Moderate	109	PM ₁₀	1
58	Meerut	Very Poor	338	PM _{2.5}	3
59	Mumbai	Moderate	197	PM _{2.5}	10
60	Muzaffarpur	Very Poor	393	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is calculated for today's bulletin for Agra, Amritsar, Bulandshahr, Chandrapur, Coimbatore, Damoh, GandhiNagar, Karnal, Ludhiana, Mandikhera, Manesar, Moradabad, Muzaffarnagar, Mysuru, Nagpur, Ramanagara, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Dec 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Narnaul	Poor	273	PM _{2.5}	1
62	Nashik	Satisfactory	55	PM ₁₀	1
63	Navi Mumbai	Moderate	178	PM _{2.5} , CO	3
64	Noida	Severe	464	PM _{2.5}	4
65	Pali	Moderate	104	PM _{2.5}	1
66	Palwal	Very Poor	356	PM _{2.5}	1
67	Panchkula	Moderate	174	PM _{2.5}	1
68	Panipat	Poor	288	PM ₁₀	1
69	Patiala	Moderate	155	PM _{2.5}	1
70	Patna	Very Poor	322	PM _{2.5}	4
71	Pithampur	Moderate	103	PM ₁₀	1
72	Pune	Moderate	152	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Agra, Amritsar, Bulandshahr, Chandrapur, Coimbatore, Damoh, GandhiNagar, Karnal, Ludhiana, Mandikhera, Manesar, Moradabad, Muzaffarnagar, Mysuru, Nagpur, Ramanagara, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Dec 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rajamahendravaram	Moderate	102	PM _{2.5}	1
74	Ratlam	Moderate	117	PM ₁₀	1
75	Rohtak	Very Poor	314	PM _{2.5}	1
76	Rupnagar	Satisfactory	97	PM _{2.5}	1
77	Satna	Moderate	110	PM ₁₀	1
78	Siliguri	Poor	249	PM _{2.5}	1
79	Sirsa	Moderate	104	PM ₁₀	1
80	Sonipat	Moderate	139	CO	1
81	Talcher	Very Poor	306	PM _{2.5}	1
82	Thane	Satisfactory	73	CO	1
83	Thiruvananthapuram	Satisfactory	95	PM _{2.5}	1
84	Tirupati	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Agra, Amritsar, Bulandshahr, Chandrapur, Coimbatore, Damoh, GandhiNagar, Karnal, Ludhiana, Mandikhera, Manesar, Moradabad, Muzaffarnagar, Mysuru, Nagpur, Ramanagara, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Dec 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Udaipur	Moderate	136	PM _{2.5}	1
86	Ujjain	Moderate	112	PM _{2.5}	1
87	Vapi	Poor	228	PM _{2.5}	1
88	Vatva	Moderate	156	PM _{2.5}	1
89	Yadgir	Moderate	121	PM _{2.5}	1
90	Yamunanagar	Moderate	182	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Agra, Amritsar, Bulandshahr, Chandrapur, Coimbatore, Damoh, GandhiNagar, Karnal, Ludhiana, Mandikhera, Manesar, Moradabad, Muzaffarnagar, Mysuru, Nagpur, Ramanagara, Shillong, Singrauli, Solapur, Varanasi, Vijayawada, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.