

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	130	PM ₁₀	1
2	Agra	Satisfactory	72	PM ₁₀	6
3	Ahmedabad	Moderate	116	PM _{2.5}	8
4	Aizawl	Moderate	122	PM ₁₀	1
5	Ajmer	Satisfactory	75	03	1
6	Alwar	Satisfactory	69	PM ₁₀	1
7	Amaravati	Satisfactory	90	PM ₁₀	1
8	Anantapur	Satisfactory	61	PM ₁₀	1
9	Ankleshwar	Satisfactory	87	PM ₁₀	1
10	Araria	Poor	267	PM ₁₀	1
11	Ariyalur	Satisfactory	63	PM ₁₀	1
12	Arrah	Moderate	189	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not colculated for today's bulletin for Ambala, Amritaar, Raghnet

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	187	PM _{2.5}	1
14	Aurangabad (Bihar)	Moderate	159	PM ₁₀	1
15	Aurangabad (Maharashtra)	Moderate	120	PM ₁₀	1
16	Baddi	Moderate	127	PM ₁₀	1
17	Bagalkot	Good	46	PM ₁₀	1
18	Bahadurgarh	Poor	250	PM ₁₀	1
19	Ballabgarh	Moderate	120	PM _{2.5}	1
20	Banswara	Moderate	132	PM ₁₀	1
21	Bareilly	Moderate	111	PM ₁₀	2
22	Baripada	Moderate	128	PM ₁₀	1
23	Barmer	Moderate	119	PM ₁₀	1
24	Bathinda	Poor	215	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Amritsar, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Satisfactory	64	PM ₁₀	1
26	Bengaluru	Satisfactory	100	PM ₁₀	9
27	Bettiah	Poor	234	PM _{2.5}	1
28	Bhagalpur	Poor	240	PM ₁₀	2
29	Bharatpur	Moderate	148	PM ₁₀	1
30	Bhilai	Satisfactory	74	PM ₁₀ , CO	3
31	Bhiwadi	Poor	214	PM ₁₀	1
32	Bhiwani	Moderate	153	PM ₁₀	1
33	Bhopal	Satisfactory	92	PM ₁₀	3
34	Bihar Sharif	Poor	203	PM ₁₀	1
35	Bikaner	Poor	252	PM ₁₀	1
36	Bilaspur	Moderate	144	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not colculated for today's bulletin for Ambala, Amritaar, Raghnet

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Poor	283	PM ₁₀	1
38	Bulandshahr	Moderate	137	PM ₁₀	1
39	Byrnihat	Very Poor	363	PM _{2.5}	1
40	Chamarajanagar	Good	46	PM ₁₀	1
41	Chandigarh	Moderate	156	O ₃ , PM ₁₀	3
42	Chandrapur	Moderate	184	PM _{2.5}	1
43	Charkhi Dadri	Poor	276	PM _{2.5}	1
44	Chennai	Satisfactory	72	со	6
45	Chhal	Moderate	110	PM ₁₀	1
46	Chhapra	Poor	226	PM ₁₀	1
47	Chikkaballapur	Satisfactory	85	PM ₁₀	1
48	Chikkamagaluru	Good	46	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Amritsar, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Churu	Moderate	165	PM ₁₀	1
50	Coimbatore	Moderate	124	PM _{2.5}	1
51	Cuddalore	Satisfactory	72	NO ₂	2
52	Dausa	Moderate	194	PM ₁₀	1
53	Dehradun	Moderate	119	PM ₁₀	1
54	Delhi	Poor	235	PM ₁₀	38
55	Dewas	Moderate	131	PM ₁₀	1
56	Dhanbad	Very Poor	325	PM _{2.5}	1
57	Dharwad	Moderate	102	PM ₁₀	1
58	Dholpur	Satisfactory	71	со	1
59	Dindigul	Good	42	SO ₂	1
60	Durgapur	Moderate	151	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not colculated for today's bulletin for Ambala, Amritaar, Raghnet

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Faridabad	Moderate	139	PM ₁₀ , PM _{2.5}	4
62	Firozabad	Satisfactory	78	PM ₁₀	2
63	Gadag	Good	43	PM _{2.5}	1
64	Gandhinagar	Moderate	146	PM _{2.5} , PM ₁₀	3
65	Gangtok	Moderate	181	03	1
66	Gaya	Moderate	194	PM ₁₀ , PM _{2.5}	3
67	Ghaziabad	Poor	250	PM ₁₀	4
68	Gorakhpur	Satisfactory	100	PM ₁₀	1
69	Greater Noida	Poor	278	PM ₁₀	2
70	Gummidipoondi	Satisfactory	99	PM ₁₀	1
71	Gurugram	Poor	262	PM _{2.5}	4
72	Guwahati	Moderate	192	PM ₁₀	4

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not colculated for today's bulletin for Ambala, Amritaar, Raghnet

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gwalior	Moderate	102	PM ₁₀ , PM _{2.5}	3
74	Hajipur	Poor	275	PM ₁₀	1
75	Haldia	Satisfactory	85	PM ₁₀	1
76	Hanumangarh	Poor	207	PM ₁₀	1
77	Hapur	Moderate	104	PM ₁₀	1
78	Hassan	Satisfactory	92	PM ₁₀	1
79	Haveri	Satisfactory	75	PM ₁₀	1
80	Hisar	Moderate	151	PM _{2.5}	1
81	Hosur	Moderate	171	PM _{2.5}	1
82	Howrah	Moderate	114	PM ₁₀	3
83	Hubballi	Moderate	146	PM _{2.5} , PM ₁₀	2
84	Hyderabad	Moderate	106	CO, PM ₁₀	13

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Amritsar, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Imphal	Moderate	107	PM ₁₀ , SO ₂	2
86	Indore	Moderate	108	PM ₁₀ , NO ₂	2
87	Jabalpur	Moderate	143	PM ₁₀	1
88	Jaipur	Moderate	122	PM ₁₀ , PM _{2.5}	4
89	Jalandhar	Moderate	135	PM ₁₀	1
90	Jhalawar	Moderate	110	PM ₁₀	1
91	Jhansi	Satisfactory	71	PM ₁₀	1
92	Jhunjhunu	Moderate	160	03	1
93	Jind	Moderate	110	PM ₁₀	1
94	Jodhpur	Moderate	125	PM ₁₀ , PM _{2.5}	4
95	Kadapa	Moderate	102	03	1
96	Kaithal	Poor	217	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Amritsar, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalaburgi	Moderate	103	PM ₁₀	2
98	Kalyan	Moderate	122	PM ₁₀	1
99	Kanchipuram	Satisfactory	75	PM ₁₀	1
100	Kanpur	Moderate	139	PM _{2.5}	3
101	Karauli	Good	36	PM ₁₀	1
102	Karnal	Moderate	158	PM ₁₀	1
103	Katihar	Poor	270	PM ₁₀	1
104	Katni	Poor	207	PM ₁₀	1
105	Keonjhar	Moderate	164	PM _{2.5}	1
106	Khanna	Moderate	145	PM ₁₀	1
107	Khurja	Moderate	138	PM _{2.5}	1
108	Kishanganj	Moderate	191	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Amritsar, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kochi	Satisfactory	68	PM _{2.5}	1
110	Kohima	Moderate	119	PM ₁₀	1
111	Kolkata	Moderate	102	PM ₁₀	7
112	Koppal	Satisfactory	67	03	1
113	Korba	Poor	217	PM _{2.5}	2
114	Kota	Satisfactory	91	PM _{2.5}	3
115	Kurukshetra	Poor	284	PM _{2.5}	1
116	Lucknow	Moderate	167	PM _{2.5}	6
117	Ludhiana	Moderate	166	PM ₁₀	1
118	Madikeri	Good	45	PM ₁₀	1
119	Maihar	Good	47	со	1
120	Mandi Gobindgarh	Poor	237	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Amritsar, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandideep	Moderate	110	PM ₁₀	1
122	Mandikhera	Moderate	116	PM ₁₀	1
123	Manesar	Poor	223	PM _{2.5}	1
124	Mangalore	Satisfactory	70	PM ₁₀	1
125	Manguraha	Poor	255	PM _{2.5}	1
126	Meerut	Poor	278	PM ₁₀	3
127	Milupara	Satisfactory	53	PM ₁₀	1
128	Moradabad	Moderate	114	PM _{2.5} , PM ₁₀	6
129	Motihari	Moderate	141	PM ₁₀	1
130	Mumbai	Moderate	103	PM _{2.5} , PM ₁₀	18
131	Munger	Poor	284	PM ₁₀	1
132	Muzaffarnagar	Very Poor	317	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Amritsar, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Muzaffarpur	Poor	254	PM _{2.5}	3
134	Mysuru	Satisfactory	71	PM ₁₀	1
135	Nagaon	Poor	220	PM _{2.5}	1
136	Nagpur	Moderate	130	PM _{2.5}	1
137	Naharlagun	Satisfactory	52	PM ₁₀	1
138	Nalbari	Moderate	127	PM ₁₀	1
139	Narnaul	Moderate	128	PM ₁₀	1
140	Nashik	Satisfactory	69	PM ₁₀	1
141	Navi Mumbai	Moderate	149	PM _{2.5} , PM ₁₀	3
142	Nayagarh	Poor	236	PM _{2.5}	1
143	Noida	Poor	233	PM ₁₀ , PM _{2.5}	4
144	Ooty	Satisfactory	59	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not colculated for today's bulletin for Ambala, Amritaar, Raghnet

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pali	Satisfactory	93	PM ₁₀	1
146	Palkalaiperur	Satisfactory	51	SO ₂	1
147	Palwal	Moderate	102	PM ₁₀	1
148	Panchkula	Moderate	136	PM _{2.5}	1
149	Panipat	Poor	207	PM ₁₀	1
150	Patiala	Moderate	134	PM ₁₀	1
151	Patna	Poor	264	PM ₁₀ , PM _{2.5}	6
152	Pithampur	Moderate	108	PM ₁₀	1
153	Pratapgarh	Moderate	122	PM ₁₀	1
154	Puducherry	Satisfactory	60	PM ₁₀	1
155	Pune	Moderate	149	NO ₂	2
156	Raipur	Satisfactory	95	PM _{2.5} , NO ₂	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Amritsar, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rairangpur	Poor	273	PM _{2.5}	1
158	Rajamahendravaram	Moderate	102	PM ₁₀	1
159	Rajgir	Moderate	142	PM ₁₀	1
160	Rajsamand	Satisfactory	69	PM ₁₀	1
161	Ramanagara	Satisfactory	83	PM ₁₀	1
162	Ramanathapuram	Good	37	PM ₁₀	1
163	Rishikesh	Satisfactory	93	PM ₁₀	1
164	Rohtak	Moderate	132	PM _{2.5}	1
165	Rourkela	Poor	273	PM ₁₀	3
166	Rupnagar	Moderate	170	PM ₁₀	1
167	Sagar	Moderate	172	O ₃	1
168	Samastipur	Poor	242	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Amritsar, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Satna	Moderate	115	PM ₁₀	1
170	Sawai Madhopur	Moderate	123	PM ₁₀	1
171	Shillong	Moderate	119	PM ₁₀	1
172	Shivamogga	Satisfactory	65	03	1
173	Sikar	Moderate	134	PM ₁₀	1
174	Siliguri	Moderate	136	PM ₁₀	1
175	Singrauli	Poor	298	PM ₁₀	1
176	Sivasagar	Satisfactory	51	PM _{2.5}	1
177	Siwan	Moderate	190	PM ₁₀	1
178	Solapur	Moderate	109	PM ₁₀	1
179	Sri Ganganagar	Very Poor	338	PM ₁₀	1
180	Suakati	Poor	201	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not colculated for today's bulletin for Ambala, Amritaar, Raghnet

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Surat	Satisfactory	74	СО	1
182	Talcher	Poor	209	PM _{2.5}	1
183	Tensa	Moderate	104	PM ₁₀	1
184	Thane	Moderate	193	03	1
185	Thiruvananthapuram	Satisfactory	66	PM _{2.5} , PM ₁₀	2
186	Thoothukudi	Satisfactory	86	PM ₁₀	1
187	Thrissur	Moderate	104	PM ₁₀	1
188	Tirupati	Satisfactory	77	PM ₁₀	1
189	Tirupur	Satisfactory	63	PM ₁₀	1
190	Tonk	Moderate	164	PM ₁₀	1
191	Tumakuru	Good	45	со	1
192	Udaipur	Satisfactory	83	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not colculated for today's bulletin for Ambala, Amritaar, Raghnet

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Udupi	Satisfactory	74	O ₃	1
194	Ujjain	Moderate	148	PM ₁₀	1
195	Vapi	Moderate	107	СО	1
196	Varanasi	Satisfactory	97	PM ₁₀ , PM _{2.5}	4
197	Vatva	Moderate	138	PM ₁₀	1
198	Vijayapura	Good	42	PM ₁₀	1
199	Vrindavan	Moderate	173	PM ₁₀	1
200	Yadgir	Satisfactory	94	PM ₁₀	1
201	Yamunanagar	Poor	203	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not coloulated for today's bulletin for Ambala, Amritaan Baghnet

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.