Air Quality Index on Mar 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	237	$PM_{2.5}$	1
2	Agra	Satisfactory	100	O_3, SO_2, PM_{10}	6
3	Ahmedabad	Moderate	136	$PM_{2.5}$, PM_{10}	9
4	Aizawl	Satisfactory	83	PM_{10}	1
5	Ajmer	Moderate	110	PM_{10}	1
6	Alwar	Satisfactory	66	PM_{10}	1
7	Amaravati	Good	48	O_3	1
8	Ambala	Moderate	107	PM_{10}	1
9	Amritsar	Satisfactory	90	CO	1
10	Ankleshwar	Moderate	154	$PM_{2.5}$	1
11	Araria	Moderate	151	$PM_{2.5}$	1
12	Asansol	Moderate	180	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Brajrajnagar, Chikkamagaluru, Damoh, Davanagere, Fatehabad, Gorakhpur, Hassan, Jorapokhar, Kolar, Maihar, Shillong, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	104	PM_{10}	1
14	Bagalkot	Good	50	$PM_{2.5}$	1
15	Bahadurgarh	Moderate	132	$PM_{2.5}$	1
16	Ballabgarh	Moderate	101	PM_{10}	1
17	Bathinda	Satisfactory	93	PM_{10}	1
18	Bengaluru	Satisfactory	96	CO, PM_{10}	7
19	Bettiah	Moderate	158	$PM_{2.5}$	1
20	Bhagalpur	Moderate	154	PM_{10}, $PM_{2.5}$	2
21	Bhilai	Satisfactory	54	PM_{10}	1
22	Bhiwadi	Moderate	182	$PM_{2.5}$	1
23	Bhiwani	Moderate	139	$PM_{2.5}$	1
24	Bhopal	Moderate	117	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Brajrajnagar, Chikkamagaluru, Damoh, Davanagere, Fatehabad, Gorakhpur, Hassan, Jorapokhar, Kolar, Maihar, Shillong, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Satisfactory	64	PM_{10}	1
26	Bihar Sharif	Moderate	141	$PM_{2.5}$	1
27	Bilaspur	Satisfactory	51	PM_{10}	1
28	Bulandshahr	Moderate	184	O_3	1
29	Buxar	Moderate	197	PM_{10}	1
30	Chamarajanagar	Good	44	PM_{10}	1
31	Chandigarh	Satisfactory	83	$PM_{2.5}$, PM_{10}	3
32	Chandrapur	Moderate	145	O_3, CO	2
33	Charkhi Dadri	Moderate	114	PM_{10}	1
34	Chennai	Satisfactory	68	PM_{10}, CO	8
35	Chhapra	Poor	215	$PM_{2.5}$	1
36	Chikkaballapur	Good	50	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Brajrajnagar, Chikkamagaluru, Damoh, Davanagere, Fatehabad, Gorakhpur, Hassan, Jorapokhar, Kolar, Maihar, Shillong, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	89	$PM_{2.5}$	1
38	Darbhanga	Moderate	130	PM_{10}	1
39	Delhi	Moderate	170	O_3, $PM_{2.5}$	38
40	Dewas	Satisfactory	98	PM_{10}	1
41	Dharuhera	Moderate	191	PM_{10}	1
42	Durgapur	Poor	201	PM_{10}	1
43	Eloor	Satisfactory	80	PM_{10}	1
44	Ernakulam	Satisfactory	70	$PM_{2.5}$	1
45	Faridabad	Poor	218	$PM_{2.5}$, O_3	3
46	Firozabad	Moderate	111	$PM_{2.5}$	1
47	Gadag	Good	32	O_3	1
48	Gandhinagar	Moderate	142	$PM_{2.5}$, PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Brajrajnagar, Chikkamagaluru, Damoh, Davanagere, Fatehabad, Gorakhpur, Hassan, Jorapokhar, Kolar, Maihar, Shillong, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	161	PM_{10}	2
50	Ghaziabad	Poor	204	O_3, $PM_{2.5}$	4
51	Greater Noida	Poor	218	O_3	2
52	Gummidipoondi	Good	35	PM_{10}	1
53	Gurugram	Moderate	137	$PM_{2.5}$, PM_{10}	4
54	Guwahati	Moderate	126	$PM_{2.5}$	2
55	Gwalior	Moderate	152	$PM_{2.5}$	1
56	Hajipur	Moderate	171	$PM_{2.5}$	1
57	Haldia	Moderate	127	PM_{10}	1
58	Hapur	Poor	256	O_3	1
59	Hisar	Moderate	129	$PM_{2.5}$	1
60	Howrah	Moderate	191	$PM_{2.5}$, PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Brajrajnagar, Chikkamagaluru, Damoh, Davanagere, Fatehabad, Gorakhpur, Hassan, Jorapokhar, Kolar, Maihar, Shillong, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hubballi	Satisfactory	99	PM_{10}	1
62	Hyderabad	Satisfactory	73	PM_{10}, O_3, $PM_{2.5}$	5
63	Indore	Satisfactory	96	PM_{10}	1
64	Jabalpur	Moderate	124	PM_{10}	1
65	Jaipur	Satisfactory	88	PM_{10}, O_3	3
66	Jalandhar	Moderate	129	PM_{10}	1
67	Jhansi	Satisfactory	94	PM_{10}	1
68	Jind	Satisfactory	98	PM_{10}	1
69	Jodhpur	Moderate	152	$PM_{2.5}$	1
70	Kaithal	Satisfactory	64	PM_{10}	1
71	Kalaburgi	Satisfactory	62	PM_{10}	1
72	Kalyan	Poor	216	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Brajrajnagar, Chikkamagaluru, Damoh, Davanagere, Fatehabad, Gorakhpur, Hassan, Jorapokhar, Kolar, Maihar, Shillong, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Satisfactory	66	$PM_{2.5}$	1
74	Kanpur	Satisfactory	95	$PM_{2.5}$, PM_{10}	3
75	Karnal	Satisfactory	69	PM_{10}	1
76	Katihar	Poor	249	PM_{10}	1
77	Katni	Moderate	133	PM_{10}	1
78	Khanna	Satisfactory	87	PM_{10}	1
79	Kishanganj	Poor	231	$PM_{2.5}$	1
80	Kochi	Moderate	124	$PM_{2.5}$	1
81	Kohima	Satisfactory	98	PM_{10}	1
82	Kolkata	Moderate	174	$PM_{2.5}$	7
83	Kollam	Satisfactory	89	PM_{10}	1
84	Koppal	Moderate	108	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Brajrajnagar, Chikkamagaluru, Damoh, Davanagere, Fatehabad, Gorakhpur, Hassan, Jorapokhar, Kolar, Maihar, Shillong, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Moderate	187	$PM_{2.5}$	1
86	Kozhikode	Satisfactory	65	PM_{10}	1
87	Kurukshetra	Satisfactory	85	PM_{10}	1
88	Lucknow	Satisfactory	100	PM_{10}, $PM_{2.5}$	6
89	Ludhiana	Satisfactory	77	PM_{10}	1
90	Madikeri	Satisfactory	63	PM_{10}	1
91	Mandi Gobindgarh	Poor	202	PM_{10}	1
92	Mandideep	Moderate	140	PM_{10}	1
93	Mandikhera	Satisfactory	100	PM_{10}	1
94	Manesar	Moderate	160	$PM_{2.5}$	1
95	Manglore	Good	50	CO	1
96	Manguraha	Satisfactory	77	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Brajrajnagar, Chikkamagaluru, Damoh, Davanagere, Fatehabad, Gorakhpur, Hassan, Jorapokhar, Kolar, Maihar, Shillong, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Moderate	163	O_3, $PM_{2.5}$, PM_{10}	3
98	Moradabad	Satisfactory	78	$PM_{2.5}$, PM_{10}	4
99	Motihari	Moderate	112	PM_{10}	1
100	Mumbai	Moderate	187	$PM_{2.5}$, PM_{10}	17
101	Munger	Poor	228	$PM_{2.5}$	1
102	Muzaffarnagar	Poor	202	O_3	1
103	Muzaffarpur	Moderate	155	PM_{10}, $PM_{2.5}$	3
104	Mysuru	Good	48	PM_{10}	1
105	Nagpur	Moderate	105	CO	1
106	Naharlagun	Moderate	131	PM_{10}	1
107	Nandesari	Satisfactory	100	CO	1
108	Narnaul	Moderate	122	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Brajrajnagar, Chikkamagaluru, Damoh, Davanagere, Fatehabad, Gorakhpur, Hassan, Jorapokhar, Kolar, Maihar, Shillong, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Satisfactory	81	$PM_{2.5}$	1
110	Navi Mumbai	Poor	230	PM_{10}	2
111	Noida	Moderate	120	PM_{10}, $PM_{2.5}$	4
112	Pali	Moderate	111	$PM_{2.5}$	1
113	Palwal	Satisfactory	84	PM_{10}	1
114	Panchkula	Moderate	125	$PM_{2.5}$	1
115	Panipat	Satisfactory	96	PM_{10}	1
116	Patiala	Satisfactory	65	PM_{10}	1
117	Patna	Poor	208	$PM_{2.5}$, PM_{10}	6
118	Pithampur	Satisfactory	81	$PM_{2.5}$	1
119	Prayagraj	Satisfactory	80	PM_{10}	3
120	Puducherry	Good	49	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Brajrajnagar, Chikkamagaluru, Damoh, Davanagere, Fatehabad, Gorakhpur, Hassan, Jorapokhar, Kolar, Maihar, Shillong, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pune	Moderate	126	$PM_{2.5}$	7
122	Purnia	Moderate	144	$PM_{2.5}$	1
123	Raichur	Satisfactory	95	PM_{10}	1
124	Rajamahendravaram	Satisfactory	83	PM_{10}	1
125	Rajgir	Moderate	155	O_3	1
126	Ramanagara	Satisfactory	52	PM_{10}	1
127	Ratlam	Satisfactory	73	PM_{10}	1
128	Rohtak	Moderate	108	$PM_{2.5}$	1
129	Rupnagar	Moderate	118	PM_{10}	1
130	Sagar	Satisfactory	65	CO	1
131	Saharsa	Moderate	153	$PM_{2.5}$	1
132	Sasaram	Moderate	155	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Brajrajnagar, Chikkamagaluru, Damoh, Davanagere, Fatehabad, Gorakhpur, Hassan, Jorapokhar, Kolar, Maihar, Shillong, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Satisfactory	54	PM_{10}	1
134	Shivamogga	Satisfactory	55	PM_{10}	1
135	Siliguri	Moderate	128	PM_{10}	1
136	Singrauli	Poor	211	PM_{10}	1
137	Sirsa	Satisfactory	93	O_3	1
138	Siwan	Moderate	190	O_3	1
139	Solapur	Satisfactory	73	$PM_{2.5}$	1
140	Sonipat	Satisfactory	90	PM_{10}	1
141	Srinagar	Satisfactory	57	PM_{10}	1
142	Talcher	Satisfactory	67	PM_{10}	1
143	Thane	Moderate	188	O_3	1
144	Thiruvananthapuram	Satisfactory	94	$PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Brajrajnagar, Chikkamagaluru, Damoh, Davanagere, Fatehabad, Gorakhpur, Hassan, Jorapokhar, Kolar, Maihar, Shillong, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thoothukudi	Good	35	PM_{10}	1
146	Thrissur	Satisfactory	69	$PM_{2.5}$	1
147	Tirupati	Good	45	$PM_{2.5}$	1
148	Udaipur	Moderate	143	PM_{10}	1
149	Udupi	Satisfactory	56	O_3	1
150	Ujjain	Moderate	149	PM_{10}	1
151	Vapi	Poor	218	PM_{10}	1
152	Varanasi	Satisfactory	84	O_3, PM_{10}	4
153	Vatva	Moderate	125	PM_{10}	1
154	Visakhapatnam	Moderate	127	PM_{10}	1
155	Vrindavan	Satisfactory	69	PM_{10}	1
156	Yadgir	Good	46	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Brajrajnagar, Chikkamagaluru, Damoh, Davanagere, Fatehabad, Gorakhpur, Hassan, Jorapokhar, Kolar, Maihar, Shillong, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yamunanagar	Moderate	132	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Brajrajnagar, Chikkamagaluru, Damoh, Davanagere, Fatehabad, Gorakhpur, Hassan, Jorapokhar, Kolar, Maihar, Shillong, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.