

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	80	PM _{2.5}	1
2	Agra	Satisfactory	73	PM ₁₀	6
3	Ahmedabad	Satisfactory	75	PM _{2.5} , PM ₁₀	8
4	Ajmer	Moderate	104	PM ₁₀	1
5	Akola	Satisfactory	51	PM ₁₀	1
6	Alwar	Satisfactory	53	PM ₁₀	1
7	Amaravati	Satisfactory	56	PM ₁₀	1
8	Ambala	Satisfactory	91	со	1
9	Amravati	Satisfactory	51	PM ₁₀	2
10	Amritsar	Satisfactory	54	O ₃	1
11	Anantapur	Good	46	PM ₁₀	1
12	Ankleshwar	Satisfactory	97	O ₃	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Ariyalur, Aurangabad (Bihar), Bharatpur, Boisar, Brajrajnagar, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Good	42	PM ₁₀	1
14	Arrah	Satisfactory	91	PM ₁₀	1
15	Asansol	Good	47	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Good	44	PM ₁₀	2
17	Baddi	Satisfactory	75	PM ₁₀	1
18	Badlapur	Good	31	со	1
19	Bagalkot	Good	43	PM ₁₀	1
20	Baghpat	Satisfactory	64	PM ₁₀	1
21	Bahadurgarh	Satisfactory	83	PM ₁₀	1
22	Ballabgarh	Good	42	со	1
23	Banswara	Satisfactory	88	PM ₁₀	1
24	Baran	Moderate	111	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Ariyalur, Aurangabad (Bihar), Bharatpur, Boisar, Brajrajnagar, Buxar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	30	SO ₂	1
26	Baripada	Satisfactory	59	PM ₁₀	1
27	Barmer	Moderate	121	PM ₁₀	1
28	Bathinda	Satisfactory	65	PM ₁₀	1
29	Begusarai	Moderate	144	PM _{2.5}	1
30	Belapur	Good	46	PM ₁₀	1
31	Belgaum	Good	48	СО	1
32	Bengaluru	Good	49	CO, PM ₁₀	8
33	Bettiah	Satisfactory	93	PM ₁₀	1
34	Bhagalpur	Satisfactory	88	PM _{2.5}	2
35	Bhilai	Good	31	PM ₁₀ , O ₃	3
36	Bhilwara	Moderate	134	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Ariyalur, Aurangabad (Bihar), Bharatpur, Boisar, Brajrajnagar, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Satisfactory	86	PM ₁₀	1
38	Bhiwandi	Good	39	PM ₁₀	1
39	Bhiwani	Satisfactory	80	со	1
40	Bhopal	Satisfactory	64	PM _{2.5} , PM ₁₀	2
41	Bidar	Good	25	СО	1
42	Bihar Sharif	Good	28	СО	1
43	Bikaner	Moderate	114	PM ₁₀	1
44	Bilaspur	Good	29	PM ₁₀	1
45	Bileipada	Satisfactory	60	PM ₁₀	1
46	Bulandshahr	Good	43	PM _{2.5}	1
47	Bundi	Satisfactory	81	PM ₁₀	1
48	Byrnihat	Moderate	169	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Ariyalur, Aurangabad (Bihar), Bharatpur, Boisar, Brajrajnagar, Buxar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chamarajanagar	Good	45	PM ₁₀	1
50	Chandigarh	Satisfactory	66	PM ₁₀	3
51	Chandrapur	Good	45	PM ₁₀	1
52	Charkhi Dadri	Moderate	149	PM _{2.5}	1
53	Chennai	Satisfactory	62	PM _{2.5} , CO	7
54	Chhal	Good	32	PM _{2.5}	1
55	Chhapra	Satisfactory	77	PM ₁₀	1
56	Chikkamagaluru	Good	25	NO ₂	1
57	Chittoor	Good	37	O ₃	1
58	Chittorgarh	Satisfactory	72	PM ₁₀	1
59	Churu	Satisfactory	53	O ₃	1
60	Damoh	Good	22	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Aurangabad (Bihar), Bharatpur, Boisar, Brajrajr Chengalpattu, Chikkaballapur, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Imphal, Jorapokhar, Kadapa, Kolar, Koppal, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Naharlagun, Nalbari, Ooty, Palkalaiperur, Purnia, Raichur, Rairangpur, Rishikesh, Saharsa, Salem, Sawai Madhopur, Sonipat, Srinagar, Surat, Thrissur, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Severe



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dausa	Satisfactory	93	PM ₁₀	1
62	Davanagere	Good	27	PM ₁₀	1
63	Dehradun	Satisfactory	84	со	1
64	Delhi	Satisfactory	91	PM ₁₀	23
65	Dewas	Satisfactory	57	PM ₁₀	1
66	Dhanbad	Moderate	188	со	1
67	Dharwad	Good	39	PM ₁₀	1
68	Dholpur	Satisfactory	81	PM ₁₀	1
69	Dhule	Satisfactory	82	PM ₁₀	1
70	Durgapur	Satisfactory	66	PM ₁₀	1
71	Faridabad	Moderate	105	PM _{2.5}	4
72	Fatehabad	Moderate	158	03	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Firozabad	Good	46	PM ₁₀	2
74	Gadag	Good	46	SO ₂	1
75	Gandhinagar	Satisfactory	98	PM _{2.5}	2
76	Gangtok	Satisfactory	61	SO ₂	1
77	Gaya	Satisfactory	51	03	3
78	Ghaziabad	Satisfactory	73	PM ₁₀	3
79	Gorakhpur	Satisfactory	51	SO ₂	1
80	Greater Noida	Moderate	163	PM ₁₀	2
81	Gummidipoondi	Satisfactory	79	PM ₁₀	1
82	Gurugram	Moderate	137	PM _{2.5}	3
83	Guwahati	Satisfactory	65	CO, SO ₂	3
84	Gwalior	Good	50	PM ₁₀ , PM _{2.5}	4

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, iyalur, Aurangabad (Bihar), Bharatpur, Boisar, Brajrajnag

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hajipur	Good	38	PM ₁₀	1
86	Haldia	Good	45	PM ₁₀	1
87	Hanumangarh	Moderate	111	PM ₁₀	1
88	Hapur	Good	49	PM ₁₀	1
89	Hassan	Good	45	PM ₁₀	1
90	Haveri	Good	42	со	1
91	Hisar	Moderate	108	со	1
92	Hosur	Good	38	PM ₁₀	1
93	Howrah	Good	47	PM ₁₀	3
94	Hubballi	Satisfactory	53	PM ₁₀	1
95	Hyderabad	Satisfactory	74	PM ₁₀ , O ₃	12
96	Indore	Satisfactory	83	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Bharatpur, Boisar, Brajrajr

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jabalpur	Good	39	co	1
98	Jaipur	Satisfactory	95	PM _{2.5} , PM ₁₀	5
99	Jaisalmer	Moderate	136	PM ₁₀	1
100	Jalandhar	Satisfactory	60	PM ₁₀	1
101	Jalgaon	Good	46	PM _{2.5}	1
102	Jalna	Good	37	NO ₂	1
103	Jhalawar	Satisfactory	52	СО	1
104	Jhansi	Good	36	PM _{2.5}	1
105	Jhunjhunu	Satisfactory	99	PM _{2.5}	1
106	Jind	Satisfactory	76	PM _{2.5}	1
107	Jodhpur	Moderate	112	PM ₁₀	4
108	Kaithal	Satisfactory	64	PM _{2.5}	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Ariyalur, Aurangabad (Bihar), Bharatpur, Boisar, Brajrajnagar, Buxar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kalaburgi	Satisfactory	67	PM ₁₀	1
110	Kalyan	Satisfactory	62	PM ₁₀	1
111	Kanchipuram	Good	32	PM ₁₀	1
112	Kannur	Satisfactory	70	PM ₁₀	1
113	Kanpur	Satisfactory	65	со	3
114	Karauli	Moderate	140	PM ₁₀	1
115	Karnal	Good	49	PM ₁₀	1
116	Kashipur	Satisfactory	56	PM ₁₀	1
117	Katihar	Moderate	103	СО	1
118	Katni	Good	40	PM ₁₀	1
119	Keonjhar	Satisfactory	64	СО	1
120	Khanna	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Ariyalur, Aurangabad (Bihar), Bharatpur, Boisar, Brajrajnagar, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Khurja	Moderate	114	PM _{2.5}	1
122	Kishanganj	Good	44	СО	1
123	Kochi	Satisfactory	67	PM ₁₀	1
124	Kohima	Good	50	SO ₂	1
125	Kolhapur	Good	38	PM ₁₀	2
126	Kolkata	Good	50	PM ₁₀	7
127	Kollam	Satisfactory	74	PM ₁₀	1
128	Korba	Good	31	со	1
129	Kota	Satisfactory	86	PM _{2.5}	3
130	Kunjemura	Good	22	со	1
131	Kurukshetra	Satisfactory	62	PM ₁₀	1
132	Latur	Good	48	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Ariyalur, Aurangabad (Bihar), Bharatpur, Boisar, Brajrajnagar, Buxar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Lucknow	Good	48	PM ₁₀	5
134	Ludhiana	Moderate	155	PM _{2.5}	1
135	Madikeri	Good	23	PM _{2.5}	1
136	Mahad	Good	37	SO ₂	1
137	Maihar	Good	34	PM ₁₀	1
138	Mandi Gobindgarh	Satisfactory	57	PM ₁₀	1
139	Mandideep	Satisfactory	55	O ₃	1
140	Mandikhera	Satisfactory	94	PM ₁₀	1
141	Manesar	Satisfactory	58	PM _{2.5}	1
142	Mangalore	Good	44	PM ₁₀	1
143	Manguraha	Good	25	PM ₁₀	1
144	Meerut	Satisfactory	66	СО	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Ariyalur, Aurangabad (Bihar), Bharatpur, Boisar, Brajrajnagar, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Moradabad	Satisfactory	64	PM ₁₀	5
146	Motihari	Satisfactory	62	PM ₁₀	1
147	Mumbai	Satisfactory	53	CO, PM ₁₀	16
148	Munger	Satisfactory	82	PM ₁₀	1
149	Muzaffarnagar	Satisfactory	62	PM ₁₀	1
150	Muzaffarpur	Satisfactory	67	CO, NO ₂	3
151	Mysuru	Good	45	O ₃	1
152	Nagaur	Satisfactory	68	PM ₁₀	1
153	Nagpur	Good	36	CO, PM ₁₀	4
154	Nanded	Good	31	PM ₁₀	1
155	Nandesari	Good	50	со	1
156	Narnaul	Good	48	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Nashik	Good	43	PM ₁₀	1
158	Navi Mumbai	Satisfactory	54	PM ₁₀	6
159	Nayagarh	Good	43	PM ₁₀	1
160	Noida	Satisfactory	86	PM ₁₀	3
161	Pali	Satisfactory	85	PM _{2.5}	1
162	Palwal	Good	40	PM ₁₀	1
163	Panchkula	Satisfactory	69	PM _{2.5}	1
164	Panipat	Moderate	123	PM _{2.5}	1
165	Parbhani	Good	37	PM ₁₀	1
166	Patiala	Satisfactory	52	03	1
167	Patna	Satisfactory	83	PM ₁₀ , NO ₂	6
168	Pimpri Chinchwad	Good	38	PM _{2.5}	3

Ariyalur, Aurangabad (Bihar), Bharatpur, Boisar, Brajrajnaga

Notes: Dir

Possible Health Impacts Minimal Impact

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chikkaballapur, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Imphal, Jorapokhar, Kadapa, Kolar, Koppal, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Naharlagun, Nalbari, Ooty, Palkalaiperur, Purnia, Raichur, Rairangpur, Rishikesh, Saharsa, Salem, Sawai Madhopur, Sonipat, Srinagar, Surat, Thrissur, Udupi, Virar, Yamunanagar, vellore as data was not available.

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pithampur	Satisfactory	83	PM ₁₀	1
170	Pratapgarh	Satisfactory	66	PM ₁₀	1
171	Prayagraj	Satisfactory	81	PM ₁₀	3
172	Puducherry	Satisfactory	69	PM ₁₀	1
173	Pune	Satisfactory	60	PM _{2.5} , PM ₁₀	6
174	Raipur	Good	24	CO, NO ₂	4
175	Rajamahendravaram	Good	49	СО	1
176	Rajgir	Good	32	O ₃	1
177	Rajsamand	Satisfactory	98	PM ₁₀	1
178	Ramanagara	Good	48	NO ₂	1
179	Ramanathapuram	Good	23	PM ₁₀	1
180	Ratlam	Satisfactory	62	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Ariyalur, Aurangabad (Bihar), Bharatpur, Boisar, Brajrajnagar, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rohtak	Good	48	PM _{2.5}	1
182	Rourkela	Good	49	PM ₁₀	2
183	Rupnagar	Moderate	145	PM ₁₀	1
184	Sagar	Good	35	03	1
185	Samastipur	Satisfactory	60	PM ₁₀	1
186	Sangli	Good	34	PM ₁₀	1
187	Sasaram	Satisfactory	85	СО	1
188	Satna	Satisfactory	65	O ₃	1
189	Shillong	Good	26	PM ₁₀ , SO ₂	2
190	Shivamogga	Satisfactory	76	PM ₁₀	1
191	Sikar	Satisfactory	81	PM ₁₀	1
192	Silchar	Good	29	СО	1

Possible Health Impacts Notes: Di

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Ariyalur, Aurangabad (Bihar), Bharatpur, Boisar, Brajrajnagar, Buxar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siliguri	Good	41	PM ₁₀	1
194	Singrauli	Satisfactory	99	NO ₂	1
195	Sirohi	Satisfactory	90	PM ₁₀	1
196	Sirsa	Good	32	PM ₁₀	1
197	Sivasagar	Good	15	PM ₁₀	1
198	Siwan	Moderate	101	PM ₁₀	1
199	Solapur	Satisfactory	65	PM ₁₀	3
200	Sri Ganganagar	Moderate	137	PM ₁₀	1
201	Suakati	Satisfactory	60	PM ₁₀	1
202	Talcher	Good	35	со	1
203	Tensa	Good	35	PM ₁₀	1
204	Thane	Good	47	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

\riyalur, Aurangabad (Bihar), Bharatpur, Boisar, Brajrajnag

Chengalpattu, Chikkaballapur, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Dindigul, Eloor, Ernakulam, Imphal, Jorapokhar, Kadapa, Kolar, Koppal, Notes: Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Naharlagun, Nalbari, Ooty, Palkalaiperur, Purnia, Raichur, Rairangpur, Rishikesh, Saharsa, Salem, Sawai Madhopur, Sonipat, Srinagar, Surat, Thrissur, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thiruvananthapuram	Good	18	PM ₁₀	1
206	Thoothukudi	Satisfactory	66	PM ₁₀	1
207	Tirupati	Good	36	PM ₁₀	2
208	Tirupur	Good	48	PM ₁₀	1
209	Tonk	Satisfactory	98	PM ₁₀	1
210	Tumakuru	Satisfactory	76	СО	1
211	Tumidih	Satisfactory	51	PM ₁₀	1
212	Udaipur	Satisfactory	77	PM ₁₀	1
213	Ujjain	Satisfactory	81	СО	1
214	Ulhasnagar	Satisfactory	64	PM ₁₀	1
215	Vapi	Satisfactory	63	PM _{2.5}	1
216	Varanasi	Good	26	O ₃	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Ariyalur, Aurangabad (Bihar), Bharatpur, Boisar, Brajrajnagar, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vatva	Moderate	104	PM ₁₀	1
218	Vijayapura	Good	46	PM ₁₀	1
219	Vijayawada	Satisfactory	65	PM ₁₀	1
220	Visakhapatnam	Satisfactory	89	PM ₁₀	1
221	Vrindavan	Good	28	SO ₂	1
222	Yadgir	Good	39	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Ariyalur, Aurangabad (Bihar), Bharatpur, Beisar, Brajrajnagar, Buxar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,