Air Quality Index on Feb 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	170	$PM_{2.5}$	1
2	Agra	Good	43	PM_{10}	4
3	Ahmedabad	Moderate	161	$PM_{2.5}$, O_3	9
4	Aizawl	Satisfactory	69	PM_{10}	1
5	Ajmer	Satisfactory	99	PM_{10}	1
6	Alwar	Satisfactory	66	PM_{10}	1
7	Amaravati	Good	47	PM_{10}	1
8	Ambala	Satisfactory	65	NO_2	1
9	Amritsar	Satisfactory	84	CO	1
10	Ankleshwar	Poor	221	$PM_{2.5}$	1
11	Araria	Poor	216	$PM_{2.5}$	1
12	Arrah	Moderate	151	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bihar Sharif, Chikkamagaluru, Fatehabad, Jorapokhar, Kalyan, Kishanganj, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Raichur, Shillong, Sonipat, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	173	$PM_{2.5}$	1
14	Aurangabad	Moderate	130	$PM_{2.5}$	1
15	Bagalkot	Good	50	$PM_{2.5}$	1
16	Bahadurgarh	Satisfactory	76	PM_{10}	1
17	Ballabgarh	Good	37	CO	1
18	Bathinda	Satisfactory	55	PM_{10}	1
19	Bengaluru	Satisfactory	96	CO, PM_{10}, $PM_{2.5}$	7
20	Bettiah	Poor	280	$PM_{2.5}$	1
21	Bhagalpur	Poor	272	$PM_{2.5}$	2
22	Bhilai	Satisfactory	53	PM_{10}	1
23	Bhiwadi	Moderate	117	$PM_{2.5}$	1
24	Bhiwani	Satisfactory	88	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bihar Sharif, Chikkamagaluru, Fatehabad, Jorapokhar, Kalyan, Kishanganj, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Raichur, Shillong, Sonipat, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	140	PM_{10}	1
26	Bidar	Satisfactory	66	PM_{10}	1
27	Bilaspur	Good	50	PM_{10}	1
28	Brajrajnagar	Satisfactory	74	O_3	1
29	Bulandshahr	Moderate	102	CO	1
30	Buxar	Poor	221	$PM_{2.5}$	1
31	Chamarajanagar	Good	46	PM_{10}	1
32	Chandigarh	Satisfactory	52	PM_{10}	2
33	Chandrapur	Moderate	136	O_3, PM_{10}	2
34	Charkhi Dadri	Good	41	PM_{10}	1
35	Chennai	Satisfactory	71	O_3, PM_{10}, CO	6
36	Chhapra	Poor	277	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bihar Sharif, Chikkamagaluru, Fatehabad, Jorapokhar, Kalyan, Kishanganj, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Raichur, Shillong, Sonipat, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	57	PM_{10}	1
38	Coimbatore	Satisfactory	70	$PM_{2.5}$	1
39	Damoh	Satisfactory	71	$PM_{2.5}$	1
40	Darbhanga	Moderate	200	$PM_{2.5}$	1
41	Davanagere	Satisfactory	76	PM_{10}	1
42	Delhi	Satisfactory	92	$PM_{2.5}$, PM_{10}	33
43	Dewas	Moderate	113	PM_{10}	1
44	Dharuhera	Moderate	104	PM_{10}	1
45	Durgapur	Poor	247	PM_{10}	1
46	Eloor	Satisfactory	80	PM_{10}	1
47	Ernakulam	Satisfactory	62	$PM_{2.5}$	1
48	Faridabad	Moderate	112	O_3, PM_{10}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bihar Sharif, Chikkamagaluru, Fatehabad, Jorapokhar, Kalyan, Kishanganj, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Raichur, Shillong, Sonipat, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Satisfactory	58	O_3, PM_{10}	2
50	Gadag	Good	44	$PM_{2.5}$	1
51	Gandhinagar	Moderate	185	$PM_{2.5}$, PM_{10}	3
52	Gaya	Moderate	148	PM_{10}, $PM_{2.5}$	3
53	Ghaziabad	Moderate	129	O_3, $PM_{2.5}$, PM_{10}	4
54	Gorakhpur	Satisfactory	64	$PM_{2.5}$	1
55	Greater Noida	Satisfactory	96	PM_{10}, $PM_{2.5}$	2
56	Gummidipoondi	Satisfactory	62	PM_{10}	1
57	Gurugram	Moderate	115	$PM_{2.5}$, PM_{10}	2
58	Guwahati	Moderate	200	$PM_{2.5}$	2
59	Gwalior	Moderate	116	$PM_{2.5}$	1
60	Hajipur	Moderate	184	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bihar Sharif, Chikkamagaluru, Fatehabad, Jorapokhar, Kalyan, Kishanganj, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Raichur, Shillong, Sonipat, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Moderate	115	PM_{10}	1
62	Hapur	Satisfactory	96	O_3	1
63	Hassan	Satisfactory	76	PM_{10}	1
64	Hisar	Satisfactory	77	O_3	1
65	Howrah	Poor	237	$PM_{2.5}$	3
66	Hubballi	Satisfactory	87	PM_{10}	1
67	Hyderabad	Satisfactory	83	O_3, PM_{10}, $PM_{2.5}$	5
68	Indore	Moderate	178	PM_{10}	1
69	Jabalpur	Satisfactory	76	PM_{10}	1
70	Jaipur	Satisfactory	94	$PM_{2.5}$, PM_{10}	2
71	Jalandhar	Satisfactory	53	PM_{10}	1
72	Jhansi	Moderate	125	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bihar Sharif, Chikkamagaluru, Fatehabad, Jorapokhar, Kalyan, Kishanganj, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Raichur, Shillong, Sonipat, Udupi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Good	48	CO	1
74	Jodhpur	Moderate	165	$PM_{2.5}$	1
75	Kaithal	Good	48	NO_2	1
76	Kalaburgi	Satisfactory	70	PM_{10}	1
77	Kannur	Satisfactory	58	$PM_{2.5}$	1
78	Kanpur	Satisfactory	76	NO_2, PM_{10}	3
79	Karnal	Good	40	PM_{10}	1
80	Katihar	Very Poor	315	PM_{10}	1
81	Katni	Moderate	125	PM_{10}	1
82	Khanna	Good	35	PM_{10}	1
83	Kochi	Moderate	147	$PM_{2.5}$	1
84	Kohima	Satisfactory	98	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bihar Sharif, Chikkamagaluru, Fatehabad, Jorapokhar, Kalyan, Kishanganj, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Raichur, Shillong, Sonipat, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolar	Satisfactory	73	PM_{10}	1
86	Kolkata	Poor	212	$PM_{2.5}$	7
87	Kollam	Satisfactory	85	PM_{10}	1
88	Koppal	Moderate	106	O_3	1
89	Kota	Moderate	175	$PM_{2.5}$	1
90	Kozhikode	Satisfactory	63	PM_{10}	1
91	Kurukshetra	Satisfactory	68	O_3	1
92	Lucknow	Satisfactory	86	PM_{10}, CO	6
93	Ludhiana	Satisfactory	53	PM_{10}	1
94	Madikeri	Satisfactory	60	PM_{10}	1
95	Mandi Gobindgarh	Good	31	PM_{10}	1
96	Mandideep	Poor	255	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bihar Sharif, Chikkamagaluru, Fatehabad, Jorapokhar, Kalyan, Kishanganj, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Raichur, Shillong, Sonipat, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	99	PM_{10}	1
98	Manesar	Satisfactory	51	O_3	1
99	Meerut	Satisfactory	79	O_3, PM_{10}	3
100	Moradabad	Good	50	CO, $PM_{2.5}$, PM_{10}	4
101	Motihari	Poor	231	$PM_{2.5}$	1
102	Mumbai	Moderate	156	$PM_{2.5}$, PM_{10}	17
103	Munger	Very Poor	337	$PM_{2.5}$	1
104	Muzaffarnagar	Satisfactory	98	O_3	1
105	Muzaffarpur	Poor	226	$PM_{2.5}$, PM_{10}	3
106	Mysuru	Satisfactory	51	PM_{10}	1
107	Nagpur	Satisfactory	86	CO	1
108	Narnaul	Satisfactory	55	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bihar Sharif, Chikkamagaluru, Fatehabad, Jorapokhar, Kalyan, Kishanganj, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Raichur, Shillong, Sonipat, Udupi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Satisfactory	78	PM_{10}	1
110	Navi Mumbai	Poor	206	PM_{10}	3
111	Noida	Satisfactory	64	PM_{10}	2
112	Pali	Moderate	105	$PM_{2.5}$	1
113	Panchkula	Good	38	$PM_{2.5}$	1
114	Panipat	Satisfactory	85	PM_{10}	1
115	Patiala	Satisfactory	67	PM_{10}	1
116	Patna	Poor	252	$PM_{2.5}$	6
117	Pithampur	Satisfactory	96	PM_{10}	1
118	Prayagraj	Moderate	121	O_3, PM_{10}	3
119	Puducherry	Good	49	PM_{10}	1
120	Pune	Moderate	144	$PM_{2.5}$	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bihar Sharif, Chikkamagaluru, Fatehabad, Jorapokhar, Kalyan, Kishanganj, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Raichur, Shillong, Sonipat, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Poor	234	$PM_{2.5}$	1
122	Rajamahendravaram	Satisfactory	74	PM_{10}	1
123	Rajgir	Moderate	163	$PM_{2.5}$	1
124	Ramanagara	Satisfactory	58	PM_{10}	1
125	Ratlam	Moderate	125	PM_{10}	1
126	Rohtak	Satisfactory	61	$PM_{2.5}$	1
127	Rupnagar	Satisfactory	90	PM_{10}	1
128	Sagar	Moderate	126	PM_{10}	1
129	Saharsa	Very Poor	333	PM_{10}	1
130	Sasaram	Poor	204	$PM_{2.5}$	1
131	Satna	Satisfactory	52	PM_{10}	1
132	Shivamogga	Good	50	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bihar Sharif, Chikkamagaluru, Fatehabad, Jorapokhar, Kalyan, Kishanganj, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Raichur, Shillong, Sonipat, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Moderate	143	$PM_{2.5}$	1
134	Singrauli	Moderate	156	PM_{10}	1
135	Sirsa	Satisfactory	70	O_3	1
136	Siwan	Poor	242	$PM_{2.5}$	1
137	Solapur	Satisfactory	83	CO	1
138	Srinagar	Good	42	PM_{10}	1
139	Talcher	Satisfactory	58	$PM_{2.5}$	1
140	Thane	Moderate	145	O_3	1
141	Thiruvananthapuram	Satisfactory	68	PM_{10}, $PM_{2.5}$	2
142	Thoothukudi	Good	34	PM_{10}	1
143	Thrissur	Satisfactory	82	$PM_{2.5}$	1
144	Tirupati	Good	46	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bihar Sharif, Chikkamagaluru, Fatehabad, Jorapokhar, Kalyan, Kishanganj, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Raichur, Shillong, Sonipat, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Moderate	101	PM_{10}	1
146	Ujjain	Poor	208	PM_{10}	1
147	Vapi	Moderate	177	PM_{10}	1
148	Varanasi	Moderate	104	O_3, PM_{10}	4
149	Vatva	Moderate	165	PM_{10}	1
150	Vijayapura	Satisfactory	51	PM_{10}	1
151	Visakhapatnam	Satisfactory	82	PM_{10}	1
152	Vrindavan	Good	47	PM_{10}	1
153	Yadgir	Satisfactory	75	PM_{10}	1
154	Yamunanagar	Satisfactory	89	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bihar Sharif, Chikkamagaluru, Fatehabad, Jorapokhar, Kalyan, Kishanganj, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Raichur, Shillong, Sonipat, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.