Air Quality Index on Jan 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	290	$PM_{2.5}$	1
2	Agra	Very Poor	333	$PM_{2.5}$	5
3	Ahmedabad	Moderate	160	$PM_{2.5}$, PM_{10}	7
4	Aizawl	Good	15	PM_{10}	1
5	Ajmer	Moderate	147	$PM_{2.5}$	1
6	Alwar	Moderate	146	$PM_{2.5}$	1
7	Amaravati	Moderate	110	$PM_{2.5}$	1
8	Ambala	Very Poor	330	$PM_{2.5}$	1
9	Amritsar	Satisfactory	54	PM_{10}	1
10	Ankleshwar	Poor	232	$PM_{2.5}$	1
11	Araria	Poor	265	$PM_{2.5}$	1
12	Arrah	Very Poor	305	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Ratlam, Solapur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	234	$PM_{2.5}$	1
14	Aurangabad	Moderate	109	PM_{10}	1
15	Bagalkot	Satisfactory	60	$PM_{2.5}$	1
16	Baghpat	Severe	407	$PM_{2.5}$	1
17	Bahadurgarh	Very Poor	322	$PM_{2.5}$	1
18	Ballabgarh	Severe	448	PM_{10}	1
19	Bathinda	Satisfactory	52	$PM_{2.5}$	1
20	Bengaluru	Satisfactory	88	$PM_{2.5}$, PM_{10}	9
21	Bhagalpur	Very Poor	383	PM_{10}	1
22	Bhilai	Satisfactory	56	PM_{10}	1
23	Bhiwadi	Very Poor	340	$PM_{2.5}$	1
24	Bhiwani	Poor	263	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Ratlam, Solapur, Udupi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Poor	272	$PM_{2.5}$	1
26	Bidar	Satisfactory	94	PM_{10}	1
27	Bihar Sharif	Poor	270	$PM_{2.5}$	1
28	Bilaspur	Moderate	105	PM_{10}	1
29	Brajrajnagar	Satisfactory	79	PM_{10}	1
30	Bulandshahr	Very Poor	379	$PM_{2.5}$	1
31	Buxar	Very Poor	375	PM_{10}	1
32	Chamarajanagar	Good	33	PM_{10}	1
33	Chandigarh	Moderate	111	$PM_{2.5}$	1
34	Chandrapur	Moderate	116	$PM_{2.5}$	2
35	Charkhi Dadri	Poor	262	$PM_{2.5}$	1
36	Chennai	Satisfactory	78	PM_{10}	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Ratlam, Solapur, Udupi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Severe	402	PM$_{2.5}$	1
38	Chikkaballapur	Moderate	102	PM$_{2.5}$	1
39	Chikkamagaluru	Good	49	PM$_{10}$	1
40	Coimbatore	Satisfactory	90	NO$_2$	1
41	Damoh	Moderate	120	PM$_{2.5}$	1
42	Darbhanga	Very Poor	326	PM$_{2.5}$	1
43	Davanagere	Satisfactory	87	PM$_{10}$	1
44	Delhi	Very Poor	397	PM$_{2.5}$	33
45	Dewas	Satisfactory	89	PM$_{10}$	1
46	Dharuhera	Very Poor	322	PM$_{2.5}$	1
47	Durgapur	Poor	257	PM$_{10}$	1
48	Eloor	Satisfactory	70	PM$_{10}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Ratlam, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ernakulam	Moderate	106	$PM_{2.5}$	1
50	Faridabad	Very Poor	400	$PM_{2.5}$, PM_{10}	4
51	Fatehabad	Poor	201	$PM_{2.5}$	1
52	Firozabad	Very Poor	346	$PM_{2.5}$	1
53	Gadag	Satisfactory	93	$PM_{2.5}$	1
54	Gandhinagar	Moderate	126	$PM_{2.5}$, PM_{10}	3
55	Gaya	Moderate	197	$PM_{2.5}$, PM_{10}	3
56	Ghaziabad	Very Poor	376	$PM_{2.5}$	4
57	Gorakhpur	Poor	252	$PM_{2.5}$	1
58	Greater Noida	Very Poor	318	$PM_{2.5}$	2
59	Gurugram	Very Poor	326	$PM_{2.5}$	4
60	Guwahati	Poor	239	$PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Ratlam, Solapur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Moderate	158	$PM_{2.5}$	1
62	Haldia	Moderate	133	PM_{10}	1
63	Hapur	Very Poor	348	$PM_{2.5}$	1
64	Hassan	Satisfactory	74	PM_{10}	1
65	Hisar	Very Poor	350	$PM_{2.5}$	1
66	Howrah	Poor	283	$PM_{2.5}$	3
67	Hubballi	Moderate	109	PM_{10}	1
68	Hyderabad	Moderate	151	$PM_{2.5}$	6
69	Indore	Moderate	114	PM_{10}	1
70	Jabalpur	Poor	209	PM_{10}	1
71	Jaipur	Moderate	146	$PM_{2.5}$	2
72	Jalandhar	Satisfactory	71	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Ratlam, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Very Poor	340	$PM_{2.5}$	1
74	Jodhpur	Moderate	172	PM_{10}	1
75	Kaithal	Very Poor	351	PM_{10}	1
76	Kalaburgi	Moderate	118	$PM_{2.5}$	1
77	Kalyan	Poor	270	$PM_{2.5}$	1
78	Kannur	Satisfactory	91	$PM_{2.5}$	1
79	Kanpur	Poor	236	$PM_{2.5}$	3
80	Karnal	Poor	300	$PM_{2.5}$	1
81	Katihar	Poor	292	$PM_{2.5}$	1
82	Katni	Poor	229	$PM_{2.5}$	1
83	Khanna	Moderate	104	$PM_{2.5}$	1
84	Kochi	Moderate	169	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Ratlam, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Satisfactory	87	$PM_{2.5}$	1
86	Kolkata	Poor	290	$PM_{2.5}$	7
87	Kollam	Moderate	109	PM_{10}	1
88	Koppal	Satisfactory	78	O_3	1
89	Kota	Poor	234	$PM_{2.5}$	1
90	Kozhikode	Satisfactory	59	PM_{10}	1
91	Kurukshetra	Very Poor	333	$PM_{2.5}$	1
92	Lucknow	Poor	290	$PM_{2.5}$, PM_{10}	6
93	Ludhiana	Satisfactory	90	PM_{10}	1
94	Madikeri	Satisfactory	70	PM_{10}	1
95	Maihar	Satisfactory	93	CO	1
96	Mandi Gobindgarh	Satisfactory	72	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Ratlam, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Moderate	183	$PM_{2.5}$	1
98	Mandikhera	Moderate	178	$PM_{2.5}$	1
99	Manesar	Very Poor	386	$PM_{2.5}$	1
100	Manglore	Satisfactory	53	$PM_{2.5}$	1
101	Meerut	Severe	432	$PM_{2.5}$, PM_{10}	3
102	Moradabad	Severe	431	$PM_{2.5}$	3
103	Motihari	Poor	282	$PM_{2.5}$	1
104	Mumbai	Poor	219	$PM_{2.5}$, O_3	14
105	Munger	Very Poor	397	$PM_{2.5}$	1
106	Muzaffarnagar	Very Poor	400	$PM_{2.5}$	1
107	Muzaffarpur	Severe	406	$PM_{2.5}$	3
108	Mysuru	Satisfactory	65	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Ratlam, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Moderate	103	CO	1
110	Narnaul	Poor	231	$PM_{2.5}$	1
111	Nashik	Satisfactory	97	PM_{10}	1
112	Navi Mumbai	Poor	288	$PM_{2.5}$	2
113	Noida	Severe	404	$PM_{2.5}$, PM_{10}	4
114	Pali	Moderate	180	$PM_{2.5}$	1
115	Palwal	Moderate	160	PM_{10}	1
116	Panchkula	Poor	214	$PM_{2.5}$	1
117	Panipat	Very Poor	341	$PM_{2.5}$	1
118	Patiala	Moderate	139	$PM_{2.5}$	1
119	Patna	Very Poor	354	$PM_{2.5}$, PM_{10}	6
120	Pithampur	Moderate	150	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Ratlam, Solapur, Udupi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Poor	290	$PM_{2.5}$	3
122	Puducherry	Satisfactory	79	$PM_{2.5}$	1
123	Pune	Moderate	155	$PM_{2.5}$	3
124	Purnia	Very Poor	305	$PM_{2.5}$	1
125	Raichur	Moderate	113	PM_{10}	1
126	Rajamahendravaram	Moderate	150	O_3	1
127	Rajgir	Poor	297	$PM_{2.5}$	1
128	Ramanagara	Satisfactory	83	$PM_{2.5}$	1
129	Rohtak	Poor	292	$PM_{2.5}$	1
130	Rupnagar	Moderate	127	$PM_{2.5}$	1
131	Sagar	Satisfactory	54	$PM_{2.5}$	1
132	Saharsa	Poor	296	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Ratlam, Solapur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sasaram	Very Poor	389	$PM_{2.5}$	1
134	Satna	Satisfactory	66	PM_{10}	1
135	Shillong	Good	30	$PM_{2.5}$	1
136	Shivamogga	Good	50	PM_{10}	1
137	Siliguri	Moderate	128	PM_{10}	1
138	Singrauli	Very Poor	310	$PM_{2.5}$	1
139	Sirsa	Moderate	123	PM_{10}	1
140	Siwan	Severe	437	$PM_{2.5}$	1
141	Sonipat	Very Poor	320	PM_{10}	1
142	Srinagar	Moderate	142	PM_{10}	1
143	Talcher	Moderate	126	NO_2	1
144	Thane	Poor	233	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Ratlam, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thiruvananthapuram	Satisfactory	74	PM_{10}, $PM_{2.5}$	2
146	Thoothukudi	Satisfactory	55	PM_{10}	1
147	Thrissur	Satisfactory	98	PM_{10}	1
148	Tirupati	Satisfactory	94	$PM_{2.5}$	1
149	Udaipur	Poor	225	$PM_{2.5}$	1
150	Ujjain	Moderate	107	PM_{10}	1
151	Vapi	Poor	262	$PM_{2.5}$	1
152	Varanasi	Moderate	179	$PM_{2.5}$	4
153	Vatva	Moderate	164	NO_2	1
154	Vijayapura	Good	50	PM_{10}	1
155	Visakhapatnam	Moderate	144	$PM_{2.5}$	1
156	Vrindavan	Very Poor	325	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Ratlam, Solapur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yadgir	Satisfactory	94	PM$_{2.5}$	1
158	Yamunanagar	Very Poor	391	PM$_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Ratlam, Solapur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.