

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	126	PM <sub>2.5</sub>	1
2	Agra	Good	23	PM <sub>2.5</sub> , SO <sub>2</sub> , CO	6
3	Ahmedabad	Moderate	106	PM <sub>10</sub>	1
4	Aizawl	Good	25	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	70	PM <sub>10</sub>	1
6	Alwar	Satisfactory	70	PM <sub>10</sub>	1
7	Amaravati	Good	28	со	1
8	Ambala	Satisfactory	78	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	86	PM <sub>10</sub>	1
10	Anantapur	Satisfactory	54	PM <sub>2.5</sub>	1
11	Araria	Satisfactory	87	со	1
12	Arrah	Satisfactory	93	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Bihar), Baghpat, Begusarai, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dehradun, Dindigul, Haveri, Jabalpur, Jorapokhar, Karnal, Kochi, Kolar, Kozhikode, Meerut, Munger, Naharlagun, Pune, Raichur, Salem, Sirsa, Talcher, Thrissur, Udupi, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Good	43	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Satisfactory	83	PM <sub>10</sub>	1
15	Baddi	Satisfactory	88	PM <sub>10</sub>	1
16	Bagalkot	Good	38	со	1
17	Bahadurgarh	Good	33	со	1
18	Ballabgarh	Good	33	PM <sub>10</sub>	1
19	Bareilly	Good	22	со	1
20	Bathinda	Satisfactory	75	PM <sub>10</sub>	1
21	Belgaum	Good	46	со	1
22	Bengaluru	Satisfactory	58	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	5
23	Bettiah	Good	27	со	1
24	Bhagalpur	Satisfactory	57	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Bihar), Baghpat, Begusarai, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dehradun, Dindigul, Haveri, Jabalpur, Jorapokhar, Karnal, Kochi, Kolar, Kozhikode, Meerut, Munger, Naharlagun, Pune, Raichur, Salem, Sirsa, Talcher, Thrissur, Udupi, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Good	42	O <sub>3</sub>	1
26	Bhopal	Satisfactory	99	PM <sub>10</sub>	2
27	Bihar Sharif	Satisfactory	51	со	1
28	Bilaspur	Satisfactory	51	PM <sub>10</sub>	1
29	Bulandshahr	Good	17	03	1
30	Buxar	Satisfactory	75	со	1
31	Chamarajanagar	Good	39	PM <sub>10</sub>	1
32	Chandigarh	Good	48	O <sub>3</sub> , CO, PM <sub>10</sub>	3
33	Chandrapur	Satisfactory	56	PM <sub>10</sub> , CO	2
34	Charkhi Dadri	Good	31	PM <sub>2.5</sub>	1
35	Chennai	Satisfactory	61	CO, PM <sub>2.5</sub>	7
36	Chhapra	Satisfactory	91	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Bihar), Baghpat, Begusarai, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dehradun, Dindigul, Haveri, Jabalpur, Jorapokhar, Karnal, Kochi, Kolar, Kozhikode, Meerut, Munger, Naharlagun, Pune, Raichur, Salem, Sirsa, Talcher, Thrissur, Udupi, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	47	PM <sub>10</sub>	1
38	Chikkamagaluru	Good	36	PM <sub>10</sub>	1
39	Coimbatore	Good	50	со	1
40	Darbhanga	Moderate	159	NO <sub>2</sub>	1
41	Davanagere	Good	22	со	1
42	Delhi	Good	44	CO, PM <sub>2.5</sub>	28
43	Dewas	Satisfactory	90	PM <sub>10</sub>	1
44	Dharuhera	Good	44	PM <sub>2.5</sub>	1
45	Durgapur	Moderate	116	PM <sub>10</sub>	1
46	Eloor	Satisfactory	58	PM <sub>10</sub>	1
47	Ernakulam	Satisfactory	71	со	1
48	Faridabad	Good	31	NO <sub>2</sub> , CO	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Bihar), Baghpat, Begusarai, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dehradun, Dindigul, Haveri, Jabalpur, Jorapokhar, Karnal, Kochi, Kolar, Kozhikode, Meerut, Munger, Naharlagun, Pune, Raichur, Salem, Sirsa, Talcher, Thrissur, Udupi, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Good	47	PM <sub>10</sub>	1
50	Firozabad	Good	34	SO <sub>2</sub>	1
51	Gadag	Good	25	SO <sub>2</sub>	1
52	Gandhinagar	Satisfactory	67	PM <sub>10</sub>	1
53	Gangtok	Good	15	SO <sub>2</sub>	1
54	Gaya	Satisfactory	72	PM <sub>10</sub> , CO	3
55	Ghaziabad	Good	19	O <sub>3</sub> , NO <sub>2</sub>	4
56	Gorakhpur	Good	50	SO <sub>2</sub>	1
57	Greater Noida	Good	26	CO, NO <sub>2</sub>	2
58	Gummidipoondi	Good	14	NO <sub>2</sub>	1
59	Gurugram	Good	29	O <sub>3</sub> , PM <sub>2.5</sub> , NO <sub>2</sub>	3
60	Guwahati	Good	43	PM <sub>10</sub> , PM <sub>2.5</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Bihar), Baghpat, Begusarai, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dehradun, Dindigul, Haveri, Jabalpur, Jorapokhar, Karnal, Kochi, Kolar, Kozhikode, Meerut, Munger, Naharlagun, Pune, Raichur, Salem, Sirsa, Talcher, Thrissur, Udupi, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Good	34	PM <sub>10</sub>	1
62	Hajipur	Satisfactory	89	PM <sub>10</sub>	1
63	Haldia	Good	24	со	1
64	Hapur	Good	16	O <sub>3</sub>	1
65	Hassan	Good	32	NO <sub>2</sub>	1
66	Hisar	Satisfactory	54	03	1
67	Hosur	Satisfactory	99	со	1
68	Howrah	Good	41	PM <sub>10</sub> , CO	3
69	Hubballi	Satisfactory	59	со	1
70	Hyderabad	Good	43	CO, PM <sub>2.5</sub>	11
71	Imphal	Satisfactory	100	O <sub>3</sub> , PM <sub>10</sub>	2
72	Indore	Satisfactory	85	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Bihar), Baghpat, Begusarai, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dehradun, Dindigul, Haveri, Jabalpur, Jorapokhar, Karnal, Kochi, Kolar, Kozhikode, Meerut, Munger, Naharlagun, Pune, Raichur, Salem, Sirsa, Talcher, Thrissur, Udupi, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Satisfactory	51	O <sub>3</sub> , CO	3
74	Jalandhar	Satisfactory	55	PM <sub>10</sub>	1
75	Jhansi	Good	36	PM <sub>10</sub>	1
76	Jind	Satisfactory	55	со	1
77	Jodhpur	Satisfactory	72	PM <sub>10</sub>	1
78	Kaithal	Good	25	PM <sub>10</sub>	1
79	Kalaburgi	Good	37	SO <sub>2</sub>	1
80	Kalyan	Satisfactory	98	PM <sub>10</sub>	1
81	Kannur	Satisfactory	67	PM <sub>10</sub>	1
82	Kanpur	Good	22	O <sub>3</sub> , PM <sub>2.5</sub> , CO	4
83	Katihar	Moderate	180	PM <sub>10</sub>	1
84	Katni	Satisfactory	53	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Bihar), Baghpat, Begusarai, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dehradun, Dindigul, Haveri, Jabalpur, Jorapokhar, Karnal, Kochi, Kolar, Kozhikode, Meerut, Munger, Naharlagun, Pune, Raichur, Salem, Sirsa, Talcher, Thrissur, Udupi, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khanna	Satisfactory	58	PM <sub>10</sub>	1
86	Khurja	Good	43	SO <sub>2</sub>	1
87	Kishanganj	Satisfactory	71	O <sub>3</sub>	1
88	Kohima	Satisfactory	55	PM <sub>10</sub>	1
89	Kolkata	Good	42	O <sub>3</sub> , CO, NO <sub>2</sub>	6
90	Kollam	Satisfactory	72	PM <sub>10</sub>	1
91	Koppal	Satisfactory	59	O <sub>3</sub>	1
92	Kota	Good	47	PM <sub>10</sub>	1
93	Kurukshetra	Good	38	03	1
94	Lucknow	Good	36	NO <sub>2</sub> , CO, O <sub>3</sub>	6
95	Ludhiana	Satisfactory	78	PM <sub>10</sub>	1
96	Madikeri	Good	27	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Bihar), Baghpat, Begusarai, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dehradun, Dindigul, Haveri, Jabalpur, Jorapokhar, Karnal, Kochi, Kolar, Kozhikode, Meerut, Munger, Naharlagun, Pune, Raichur, Salem, Sirsa, Talcher, Thrissur, Udupi, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	15	PM <sub>10</sub>	1
98	Mandi Gobindgarh	Satisfactory	97	PM <sub>10</sub>	1
99	Mandideep	Satisfactory	66	PM <sub>10</sub>	1
100	Mandikhera	Satisfactory	61	PM <sub>10</sub>	1
101	Manesar	Good	34	PM <sub>10</sub>	1
102	Manglore	Satisfactory	57	со	1
103	Manguraha	Good	35	PM <sub>10</sub>	1
104	Moradabad	Good	26	SO <sub>2</sub> , PM <sub>10</sub>	3
105	Motihari	Good	50	03	1
106	Mumbai	Satisfactory	71	NO <sub>2</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	15
107	Muzaffarnagar	Satisfactory	90	со	1
108	Muzaffarpur	Satisfactory	54	PM <sub>10</sub> , PM <sub>2.5</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Bihar), Baghpat, Begusarai, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dehradun, Dindigul, Haveri, Jabalpur, Jorapokhar, Karnal, Kochi, Kolar, Kozhikode, Meerut, Munger, Naharlagun, Pune, Raichur, Salem, Sirsa, Talcher, Thrissur, Udupi, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Satisfactory	60	PM <sub>10</sub>	1
110	Nagpur	Good	39	со	1
111	Nandesari	Satisfactory	61	PM <sub>2.5</sub>	1
112	Narnaul	Good	22	PM <sub>2.5</sub>	1
113	Nashik	Good	48	PM <sub>2.5</sub>	1
114	Navi Mumbai	Satisfactory	75	PM <sub>2.5</sub> , PM <sub>10</sub>	3
115	Noida	Good	49	CO, NO <sub>2</sub> , O <sub>3</sub>	4
116	Ooty	Good	48	SO <sub>2</sub>	1
117	Pali	Satisfactory	63	PM <sub>10</sub>	1
118	Palwal	Good	48	со	1
119	Panchkula	Moderate	114	PM <sub>2.5</sub>	1
120	Panipat	Good	35	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Bihar), Baghpat, Begusarai, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dehradun, Dindigul, Haveri, Jabalpur, Jorapokhar, Karnal, Kochi, Kolar, Kozhikode, Meerut, Munger, Naharlagun, Pune, Raichur, Salem, Sirsa, Talcher, Thrissur, Udupi, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patiala	Good	46	O <sub>3</sub>	1
122	Patna	Satisfactory	72	PM <sub>10</sub> , NO <sub>2</sub>	6
123	Pithampur	Satisfactory	81	PM <sub>10</sub>	1
124	Prayagraj	Satisfactory	53	PM <sub>2.5</sub> , O <sub>3</sub>	3
125	Puducherry	Good	32	со	1
126	Purnia	Satisfactory	75	PM <sub>10</sub>	1
127	Rajamahendravaram	Good	34	со	1
128	Rajgir	Satisfactory	59	со	1
129	Ramanagara	Good	46	PM <sub>10</sub>	1
130	Ramanathapuram	Good	31	PM <sub>2.5</sub>	1
131	Ratlam	Good	41	PM <sub>10</sub>	1
132	Rohtak	Satisfactory	54	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Bihar), Baghpat, Begusarai, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dehradun, Dindigul, Haveri, Jabalpur, Jorapokhar, Karnal, Kochi, Kolar, Kozhikode, Meerut, Munger, Naharlagun, Pune, Raichur, Salem, Sirsa, Talcher, Thrissur, Udupi, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rupnagar	Satisfactory	59	PM <sub>2.5</sub>	1
134	Sagar	Satisfactory	54	со	1
135	Saharsa	Satisfactory	71	PM <sub>10</sub>	1
136	Samastipur	Moderate	104	PM <sub>10</sub>	1
137	Sasaram	Satisfactory	87	со	1
138	Satna	Good	31	PM <sub>10</sub>	1
139	Shillong	Good	22	PM <sub>10</sub>	1
140	Shivamogga	Good	45	PM <sub>10</sub>	1
141	Siliguri	Good	30	PM <sub>10</sub>	1
142	Singrauli	Satisfactory	84	NO <sub>2</sub>	1
143	Sivasagar	Good	16	со	1
144	Siwan	Good	50	NO <sub>2</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Bihar), Baghpat, Begusarai, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dehradun, Dindigul, Haveri, Jabalpur, Jorapokhar, Karnal, Kochi, Kolar, Kozhikode, Meerut, Munger, Naharlagun, Pune, Raichur, Salem, Sirsa, Talcher, Thrissur, Udupi, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Solapur	Satisfactory	70	PM <sub>10</sub>	1
146	Sonipat	Good	30	03	1
147	Srinagar	Satisfactory	72	PM <sub>10</sub>	1
148	Thane	Satisfactory	63	PM <sub>10</sub>	1
149	Thiruvananthapuram	Good	41	со	1
150	Thoothukudi	Good	38	PM <sub>10</sub>	1
151	Tirupati	Good	47	со	1
152	Tiruppur	Moderate	127	PM <sub>10</sub>	1
153	Udaipur	Satisfactory	91	PM <sub>10</sub>	1
154	Ujjain	Satisfactory	77	PM <sub>10</sub>	1
155	Varanasi	Satisfactory	60	PM <sub>10</sub> , NO <sub>2</sub>	4
156	Vatva	Satisfactory	62	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Bihar), Baghpat, Begusarai, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dehradun, Dindigul, Haveri, Jabalpur, Jorapokhar, Karnal, Kochi, Kolar, Kozhikode, Meerut, Munger, Naharlagun, Pune, Raichur, Salem, Sirsa, Talcher, Thrissur, Udupi, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Visakhapatnam	Good	49	СО	1
158	Vrindavan	Satisfactory	52	SO <sub>2</sub>	1
159	Yadgir	Good	28	СО	1
160	Yamunanagar	Good	37	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad Notes: (Bihar), Baghpat, Begusarai, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chengalpattu, Damoh, Dehradun, Dindigul, Haveri, Jabalpur, Jorapokhar, Karnal, Kochi, Kolar, Kozhikode, Meerut, Munger, Naharlagun, Pune, Raichur, Salem, Sirsa, Talcher, Thrissur, Udupi, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.