

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	36	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Satisfactory	66	PM <sub>2.5</sub> , PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	68	СО	1
4	Aizawl	Good	20	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	96	PM <sub>10</sub>	1
6	Alwar	Satisfactory	65	PM <sub>10</sub>	1
7	Amaravati	Good	26	O <sub>3</sub>	1
8	Ambala	Satisfactory	55	PM <sub>2.5</sub>	1
9	Ankleshwar	Satisfactory	66	PM <sub>10</sub>	1
10	Araria	Satisfactory	56	PM <sub>10</sub>	1
11	Arrah	Satisfactory	85	PM <sub>10</sub>	1
12	Aurangabad (Bihar)	Satisfactory	91	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Amritsar, Asansol,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	46	PM <sub>10</sub>	1
14	Baghpat	Good	45	PM <sub>10</sub>	1
15	Bahadurgarh	Moderate	118	PM <sub>10</sub>	1
16	Ballabgarh	Satisfactory	56	PM <sub>10</sub>	1
17	Bareilly	Good	40	PM <sub>10</sub>	1
18	Bathinda	Satisfactory	82	PM <sub>10</sub>	1
19	Begusarai	Good	50	PM <sub>10</sub>	1
20	Bengaluru	Satisfactory	60	PM <sub>10</sub>	8
21	Bhagalpur	Satisfactory	58	PM <sub>10</sub> , O <sub>3</sub>	2
22	Bhiwadi	Moderate	110	PM <sub>10</sub>	1
23	Bhiwani	Moderate	107	PM <sub>2.5</sub>	1
24	Bhopal	Good	41	СО	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Amritsar, Asansol, Notes: Aurangabad (Maharashtra), Baddi, Bettiah, Bhilai, Bidar, Brajrajnagar,

Dewas, Dharuhera, Durgapur, Ernakulam, Firozabad, Gangtok, Gummidipoondi, Hapur, Jorapokhar, Kalyan, Karnal, Khurja, Kolar, Maihar, Manguraha, Munger, Naharlagun, Sonipat, Srinagar, Thane, Thrissur, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Moderate	141	PM <sub>10</sub>	1
26	Bilaspur	Satisfactory	67	PM <sub>10</sub>	1
27	Bulandshahr	Moderate	104	PM <sub>10</sub>	1
28	Buxar	Satisfactory	99	со	1
29	Chamarajanagar	Good	38	PM <sub>10</sub>	1
30	Chandigarh	Moderate	139	PM <sub>2.5</sub> , PM <sub>10</sub>	3
31	Chandrapur	Satisfactory	76	PM <sub>2.5</sub> , CO	2
32	Charkhi Dadri	Moderate	111	PM <sub>10</sub>	1
33	Chennai	Satisfactory	70	PM <sub>10</sub> , CO	7
34	Chhapra	Satisfactory	92	PM <sub>10</sub>	1
35	Chikkaballapur	Good	32	PM <sub>10</sub>	1
36	Chikkamagaluru	Good	32	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Amritsar, Asansol,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	67	СО	1
38	Damoh	Good	26	PM <sub>2.5</sub>	1
39	Darbhanga	Moderate	103	PM <sub>10</sub>	1
40	Davanagere	Good	22	PM <sub>10</sub>	1
41	Dehradun	Good	38	03	1
42	Delhi	Moderate	110	PM <sub>2.5</sub> , PM <sub>10</sub>	31
43	Eloor	Good	47	PM <sub>10</sub>	1
44	Faridabad	Moderate	140	PM <sub>10</sub> , PM <sub>2.5</sub>	3
45	Fatehabad	Satisfactory	81	PM <sub>10</sub>	1
46	Gadag	Good	25	SO <sub>2</sub>	1
47	Gandhinagar	Good	23	O <sub>3</sub>	1
48	Gaya	Satisfactory	67	PM <sub>2.5</sub> , PM <sub>10</sub>	3

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Amritsar, Asansol,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Moderate	104	PM <sub>10</sub>	4
50	Gorakhpur	Good	47	SO <sub>2</sub>	1
51	Greater Noida	Satisfactory	96	PM <sub>10</sub>	2
52	Gurugram	Moderate	126	PM <sub>10</sub> , PM <sub>2.5</sub>	3
53	Guwahati	Good	50	O <sub>3</sub> , PM <sub>10</sub>	2
54	Gwalior	Satisfactory	62	O <sub>3</sub>	1
55	Hajipur	Satisfactory	81	PM <sub>10</sub>	1
56	Haldia	Good	37	СО	1
57	Hassan	Good	33	NO <sub>2</sub>	1
58	Haveri	Satisfactory	67	со	1
59	Hisar	Moderate	120	PM <sub>10</sub>	1
60	Howrah	Good	37	PM <sub>10</sub> , CO	3

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Amritsar, Asansol,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hubballi	Satisfactory	56	СО	1
62	Hyderabad	Good	43	PM <sub>10</sub> , CO, NO <sub>2</sub>	10
63	Imphal	Satisfactory	62	O <sub>3</sub> , PM <sub>10</sub>	2
64	Indore	Good	43	PM <sub>10</sub>	1
65	Jabalpur	Satisfactory	53	PM <sub>10</sub>	1
66	Jaipur	Satisfactory	59	PM <sub>10</sub> , O <sub>3</sub>	3
67	Jalandhar	Satisfactory	84	PM <sub>10</sub>	1
68	Jhansi	Good	48	PM <sub>10</sub>	1
69	Jind	Satisfactory	83	PM <sub>10</sub>	1
70	Jodhpur	Satisfactory	82	PM <sub>10</sub>	1
71	Kaithal	Satisfactory	94	PM <sub>10</sub>	1
72	Kalaburgi	Good	20	O <sub>3</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Amritsar, Asansol,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Satisfactory	53	PM <sub>2.5</sub>	1
74	Kanpur	Satisfactory	69	PM <sub>10</sub> , PM <sub>2.5</sub>	4
75	Katihar	Satisfactory	78	PM <sub>10</sub>	1
76	Katni	Satisfactory	56	PM <sub>10</sub>	1
77	Khanna	Satisfactory	72	PM <sub>10</sub>	1
78	Kishanganj	Satisfactory	67	03	1
79	Kochi	Moderate	101	PM <sub>2.5</sub>	1
80	Kohima	Satisfactory	55	PM <sub>10</sub>	1
81	Kolkata	Good	35	PM <sub>10</sub> , O <sub>3</sub> , CO	6
82	Kollam	Satisfactory	69	PM <sub>10</sub>	1
83	Koppal	Good	25	NO <sub>2</sub>	1
84	Kota	Satisfactory	71	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Amritsar, Asansol,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Satisfactory	64	PM <sub>10</sub>	1
86	Kurukshetra	Satisfactory	68	PM <sub>2.5</sub>	1
87	Lucknow	Satisfactory	79	PM <sub>10</sub> , O <sub>3</sub>	6
88	Ludhiana	Satisfactory	89	PM <sub>10</sub>	1
89	Madikeri	Good	23	03	1
90	Mandi Gobindgarh	Moderate	178	PM <sub>2.5</sub>	1
91	Mandideep	Satisfactory	56	O <sub>3</sub>	1
92	Mandikhera	Satisfactory	68	со	1
93	Manesar	Moderate	109	PM <sub>10</sub>	1
94	Manglore	Satisfactory	85	NO <sub>2</sub>	1
95	Meerut	Satisfactory	62	PM <sub>10</sub>	1
96	Moradabad	Satisfactory	68	PM <sub>10</sub> , CO	6

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Amritsar, Asansol,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Motihari	Satisfactory	67	03	1
98	Mumbai	Satisfactory	68	O <sub>3</sub> , CO, SO <sub>2</sub>	10
99	Muzaffarnagar	Satisfactory	79	PM <sub>10</sub>	1
100	Muzaffarpur	Satisfactory	72	PM <sub>10</sub> , PM <sub>2.5</sub>	2
101	Mysuru	Good	47	PM <sub>10</sub>	1
102	Nagpur	Good	30	PM <sub>10</sub>	1
103	Nandesari	Moderate	108	со	1
104	Narnaul	Good	46	PM <sub>2.5</sub>	1
105	Nashik	Good	23	PM <sub>2.5</sub>	1
106	Navi Mumbai	Moderate	158	O <sub>3</sub>	1
107	Noida	Moderate	103	PM <sub>10</sub>	2
108	Pali	Satisfactory	59	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Amritsar, Asansol, Notes: Aurangabad (Maharashtra), Baddi, Bettiah, Bhilai, Bidar, Brajrajnagar,

Dewas, Dharuhera, Durgapur, Ernakulam, Firozabad, Gangtok, Gummidipoondi, Hapur, Jorapokhar, Kalyan, Karnal, Khurja, Kolar, Maihar, Manguraha, Munger, Naharlagun, Sonipat, Srinagar, Thane, Thrissur, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Palwal	Satisfactory	95	PM <sub>10</sub>	1
110	Panchkula	Satisfactory	93	PM <sub>2.5</sub>	1
111	Panipat	Satisfactory	80	PM <sub>10</sub>	1
112	Patiala	Satisfactory	63	PM <sub>10</sub>	1
113	Patna	Satisfactory	83	PM <sub>10</sub> , NO <sub>2</sub>	3
114	Pithampur	Satisfactory	68	PM <sub>10</sub>	1
115	Prayagraj	Satisfactory	77	PM <sub>10</sub> , SO <sub>2</sub> , PM <sub>2.5</sub>	3
116	Puducherry	Satisfactory	55	PM <sub>10</sub>	1
117	Pune	Good	48	со	1
118	Purnia	Satisfactory	69	PM <sub>10</sub>	1
119	Raichur	Satisfactory	54	СО	1
120	Rajamahendravaram	Good	26	СО	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Amritsar, Asansol,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Good	31	03	1
122	Ramanagara	Good	41	PM <sub>10</sub>	1
123	Ratlam	Good	28	PM <sub>2.5</sub>	1
124	Rohtak	Satisfactory	75	PM <sub>2.5</sub>	1
125	Rupnagar	Satisfactory	53	PM <sub>10</sub>	1
126	Sagar	Satisfactory	57	со	1
127	Saharsa	Satisfactory	85	PM <sub>2.5</sub>	1
128	Samastipur	Moderate	122	PM <sub>10</sub>	1
129	Sasaram	Satisfactory	59	O <sub>3</sub>	1
130	Satna	Good	31	PM <sub>10</sub>	1
131	Shillong	Good	38	PM <sub>10</sub>	1
132	Shivamogga	Good	46	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Amritsar, Asansol,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Good	47	PM <sub>10</sub>	1
134	Singrauli	Satisfactory	92	NO <sub>2</sub>	1
135	Sirsa	Satisfactory	85	03	1
136	Siwan	Moderate	111	PM <sub>10</sub>	1
137	Solapur	Good	48	NO <sub>2</sub>	1
138	Talcher	Good	28	со	1
139	Thiruvananthapuram	Satisfactory	62	PM <sub>2.5</sub> , CO	2
140	Thoothukudi	Satisfactory	53	PM <sub>10</sub>	1
141	Tirupati	Good	47	PM <sub>10</sub>	1
142	Udaipur	Satisfactory	72	PM <sub>10</sub>	1
143	Ujjain	Satisfactory	70	PM <sub>10</sub>	1
144	Varanasi	Satisfactory	63	PM <sub>10</sub> , SO <sub>2</sub>	3

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Amritsar, Asansol,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Satisfactory	65	NO <sub>2</sub>	1
146	Vijayapura	Good	49	PM <sub>10</sub>	1
147	Visakhapatnam	Good	43	PM <sub>10</sub>	1
148	Vrindavan	Satisfactory	75	PM <sub>10</sub>	1
149	Yadgir	Good	26	со	1
150	Yamunanagar	Moderate	123	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Asansol, Notes: Aurangabad (Maharashtra), Baddi, Bettiah, Bhilai, Bidar, Brajrajnagar, Dewas, Dharuhera, Durgapur, Ernakulam, Firozabad, Gangtok, Gummidipoondi, Hapur, Jorapokhar, Kalyan, Karnal, Khurja, Kolar, Maihar, Manguraha, Munger, Naharlagun, Sonipat, Srinagar, Thane, Thrissur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.