

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	124	PM _{2.5}	1
2	Agra	Poor	209	03	1
3	Ahmedabad	Moderate	105	PM ₁₀	1
4	Aizawl	Satisfactory	69	PM ₁₀	1
5	Ajmer	Moderate	117	PM ₁₀	1
6	Alwar	Satisfactory	76	PM ₁₀	1
7	Amaravati	Satisfactory	57	PM ₁₀	1
8	Ambala	Good	24	PM _{2.5}	1
9	Amritsar	Satisfactory	52	PM ₁₀	1
10	Ankleshwar	Moderate	104	PM ₁₀	1
11	Asansol	Moderate	126	PM _{2.5}	1
12	Aurangabad	Satisfactory	88	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkaballapur, Chikkamagaluru, Coimbatore, Jalandhar, Jorapokhar, Kaithal, Kalaburgi, Maihar, Mandi Gobindgarh, Moradabad, Nagpur, Raichur, Rupnagar, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	58	PM _{2.5}	1
14	Baghpat	Moderate	162	PM ₁₀	1
15	Bahadurgarh	Moderate	108	PM ₁₀	1
16	Ballabgarh	Moderate	119	PM ₁₀	1
17	Bathinda	Satisfactory	76	PM ₁₀	1
18	Bengaluru	Satisfactory	87	O ₃ , PM _{2.5} , CO	6
19	Bhiwadi	Moderate	141	PM ₁₀	1
20	Bhiwani	Moderate	130	03	1
21	Bhopal	Moderate	122	PM ₁₀	1
22	Brajrajnagar	Satisfactory	67	03	1
23	Bulandshahr	Moderate	136	PM ₁₀	1
24	Chamarajanagar	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkaballapur, Chikkamagaluru, Coimbatore, Jalandhar, Jorapokhar, Kaithal, Kalaburgi, Maihar, Mandi Gobindgarh, Moradabad, Nagpur, Raichur, Rupnagar, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Good	33	PM ₁₀	1
26	Chandrapur	Moderate	105	PM ₁₀ , PM _{2.5}	2
27	Charkhi Dadri	Satisfactory	94	PM ₁₀	1
28	Chennai	Good	48	O ₃ , CO, PM ₁₀	6
29	Damoh	Good	48	PM ₁₀	1
30	Davanagere	Satisfactory	53	PM ₁₀	1
31	Delhi	Moderate	126	PM ₁₀ , O ₃	29
32	Dewas	Moderate	136	PM ₁₀	1
33	Dharuhera	Moderate	156	PM ₁₀	1
34	Durgapur	Moderate	156	PM _{2.5}	1
35	Eloor	Good	48	со	1
36	Ernakulam	Satisfactory	55	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkaballapur, Chikkamagaluru, Coimbatore, Jalandhar, Jorapokhar, Kaithal, Kalaburgi, Maihar, Mandi Gobindgarh, Moradabad, Nagpur, Raichur, Rupnagar, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	175	O ₃ , PM _{2.5} , PM ₁₀	4
38	Fatehabad	Moderate	145	PM ₁₀	1
39	Gadag	Good	43	03	1
40	Gandhinagar	Satisfactory	69	PM ₁₀	1
41	Gaya	Moderate	120	PM _{2.5} , O ₃	2
42	Ghaziabad	Moderate	155	PM ₁₀	4
43	Greater Noida	Moderate	146	PM ₁₀	2
44	Gummidipoondi	Satisfactory	79	PM _{2.5}	1
45	Gurugram	Moderate	122	PM ₁₀ , PM _{2.5}	3
46	Guwahati	Satisfactory	67	PM ₁₀	2
47	Gwalior	Moderate	120	03	1
48	Hajipur	Poor	207	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Bidar, Chikkaballapur, Chikkamagaluru, Coimbatore, Jalandhar, Jorapokhar, Kaithal, Kalaburgi, Maihar, Mandi Gobindgarh, Moradabad, Nagpur, Raichur, Rupnagar, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Moderate	123	PM ₁₀	1
50	Hapur	Satisfactory	94	PM ₁₀	1
51	Hassan	Satisfactory	79	PM ₁₀	1
52	Hisar	Moderate	155	PM ₁₀	1
53	Howrah	Moderate	128	PM ₁₀ , PM _{2.5}	3
54	Hubballi	Satisfactory	91	PM ₁₀	1
55	Hyderabad	Satisfactory	72	PM ₁₀ , PM _{2.5}	5
56	Indore	Moderate	130	PM ₁₀	1
57	Jabalpur	Moderate	120	PM ₁₀	1
58	Jaipur	Satisfactory	83	PM ₁₀	2
59	Jind	Moderate	119	PM _{2.5}	1
60	Jodhpur	Moderate	159	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkaballapur, Chikkamagaluru, Coimbatore, Jalandhar, Jorapokhar, Kaithal, Kalaburgi, Maihar, Mandi Gobindgarh, Moradabad, Nagpur, Raichur, Rupnagar, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Moderate	122	PM ₁₀	1
62	Kannur	Satisfactory	100	PM ₁₀	1
63	Kanpur	Satisfactory	72	O ₃ , PM _{2.5}	2
64	Karnal	Good	42	PM _{2.5}	1
65	Katni	Moderate	130	PM ₁₀	1
66	Khanna	Good	43	PM ₁₀	1
67	Kochi	Satisfactory	52	PM _{2.5}	1
68	Kohima	Moderate	101	PM ₁₀	1
69	Kolar	Satisfactory	64	со	1
70	Kolkata	Moderate	136	PM _{2.5} , O ₃ , PM ₁₀	7
71	Kollam	Satisfactory	82	PM ₁₀	1
72	Koppal	Satisfactory	63	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkaballapur, Chikkamagaluru, Coimbatore, Jalandhar, Jorapokhar, Kaithal, Kalaburgi, Maihar, Mandi Gobindgarh, Moradabad, Nagpur, Raichur, Rupnagar, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Moderate	106	PM _{2.5}	1
74	Kozhikode	Satisfactory	77	PM ₁₀	1
75	Kurukshetra	Satisfactory	83	PM ₁₀	1
76	Lucknow	Moderate	111	PM _{2.5} , NO ₂ , O ₃	4
77	Ludhiana	Good	46	NO ₂	1
78	Mandideep	Satisfactory	65	PM ₁₀	1
79	Mandikhera	Satisfactory	69	PM ₁₀	1
80	Manesar	Moderate	131	PM ₁₀	1
81	Manglore	Good	44	PM ₁₀	1
82	Medikeri	Good	39	03	1
83	Meerut	Moderate	119	PM ₁₀	3
84	Mumbai	Satisfactory	79	PM ₁₀ , PM _{2.5}	19

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Bidar, Chikkaballapur, Chikkamagaluru, Coimbatore, Jalandhar, Jorapokhar, Kaithal, Kalaburgi, Maihar, Mandi Gobindgarh, Moradabad, Nagpur, Raichur, Rupnagar, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Moderate	119	PM ₁₀	1
86	Muzaffarpur	Moderate	122	PM _{2.5} , PM ₁₀	2
87	Mysuru	Satisfactory	90	O ₃	1
88	Naharlagun	Satisfactory	86	PM ₁₀	1
89	Nandesari	Satisfactory	98	СО	1
90	Narnaul	Moderate	158	PM ₁₀	1
91	Nashik	Satisfactory	66	PM ₁₀	1
92	Navi Mumbai	Moderate	120	PM ₁₀	3
93	Noida	Moderate	137	PM ₁₀	3
94	Pali	Moderate	146	PM _{2.5}	1
95	Palwal	Satisfactory	96	PM ₁₀	1
96	Panchkula	Good	37	NO ₂	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkaballapur, Chikkamagaluru, Coimbatore, Jalandhar, Jorapokhar, Kaithal, Kalaburgi, Maihar, Mandi Gobindgarh, Moradabad, Nagpur, Raichur, Rupnagar, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Moderate	144	PM ₁₀	1
98	Patiala	Satisfactory	55	PM ₁₀	1
99	Patna	Moderate	126	PM ₁₀ , O ₃	3
100	Pithampur	Satisfactory	93	PM ₁₀	1
101	Puducherry	Satisfactory	54	03	1
102	Pune	Satisfactory	93	O ₃ , CO, PM ₁₀	7
103	Rajamahendravaram	Satisfactory	57	PM ₁₀	1
104	Ramanagara	Satisfactory	74	03	1
105	Ratlam	Moderate	124	PM ₁₀	1
106	Rohtak	Moderate	112	PM _{2.5}	1
107	Sagar	Satisfactory	76	PM _{2.5}	1
108	Shivamogga	Satisfactory	71	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Bidar, Chikkaballapur, Chikkamagaluru, Coimbatore, Jalandhar, Jorapokhar, Kaithal, Kalaburgi, Maihar, Mandi Gobindgarh, Moradabad, Nagpur, Raichur, Rupnagar, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Satisfactory	74	03	1
110	Singrauli	Poor	267	PM _{2.5}	1
111	Sirsa	Satisfactory	80	PM ₁₀	1
112	Solapur	Satisfactory	94	PM _{2.5}	1
113	Sonipat	Moderate	177	PM ₁₀	1
114	Srinagar	Good	32	NO ₂	1
115	Talcher	Satisfactory	65	со	1
116	Thane	Very Poor	322	NO ₂	1
117	Thiruvananthapuram	Good	44	O ₃ , PM ₁₀	2
118	Thoothukudi	Satisfactory	84	PM ₁₀	1
119	Thrissur	Satisfactory	58	со	1
120	Udaipur	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkaballapur, Chikkamagaluru, Coimbatore, Jalandhar, Jorapokhar, Kaithal, Kalaburgi, Maihar, Mandi Gobindgarh, Moradabad, Nagpur, Raichur, Rupnagar, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Moderate	149	PM ₁₀	1
122	Vapi	Satisfactory	71	PM ₁₀	1
123	Varanasi	Poor	229	PM ₁₀	1
124	Vatva	Moderate	146	PM ₁₀	1
125	Visakhapatnam	Satisfactory	98	PM ₁₀	1
126	Yadgir	Satisfactory	92	O ₃	1
127	Yamunanagar	Satisfactory	87	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Chikkaballapur, Chikkamagaluru, Coimbatore, Jalandhar, Jorapokhar, Kaithal, Kalaburgi, Maihar, Mandi Gobindgarh, Moradabad, Nagpur, Raichur, Rupnagar, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.