

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	36	PM ₁₀	2
2	Agra	Good	32	O ₃ , PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	95	SO ₂	1
4	Aizawl	Good	22	со	1
5	Ajmer	Moderate	146	PM ₁₀	1
6	Alwar	Satisfactory	68	PM ₁₀	1
7	Amaravati	Good	31	03	1
8	Ambala	Satisfactory	62	PM ₁₀	1
9	Amritsar	Satisfactory	96	PM ₁₀	1
10	Ankleshwar	Satisfactory	99	со	1
11	Araria	Satisfactory	90	PM ₁₀	1
12	Asansol	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bidar, Damoh, Darbhanga, Dharuhera, Ernakulam, Gummidipoondi, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kollam, Madikeri, Maihar, Nashik, Pune, Raichur, Ramanagara, Sasaram, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	142	PM _{2.5}	1
14	Aurangabad (Maharashtra)	Good	50	PM ₁₀	1
15	Baddi	Satisfactory	68	PM ₁₀	1
16	Bagalkot	Good	42	PM ₁₀	1
17	Bahadurgarh	Satisfactory	60	PM ₁₀	1
18	Ballabgarh	Satisfactory	69	со	1
19	Bareilly	Good	32	PM ₁₀	1
20	Bathinda	Satisfactory	64	PM ₁₀	1
21	Bengaluru	Satisfactory	51	CO, PM ₁₀ , NO ₂	4
22	Bettiah	Satisfactory	95	PM ₁₀	1
23	Bhagalpur	Moderate	109	PM _{2.5} , PM ₁₀	2
24	Bhiwadi	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bidar, Damoh, Darbhanga, Dharuhera, Ernakulam, Gummidipoondi, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kollam, Madikeri, Maihar, Nashik, Pune, Raichur, Ramanagara, Sasaram, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Satisfactory	60	PM ₁₀	1
26	Bhopal	Satisfactory	67	O ₃	1
27	Bihar Sharif	Moderate	120	PM ₁₀	1
28	Bilaspur	Satisfactory	60	PM ₁₀	1
29	Brajrajnagar	Good	41	со	1
30	Bulandshahr	Good	45	PM ₁₀	1
31	Buxar	Poor	267	PM _{2.5}	1
32	Chamarajanagar	Good	33	PM ₁₀	1
33	Chandigarh	Good	42	PM ₁₀ , O ₃	2
34	Chandrapur	Satisfactory	65	CO, PM ₁₀	2
35	Charkhi Dadri	Satisfactory	85	PM _{2.5}	1
36	Chennai	Satisfactory	57	PM _{2.5} , CO, PM ₁₀	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bidar, Damoh, Darbhanga, Dharuhera, Ernakulam, Gummidipoondi, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kollam, Madikeri, Maihar, Nashik, Pune, Raichur, Ramanagara, Sasaram, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Moderate	110	PM ₁₀	1
38	Chikkaballapur	Good	29	со	1
39	Chikkamagaluru	Good	28	PM ₁₀	1
40	Coimbatore	Good	33	PM _{2.5}	1
41	Davanagere	Good	16	со	1
42	Dehradun	Good	36	PM ₁₀	1
43	Delhi	Satisfactory	72	CO, PM ₁₀	13
44	Dewas	Satisfactory	55	PM ₁₀	1
45	Durgapur	Satisfactory	96	PM ₁₀	1
46	Eloor	Satisfactory	52	PM ₁₀	1
47	Faridabad	Satisfactory	87	PM _{2.5} , PM ₁₀	3
48	Fatehabad	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bidar, Damoh, Darbhanga, Dharuhera, Ernakulam, Gummidipoondi, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kollam, Madikeri, Maihar, Nashik, Pune, Raichur, Ramanagara, Sasaram, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Satisfactory	60	PM ₁₀ , O ₃	2
50	Gadag	Good	36	PM _{2.5}	1
51	Gandhinagar	Good	37	PM ₁₀	1
52	Gangtok	Good	23	O ₃	1
53	Gaya	Moderate	103	PM _{2.5} , PM ₁₀	3
54	Ghaziabad	Satisfactory	62	PM ₁₀ , PM _{2.5}	4
55	Gorakhpur	Satisfactory	60	PM _{2.5}	1
56	Greater Noida	Satisfactory	74	CO, PM ₁₀	2
57	Gurugram	Satisfactory	69	PM ₁₀ , PM _{2.5}	3
58	Guwahati	Good	48	PM ₁₀	2
59	Gwalior	Good	46	PM ₁₀	1
60	Hajipur	Satisfactory	53	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bidar, Damoh, Darbhanga, Dharuhera, Ernakulam, Gummidipoondi, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kollam, Madikeri, Maihar, Nashik, Pune, Raichur, Ramanagara, Sasaram, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Good	31	со	1
62	Hapur	Good	43	со	1
63	Hassan	Satisfactory	54	SO ₂	1
64	Haveri	Good	47	со	1
65	Hisar	Satisfactory	95	PM _{2.5}	1
66	Howrah	Good	39	O ₃ , PM ₁₀ , CO	3
67	Hyderabad	Satisfactory	52	CO, O ₃ , PM ₁₀	13
68	Imphal	Satisfactory	68	O ₃ , SO ₂	2
69	Indore	Satisfactory	54	03	1
70	Jabalpur	Satisfactory	76	со	1
71	Jaipur	Satisfactory	56	PM ₁₀ , CO	2
72	Jalandhar	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bidar, Damoh, Darbhanga, Dharuhera, Ernakulam, Gummidipoondi, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kollam, Madikeri, Maihar, Nashik, Pune, Raichur, Ramanagara, Sasaram, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Satisfactory	65	PM _{2.5}	1
74	Jodhpur	Satisfactory	70	PM ₁₀	1
75	Kalyan	Satisfactory	67	PM ₁₀	1
76	Kannur	Satisfactory	53	PM _{2.5}	1
77	Kanpur	Good	46	PM ₁₀ , PM _{2.5}	4
78	Karnal	Good	34	PM ₁₀	1
79	Katihar	Moderate	101	PM ₁₀	1
80	Katni	Satisfactory	82	PM ₁₀	1
81	Khanna	Satisfactory	64	PM ₁₀	1
82	Khurja	Satisfactory	79	PM _{2.5}	1
83	Kishanganj	Satisfactory	70	03	1
84	Kochi	Satisfactory	51	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bidar, Damoh, Darbhanga, Dharuhera, Ernakulam, Gummidipoondi, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kollam, Madikeri, Maihar, Nashik, Pune, Raichur, Ramanagara, Sasaram, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Satisfactory	52	SO ₂	1
86	Kolkata	Good	36	O ₃ , CO, NO ₂	5
87	Koppal	Satisfactory	62	со	1
88	Kota	Satisfactory	66	PM ₁₀	1
89	Kozhikode	Satisfactory	57	PM ₁₀	1
90	Kurukshetra	Good	38	03	1
91	Lucknow	Satisfactory	70	PM ₁₀ , CO, PM _{2.5}	6
92	Ludhiana	Moderate	107	PM ₁₀	1
93	Mandi Gobindgarh	Satisfactory	66	PM _{2.5}	1
94	Mandideep	Satisfactory	66	PM ₁₀	1
95	Mandikhera	Good	24	со	1
96	Manesar	Satisfactory	83	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bidar, Damoh, Darbhanga, Dharuhera, Ernakulam, Gummidipoondi, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kollam, Madikeri, Maihar, Nashik, Pune, Raichur, Ramanagara, Sasaram, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Good	45	со	1
98	Manguraha	Good	48	PM ₁₀	1
99	Meerut	Good	46	PM ₁₀	3
100	Moradabad	Satisfactory	59	PM ₁₀ , CO, PM _{2.5}	5
101	Motihari	Satisfactory	63	03	1
102	Mumbai	Satisfactory	71	PM _{2.5} , CO, SO ₂	15
103	Munger	Poor	214	PM ₁₀	1
104	Muzaffarnagar	Good	50	PM _{2.5}	1
105	Muzaffarpur	Satisfactory	69	PM _{2.5} , O ₃	3
106	Mysuru	Good	41	PM ₁₀	1
107	Nagpur	Satisfactory	82	PM _{2.5}	1
108	Naharlagun	Good	23	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bidar, Damoh, Darbhanga, Dharuhera, Ernakulam, Gummidipoondi, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kollam, Madikeri, Maihar, Nashik, Pune, Raichur, Ramanagara, Sasaram, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nandesari	Moderate	112	СО	1
110	Narnaul	Satisfactory	98	PM _{2.5}	1
111	Navi Mumbai	Satisfactory	54	PM _{2.5} , PM ₁₀	3
112	Noida	Satisfactory	94	CO, PM ₁₀	4
113	Pali	Satisfactory	85	PM _{2.5}	1
114	Palwal	Satisfactory	64	PM ₁₀	1
115	Panchkula	Good	30	NO ₂	1
116	Panipat	Satisfactory	54	PM ₁₀	1
117	Patiala	Good	48	PM ₁₀	1
118	Patna	Moderate	119	PM ₁₀ , PM _{2.5}	6
119	Pithampur	Satisfactory	58	PM ₁₀	1
120	Prayagraj	Satisfactory	82	PM ₁₀ , SO ₂	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bidar, Damoh, Darbhanga, Dharuhera, Ernakulam, Gummidipoondi, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kollam, Madikeri, Maihar, Nashik, Pune, Raichur, Ramanagara, Sasaram, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Good	23	PM ₁₀	1
122	Purnia	Satisfactory	96	PM ₁₀	1
123	Rajamahendravaram	Good	20	со	1
124	Rajgir	Moderate	104	со	1
125	Ratlam	Good	27	PM ₁₀	1
126	Rohtak	Satisfactory	70	PM _{2.5}	1
127	Rupnagar	Satisfactory	71	PM ₁₀	1
128	Sagar	Satisfactory	60	со	1
129	Saharsa	Poor	234	PM _{2.5}	1
130	Samastipur	Moderate	139	PM ₁₀	1
131	Satna	Satisfactory	59	PM ₁₀	1
132	Shillong	Good	18	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bidar, Damoh, Darbhanga, Dharuhera, Ernakulam, Gummidipoondi, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kollam, Madikeri, Maihar, Nashik, Pune, Raichur, Ramanagara, Sasaram, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Good	43	PM ₁₀	1
134	Siliguri	Good	50	PM ₁₀	1
135	Singrauli	Moderate	101	NO ₂	1
136	Sirsa	Satisfactory	72	03	1
137	Siwan	Satisfactory	91	PM ₁₀	1
138	Solapur	Satisfactory	74	PM ₁₀	1
139	Srinagar	Satisfactory	75	PM ₁₀	1
140	Talcher	Good	42	со	1
141	Thane	Satisfactory	58	03	1
142	Thiruvananthapuram	Good	43	со	1
143	Thoothukudi	Moderate	194	O ₃	1
144	Tirupati	Good	38	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bidar, Damoh, Darbhanga, Dharuhera, Ernakulam, Gummidipoondi, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kollam, Madikeri, Maihar, Nashik, Pune, Raichur, Ramanagara, Sasaram, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Satisfactory	52	PM ₁₀	1
146	Ujjain	Satisfactory	55	PM ₁₀	1
147	Varanasi	Satisfactory	64	O ₃ , SO ₂ , PM ₁₀	3
148	Vatva	Satisfactory	70	PM ₁₀	1
149	Vijayapura	Good	40	PM ₁₀	1
150	Visakhapatnam	Satisfactory	71	PM ₁₀	1
151	Vrindavan	Good	42	SO ₂	1
152	Yadgir	Good	32	СО	1
153	Yamunanagar	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Belgaum, Bhilai, Bidar, Damoh, Darbhanga, Dharuhera, Ernakulam, Gummidipoondi, Hubballi, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kollam, Madikeri, Maihar, Nashik, Pune, Raichur, Ramanagara, Sasaram, Sonipat, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.