Air Quality Index on Jan 18, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	319	$PM_{2.5}$	1
2	Ahmedabad	Poor	254	$PM_{2.5}$	1
3	Aizawl	Satisfactory	66	$PM_{2.5}$	1
4	Ajmer	Moderate	119	$PM_{2.5}$	1
5	Alwar	Moderate	122	$PM_{2.5}$	1
6	Amaravati	Satisfactory	66	$PM_{2.5}$	1
7	Ambala	Moderate	185	$PM_{2.5}$	1
8	Amritsar	Moderate	108	PM_{10}	1
9	Ankleshwar	Very Poor	310	$PM_{2.5}$	1
10	Asansol	Very Poor	306	$PM_{2.5}$	1
11	Baghpat	Very Poor	363	$PM_{2.5}$	1
12	Bahadurgarh	Very Poor	334	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Gummidipoondi, Hapur, Kochi, Kolar, Kozhikode, Maihar, Muzaffarnagar, Nagpur, Nandesari, Panchkula, Panipat, Ramanagara, Rupnagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 18, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	133	$PM_{2.5}$	1
14	Bathinda	Poor	233	$PM_{2.5}$	1
15	Bengaluru	Satisfactory	71	O_3, PM_{10}, $PM_{2.5}$	7
16	Bhiwadi	Very Poor	330	$PM_{2.5}$	1
17	Bhiwani	Moderate	152	PM_{10}	1
18	Bhopal	Moderate	127	PM_{10}	1
19	Bidar	Satisfactory	79	$PM_{2.5}$	1
20	Brajrajnagar	Poor	226	$PM_{2.5}$	1
21	Bulandshahr	Very Poor	347	$PM_{2.5}$	1
22	Chandigarh	Moderate	146	$PM_{2.5}$	1
23	Chandrapur	Moderate	130	$PM_{2.5}$, PM_{10}	2
24	Charkhi Dadri	Poor	254	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Gummidipoondi, Hapur, Kochi, Kolar, Kozhikode, Maihar, Muzaffarnagar, Nagpur, Nandesari, Panchkula, Panipat, Ramanagara, Rupnagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 18, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	58	PM_{10}, $PM_{2.5}$, CO	5
26	Chikkamagaluru	Satisfactory	65	O_3	1
27	Damoh	Moderate	108	PM_{10}	1
28	Delhi	Very Poor	372	PM_{10}, $PM_{2.5}$	37
29	Dewas	Satisfactory	94	PM_{10}	1
30	Dharuhera	Very Poor	327	$PM_{2.5}$	1
31	Durgapur	Very Poor	340	$PM_{2.5}$	1
32	Eloor	Satisfactory	89	PM_{10}	1
33	Ernakulam	Satisfactory	61	CO	1
34	Faridabad	Very Poor	332	PM_{10}	1
35	Fatehabad	Very Poor	324	$PM_{2.5}$	1
36	Gadag	Satisfactory	66	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Gummidipoondi, Hapur, Kochi, Kolar, Kozhikode, Maihar, Muzaffarnagar, Nagpur, Nandesari, Panchkula, Panipat, Ramanagara, Rupnagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 18, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Moderate	119	$PM_{2.5}$	1
38	Gaya	Moderate	146	$PM_{2.5}$	2
39	Ghaziabad	Very Poor	381	$PM_{2.5}$	4
40	Greater Noida	Very Poor	360	$PM_{2.5}$	2
41	Gurugram	Poor	292	$PM_{2.5}$	4
42	Guwahati	Poor	280	$PM_{2.5}$	1
43	Gwalior	Very Poor	342	$PM_{2.5}$	1
44	Hajipur	Moderate	155	PM_{10}	1
45	Haldia	Very Poor	302	$PM_{2.5}$	1
46	Hisar	Very Poor	357	$PM_{2.5}$	1
47	Howrah	Very Poor	333	$PM_{2.5}$	3
48	Hubballi	Satisfactory	86	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Gummidipoondi, Hapur, Kochi, Kolar, Kozhikode, Maihar, Muzaffarnagar, Nagpur, Nandesari, Panchkula, Panipat, Ramanagara, Rupnagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 18, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Satisfactory	94	PM_{10}, $PM_{2.5}$	6
50	Indore	Moderate	114	PM_{10}	1
51	Jabalpur	Moderate	159	$PM_{2.5}$	1
52	Jaipur	Poor	218	$PM_{2.5}$	3
53	Jalandhar	Moderate	166	$PM_{2.5}$	1
54	Jind	Very Poor	342	$PM_{2.5}$	1
55	Jodhpur	Moderate	191	$PM_{2.5}$	1
56	Jorapokhar	Poor	223	PM_{10}	1
57	Kaithal	Poor	257	$PM_{2.5}$	1
58	Kalaburgi	Satisfactory	76	PM_{10}	1
59	Kalyan	Poor	224	$PM_{2.5}$	1
60	Kannur	Satisfactory	75	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Gummidipoondi, Hapur, Kochi, Kolar, Kozhikode, Maihar, Muzaffarnagar, Nagpur, Nandesari, Panchkula, Panipat, Ramanagara, Rupnagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 18, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Very Poor	350	$PM_{2.5}$	2
62	Karnal	Poor	237	$PM_{2.5}$	1
63	Katni	Poor	289	$PM_{2.5}$	1
64	Khanna	Moderate	117	$PM_{2.5}$	1
65	Kohima	Satisfactory	95	PM_{10}	1
66	Kolkata	Poor	298	$PM_{2.5}$, PM_{10}	7
67	Kollam	Satisfactory	73	PM_{10}	1
68	Koppal	Satisfactory	87	PM_{10}	1
69	Kota	Poor	226	$PM_{2.5}$	1
70	Kurukshetra	Poor	269	$PM_{2.5}$	1
71	Lucknow	Very Poor	360	$PM_{2.5}$, PM_{10}	4
72	Ludhiana	Moderate	187	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Gummidipoondi, Hapur, Kochi, Kolar, Kozhikode, Maihar, Muzaffarnagar, Nagpur, Nandesari, Panchkula, Panipat, Ramanagara, Rupnagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 18, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Moderate	139	PM_{10}	1
74	Mandideep	Moderate	172	PM_{10}	1
75	Mandikhera	Moderate	122	$PM_{2.5}$	1
76	Manesar	Very Poor	314	$PM_{2.5}$	1
77	Manglore	Satisfactory	58	$PM_{2.5}$	1
78	Medikeri	Satisfactory	60	CO	1
79	Meerut	Very Poor	330	$PM_{2.5}$	2
80	Moradabad	Poor	286	$PM_{2.5}$	1
81	Mumbai	Moderate	124	$PM_{2.5}$, O_3, PM_{10}	16
82	Muzaffarpur	Very Poor	302	$PM_{2.5}$, PM_{10}	2
83	Mysuru	Satisfactory	70	O_3	1
84	Narnaul	Very Poor	325	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Gummidipoondi, Hapur, Kochi, Kolar, Kozhikode, Maihar, Muzaffarnagar, Nagpur, Nandesari, Panchkula, Panipat, Ramanagara, Rupnagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 18, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Satisfactory	98	$PM_{2.5}$	1
86	Navi Mumbai	Poor	263	$PM_{2.5}$, O_3	3
87	Noida	Very Poor	363	$PM_{2.5}$	3
88	Pali	Moderate	125	$PM_{2.5}$	1
89	Palwal	Moderate	128	CO	1
90	Patiala	Moderate	182	$PM_{2.5}$	1
91	Patna	Poor	262	$PM_{2.5}$, PM_{10}, NO_2	6
92	Pithampur	Moderate	117	$PM_{2.5}$	1
93	Puducherry	Good	46	PM_{10}	1
94	Pune	Moderate	129	$PM_{2.5}$, PM_{10}	2
95	Raichur	Satisfactory	93	PM_{10}	1
96	Rajamahendravaram	Satisfactory	87	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Gummidipoondi, Hapur, Kochi, Kolar, Kozhikode, Maihar, Muzaffarnagar, Nagpur, Nandesari, Panchkula, Panipat, Ramanagara, Rupnagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 18, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ratlam	Moderate	137	$PM_{2.5}$	1
98	Rohtak	Severe	409	$PM_{2.5}$	1
99	Sagar	Satisfactory	76	$PM_{2.5}$	1
100	Satna	Satisfactory	87	PM_{10}	1
101	Shillong	Good	35	$PM_{2.5}$	1
102	Shivamogga	Satisfactory	83	PM_{10}	1
103	Siliguri	Poor	283	$PM_{2.5}$	1
104	Singrauli	Very Poor	311	$PM_{2.5}$	1
105	Sirsa	Moderate	164	$PM_{2.5}$	1
106	Solapur	Moderate	101	PM_{10}	1
107	Sonipat	Poor	275	$PM_{2.5}$	1
108	Talcher	Poor	221	NO_2	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Gummidipoondi, Hapur, Kochi, Kolar, Kozhikode, Maihar, Muzaffarnagar, Nagpur, Nandesari, Panchkula, Panipat, Ramanagara, Rupnagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 18, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thane	Moderate	156	PM_{10}	1
110	Thiruvananthapuram	Satisfactory	64	PM_{10}	2
111	Thoothukudi	Satisfactory	54	O_3	1
112	Thrissur	Satisfactory	77	O_3	1
113	Tirupati	Satisfactory	55	$PM_{2.5}$	1
114	Udaipur	Moderate	186	$PM_{2.5}$	1
115	Ujjain	Moderate	151	$PM_{2.5}$	1
116	Vapi	Moderate	143	PM_{10}	1
117	Varanasi	Moderate	191	O_3	1
118	Vatva	Very Poor	301	PM_{10}	1
119	Vijayapura	Satisfactory	57	CO	1
120	Visakhapatnam	Moderate	170	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:
* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Gummidipoondi, Hapur, Kochi, Kolar, Kozhikode, Maihar, Muzaffarnagar, Nagpur, Nandesari, Panchkula, Panipat, Ramanagara, Rupnagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 18, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yadgir	Satisfactory	69	O_3	1
122	Yamunanagar	Poor	241	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Aurangabad, Bagalkot, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Gummidipoondi, Hapur, Kochi, Kolar, Kozhikode, Maihar, Muzaffarnagar, Nagpur, Nandesari, Panchkula, Panipat, Ramanagara, Rupnagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.