



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	48	PM ₁₀	1
2	Agra	Good	46	O ₃	6
3	Ahmedabad	Satisfactory	65	PM ₁₀ , CO	8
4	Aizawl	Good	20	CO	1
5	Ajmer	Moderate	157	PM _{2.5}	1
6	Alwar	Satisfactory	58	CO	1
7	Amaravati	Good	32	CO	1
8	Ambala	Good	43	O ₃	1
9	Amravati	Satisfactory	58	PM ₁₀	2
10	Amritsar	Satisfactory	52	O ₃	1
11	Anantapur	Good	45	PM ₁₀	1
12	Ankleshwar	Moderate	159	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Good	50	PM ₁₀	1
14	Ariyalur	Good	34	PM ₁₀	1
15	Arrah	Satisfactory	95	PM ₁₀	1
16	Asansol	Good	40	CO	1
17	Aurangabad (Maharashtra)	Satisfactory	87	O ₃	2
18	Baddi	Satisfactory	61	PM ₁₀	1
19	Badlapur	Good	45	CO	1
20	Bagalkot	Good	46	PM ₁₀	1
21	Baghpat	Moderate	103	O ₃	1
22	Bahadurgarh	Satisfactory	59	PM _{2.5}	1
23	Banswara	Moderate	155	PM _{2.5}	1
24	Bareilly	Good	36	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Akola,

Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	53	PM ₁₀	1
26	Barmer	Satisfactory	74	PM ₁₀	1
27	Belapur	Good	45	CO	1
28	Belgaum	Good	46	CO	1
29	Bengaluru	Good	38	PM ₁₀ , O ₃	9
30	Bettiah	Moderate	194	PM ₁₀	1
31	Bhagalpur	Satisfactory	92	PM ₁₀	2
32	Bhilai	Good	34	NO ₂ , CO	3
33	Bhiwadi	Satisfactory	68	PM ₁₀	1
34	Bhiwandi	Good	49	PM _{2.5}	1
35	Bhiwani	Poor	250	PM _{2.5}	1
36	Bhopal	Satisfactory	82	PM ₁₀ , CO	2

* AQI is not calculated for today's bulletin for Ahmednagar, Akola,

Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bidar	Good	43	NH ₃	1
38	Bihar Sharif	Satisfactory	99	PM ₁₀	1
39	Bikaner	Very Poor	301	O ₃	1
40	Bileipada	Good	43	PM ₁₀	1
41	Bulandshahr	Good	44	PM ₁₀	1
42	Chamarajanagar	Good	44	PM ₁₀	1
43	Chandigarh	Satisfactory	57	PM ₁₀	3
44	Chandrapur	Satisfactory	73	PM ₁₀	1
45	Charkhi Dadri	Satisfactory	60	PM ₁₀	1
46	Chennai	Satisfactory	76	PM _{2.5}	6
47	Chhal	Good	39	CO	1
48	Chhapra	Moderate	145	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Akola,

Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkamagaluru	Good	29	PM ₁₀	1
50	Chittoor	Good	38	O ₃	1
51	Churu	Satisfactory	98	O ₃	1
52	Damoh	Good	20	CO	1
53	Dausa	Satisfactory	69	PM ₁₀	1
54	Dehradun	Satisfactory	82	O ₃	1
55	Delhi	Satisfactory	93	PM _{2.5} , CO	36
56	Dharuhera	Moderate	184	PM _{2.5}	1
57	Dhule	Satisfactory	83	PM ₁₀	1
58	Durgapur	Good	29	CO	1
59	Faridabad	Moderate	157	PM ₁₀	1
60	Gadag	Good	49	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Akola,

Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gandhinagar	Satisfactory	59	PM _{2.5}	3
62	Gangtok	Good	48	SO ₂	1
63	Gaya	Satisfactory	66	CO	3
64	Ghaziabad	Satisfactory	92	PM _{2.5} , CO	3
65	Greater Noida	Moderate	107	PM ₁₀ , O ₃	2
66	Gummidipoondi	Satisfactory	83	PM ₁₀	1
67	Gurugram	Moderate	106	PM _{2.5}	3
68	Guwahati	Good	33	PM ₁₀	3
69	Gwalior	Satisfactory	62	PM _{2.5} , O ₃	4
70	Hajipur	Moderate	117	PM ₁₀	1
71	Hanumangarh	Poor	213	PM ₁₀	1
72	Hapur	Poor	221	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Akola,

Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haveri	Good	41	CO	1
74	Hosur	Good	39	PM ₁₀	1
75	Howrah	Satisfactory	53	NO ₂	3
76	Hubballi	Moderate	108	CO	2
77	Hyderabad	Satisfactory	56	PM ₁₀ , O ₃	10
78	Indore	Satisfactory	73	PM ₁₀	1
79	Jabalpur	Good	30	O ₃	1
80	Jaipur	Satisfactory	66	PM ₁₀ , O ₃	6
81	Jaisalmer	Satisfactory	70	PM ₁₀	1
82	Jalandhar	Good	50	O ₃	1
83	Jalgaon	Satisfactory	74	PM ₁₀	1
84	Jalna	Satisfactory	100	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Akola,

Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnhit, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jhalawar	Satisfactory	55	O ₃	1
86	Jhunjhunu	Moderate	157	O ₃	1
87	Jind	Satisfactory	74	CO	1
88	Jodhpur	Satisfactory	76	PM ₁₀	4
89	Kadapa	Good	31	PM _{2.5}	1
90	Kaithal	Satisfactory	60	O ₃	1
91	Kalyan	Satisfactory	61	CO	1
92	Kanchipuram	Good	45	PM ₁₀	1
93	Kannur	Satisfactory	77	PM ₁₀	1
94	Kanpur	Moderate	108	O ₃ , CO	3
95	Karnal	Good	39	PM ₁₀	1
96	Katihar	Moderate	110	CO	1

* AQI is not calculated for today's bulletin for Ahmednagar, Akola,

Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Katni	Good	48	O ₃	1
98	Keonjhar	Good	33	PM ₁₀	1
99	Khanna	Satisfactory	76	CO	1
100	Khurja	Moderate	127	PM _{2.5}	1
101	Kishanganj	Satisfactory	70	PM ₁₀	1
102	Kochi	Satisfactory	74	CO	1
103	Kohima	Good	43	SO ₂	1
104	Kolhapur	Good	48	PM ₁₀	2
105	Kolkata	Good	38	O ₃	7
106	Kollam	Satisfactory	57	PM ₁₀	1
107	Koppal	Good	27	O ₃	1
108	Korba	Good	39	NO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Akola,

Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kota	Moderate	102	PM _{2.5} , PM ₁₀	3
110	Latur	Good	34	PM ₁₀	1
111	Lucknow	Satisfactory	54	PM ₁₀	6
112	Ludhiana	Satisfactory	75	PM ₁₀	1
113	Madikeri	Good	17	O ₃	1
114	Maihar	Satisfactory	51	CO	1
115	Mandi Gobindgarh	Good	29	PM ₁₀	1
116	Mandideep	Moderate	112	O ₃	1
117	Mandikhera	Good	30	PM ₁₀	1
118	Manesar	Satisfactory	58	PM ₁₀	1
119	Mangalore	Good	46	PM ₁₀	1
120	Manguraha	Satisfactory	98	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Akola,

Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Meerut	Satisfactory	70	PM ₁₀	3
122	Moradabad	Satisfactory	58	CO, SO ₂	5
123	Motihari	Satisfactory	62	PM ₁₀	1
124	Mumbai	Satisfactory	73	PM ₁₀	16
125	Muzaffarpur	Moderate	115	CO	3
126	Nagaur	Satisfactory	68	PM ₁₀	1
127	Nagpur	Satisfactory	53	CO, PM ₁₀	4
128	Nanded	Good	30	O ₃	1
129	Narnaul	Good	24	PM _{2.5}	1
130	Nashik	Good	31	PM ₁₀ , CO	3
131	Navi Mumbai	Moderate	178	PM ₁₀	3
132	Nayagarh	Good	35	NO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Akola,

Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Noida	Satisfactory	94	NO ₂ , CO	4
134	Ooty	Good	50	SO ₂	1
135	Pali	Moderate	104	PM ₁₀	1
136	Palkalaiperur	Satisfactory	65	SO ₂	1
137	Palwal	Satisfactory	68	CO	1
138	Patiala	Satisfactory	56	O ₃	1
139	Patna	Moderate	127	PM _{2.5}	6
140	Pimpri Chinchwad	Good	38	NO ₂ , PM ₁₀	3
141	Pithampur	Satisfactory	88	PM ₁₀	1
142	Pratapgarh	Good	44	PM ₁₀	1
143	Prayagraj	Satisfactory	54	PM ₁₀	2
144	Puducherry	Satisfactory	53	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Akola,

Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pune	Moderate	103	NO ₂ , CO	5
146	Purnia	Satisfactory	76	PM ₁₀	1
147	Raipur	Good	50	NO ₂	4
148	Rairangpur	Good	35	PM ₁₀	1
149	Rajamahendravaram	Good	23	PM ₁₀	1
150	Rajgir	Good	37	PM ₁₀	1
151	Rajsamand	Satisfactory	78	PM ₁₀	1
152	Ramanagara	Satisfactory	62	O ₃	1
153	Ramanathapuram	Good	29	PM ₁₀	1
154	Ratlam	Satisfactory	55	PM _{2.5}	1
155	Rishikesh	Good	27	PM ₁₀	1
156	Rohtak	Moderate	101	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Akola,

Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rourkela	Good	37	PM _{2.5}	2
158	Rupnagar	Moderate	138	PM ₁₀	1
159	Sagar	Good	49	O ₃	1
160	Saharsa	Satisfactory	77	PM ₁₀	1
161	Sangli	Good	30	PM ₁₀	1
162	Sasaram	Good	34	CO	1
163	Satna	Satisfactory	84	PM ₁₀	1
164	Shillong	Good	23	SO ₂	1
165	Shivamogga	Satisfactory	63	O ₃	1
166	Sikar	Satisfactory	69	O ₃	1
167	Silchar	Good	28	CO	1
168	Siliguri	Good	35	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Akola,

Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Singrauli	Satisfactory	51	NO ₂	1
170	Sirohi	Satisfactory	64	PM ₁₀	1
171	Sivasagar	Good	20	PM ₁₀	1
172	Siwan	Moderate	158	PM ₁₀	1
173	Solapur	Satisfactory	76	PM ₁₀	3
174	Sonipat	Satisfactory	80	PM ₁₀	1
175	Srinagar	Satisfactory	58	PM ₁₀	1
176	Suakati	Satisfactory	60	O ₃	1
177	Thane	Good	48	PM ₁₀	1
178	Thiruvananthapuram	Good	25	PM ₁₀ , CO	2
179	Thoothukudi	Good	50	O ₃	1
180	Thrissur	Good	40	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Akola,

Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Tirupati	Good	38	NO ₂	1
182	Tirupur	Good	34	CO	1
183	Tonk	Satisfactory	51	PM ₁₀	1
184	Tumidih	Good	31	O ₃	1
185	Udaipur	Satisfactory	55	PM ₁₀	1
186	Ujjain	Satisfactory	72	CO	1
187	Vapi	Satisfactory	56	CO	1
188	Varanasi	Good	42	SO ₂ , NO ₂	4
189	Vatva	Satisfactory	78	PM ₁₀	1
190	Vijayapura	Good	49	PM ₁₀	1
191	Vijayawada	Good	43	O ₃	1
192	Visakhapatnam	Satisfactory	82	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Akola,

Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jun 26, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vrindavan	Satisfactory	79	PM ₁₀	1
194	Yadgir	Good	30	CO	1
195	Yamunanagar	Satisfactory	55	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bharatpur, Bhilwara, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkaballapur, Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Firozabad, Gorakhpur, Haldia, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Karauli, Kashipur, Kolar, Kozhikode, Kunjemura, Kurukshetra, Milupara, Munger, Muzaffarnagar, Mysuru, Nagaon, Naharlagun, Nalbari, Nandesari, Panchkula, Panipat, Parbhani, Raichur, Salem, Samastipur, Sawai Madhopur, Sirsa, Sri Ganganagar, Surat, Talcher, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases