



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	129	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	98	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	75	PM <sub>10</sub>	7
4	Ajmer	Moderate	118	PM <sub>2.5</sub>	1
5	Akola	Satisfactory	85	PM <sub>10</sub>	1
6	Alwar	Satisfactory	75	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	60	PM <sub>10</sub>	1
8	Ambala	Satisfactory	95	CO	1
9	Amravati	Satisfactory	71	PM <sub>10</sub>	2
10	Anantapur	Satisfactory	66	PM <sub>10</sub>	1
11	Ankleshwar	Satisfactory	90	CO	1
12	Araria	Satisfactory	55	CO	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	127	PM <sub>2.5</sub>	1
14	Asansol	Good	50	PM <sub>2.5</sub>	1
15	Aurangabad (Bihar)	Satisfactory	58	CO	1
16	Aurangabad (Maharashtra)	Good	37	PM <sub>10</sub>	1
17	Baddi	Moderate	131	PM <sub>10</sub>	1
18	Badlapur	Good	40	PM <sub>10</sub>	1
19	Bagalkot	Good	42	PM <sub>10</sub>	1
20	Baghpat	Moderate	141	PM <sub>10</sub>	1
21	Bahadurgarh	Moderate	122	PM <sub>10</sub>	1
22	Ballabgarh	Moderate	116	PM <sub>10</sub>	1
23	Banswara	Moderate	102	PM <sub>10</sub>	1
24	Baran	Satisfactory	86	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Emakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Satisfactory	63	PM <sub>10</sub>	2
26	Barmer	Moderate	133	PM <sub>10</sub>	1
27	Bathinda	Satisfactory	96	PM <sub>10</sub>	1
28	Belapur	Good	45	PM <sub>10</sub>	1
29	Belgaum	Good	46	CO	1
30	Bengaluru	Satisfactory	75	PM <sub>2.5</sub> , PM <sub>10</sub>	11
31	Bhagalpur	Good	37	O <sub>3</sub>	1
32	Bharatpur	Moderate	130	PM <sub>10</sub>	1
33	Bhilai	Good	48	PM <sub>10</sub>	3
34	Bhiwadi	Moderate	141	PM <sub>10</sub>	1
35	Bhiwandi	Good	38	PM <sub>10</sub>	1
36	Bhiwani	Satisfactory	95	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Emakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Satisfactory	78	PM <sub>10</sub>	3
38	Bidar	Good	30	PM <sub>10</sub>	1
39	Bihar Sharif	Good	44	CO	1
40	Bikaner	Moderate	146	PM <sub>10</sub>	1
41	Bilaspur	Good	47	CO	1
42	Bileipada	Satisfactory	91	PM <sub>10</sub>	1
43	Bulandshahr	Moderate	108	PM <sub>10</sub>	1
44	Bundi	Moderate	140	PM <sub>10</sub>	1
45	Byrnihat	Moderate	156	PM <sub>2.5</sub>	1
46	Chamarajanagar	Good	40	PM <sub>10</sub>	1
47	Chandigarh	Moderate	118	PM <sub>10</sub>	3
48	Chandrapur	Satisfactory	79	CO	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Emakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Satisfactory	85	PM <sub>10</sub>	1
50	Chennai	Satisfactory	77	CO	7
51	Chhal	Good	47	PM <sub>10</sub>	1
52	Chhapra	Moderate	123	PM <sub>10</sub>	1
53	Chikkaballapur	Satisfactory	54	PM <sub>10</sub>	1
54	Chittoor	Good	44	PM <sub>2.5</sub>	1
55	Chittorgarh	Satisfactory	100	PM <sub>10</sub>	1
56	Cuddalore	Moderate	138	NO <sub>2</sub>	2
57	Damoh	Satisfactory	54	PM <sub>10</sub>	1
58	Dausa	Moderate	164	PM <sub>10</sub>	1
59	Davanagere	Good	40	PM <sub>10</sub>	1
60	Dehradun	Satisfactory	82	CO	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Emakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Moderate	131	PM <sub>10</sub>	33
62	Dewas	Satisfactory	57	PM <sub>10</sub>	1
63	Dhanbad	Moderate	188	CO	1
64	Dharuhera	Moderate	128	PM <sub>10</sub>	1
65	Dharwad	Satisfactory	99	PM <sub>10</sub>	1
66	Dholpur	Satisfactory	68	PM <sub>10</sub>	1
67	Dhule	Satisfactory	72	PM <sub>10</sub>	1
68	Durgapur	Good	42	PM <sub>10</sub>	1
69	Faridabad	Moderate	122	PM <sub>2.5</sub>	3
70	Fatehabad	Moderate	154	O <sub>3</sub>	1
71	Firozabad	Satisfactory	96	PM <sub>10</sub>	1
72	Gadag	Good	45	SO <sub>2</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Emakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Satisfactory	82	CO	2
74	Gaya	Satisfactory	52	O <sub>3</sub>	3
75	Ghaziabad	Moderate	134	PM <sub>10</sub>	3
76	Gorakhpur	Satisfactory	72	PM <sub>10</sub>	1
77	Greater Noida	Moderate	172	PM <sub>10</sub>	2
78	Gummidipoondi	Satisfactory	97	PM <sub>10</sub>	1
79	Gurugram	Moderate	106	PM <sub>10</sub> , PM <sub>2.5</sub>	4
80	Guwahati	Moderate	125	PM <sub>10</sub> , SO <sub>2</sub>	3
81	Gwalior	Satisfactory	68	PM <sub>10</sub> , CO	4
82	Hajipur	Satisfactory	88	PM <sub>10</sub>	1
83	Haldia	Good	47	PM <sub>10</sub>	1
84	Hanumangarh	Moderate	141	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Emakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hapur	Moderate	112	PM <sub>2.5</sub>	1
86	Haveri	Good	38	CO	1
87	Howrah	Satisfactory	72	PM <sub>2.5</sub> , PM <sub>10</sub>	3
88	Hubballi	Satisfactory	70	PM <sub>10</sub> , CO	2
89	Hyderabad	Satisfactory	79	PM <sub>10</sub>	12
90	Indore	Satisfactory	97	PM <sub>10</sub>	1
91	Jabalpur	Satisfactory	75	PM <sub>10</sub>	3
92	Jaipur	Moderate	139	PM <sub>10</sub>	5
93	Jaisalmer	Moderate	130	PM <sub>10</sub>	1
94	Jalandhar	Satisfactory	90	PM <sub>10</sub>	1
95	Jalgaon	Satisfactory	51	PM <sub>10</sub>	1
96	Jalna	Good	45	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhalawar	Satisfactory	73	PM <sub>10</sub>	1
98	Jhansi	Satisfactory	78	PM <sub>10</sub>	1
99	Jhunjhunu	Moderate	123	PM <sub>2.5</sub>	1
100	Jodhpur	Moderate	113	PM <sub>10</sub> , PM <sub>2.5</sub>	5
101	Kaithal	Moderate	135	PM <sub>2.5</sub>	1
102	Kalaburgi	Satisfactory	70	PM <sub>10</sub>	1
103	Kalyan	Satisfactory	71	PM <sub>10</sub>	1
104	Kanchipuram	Satisfactory	54	CO	1
105	Kannur	Satisfactory	70	PM <sub>10</sub>	1
106	Kanpur	Satisfactory	66	CO	3
107	Karauli	Good	45	O <sub>3</sub>	1
108	Karnal	Satisfactory	84	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Emakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kashipur	Moderate	108	PM <sub>10</sub>	1
110	Katihar	Moderate	124	CO	1
111	Katni	Satisfactory	94	PM <sub>10</sub>	1
112	Keonjhar	Satisfactory	65	PM <sub>2.5</sub>	1
113	Khanna	Moderate	106	PM <sub>10</sub>	1
114	Khurja	Satisfactory	100	PM <sub>2.5</sub>	1
115	Kishanganj	Satisfactory	66	PM <sub>10</sub>	1
116	Kochi	Satisfactory	76	PM <sub>10</sub>	1
117	Kohima	Good	50	SO <sub>2</sub>	1
118	Kolar	Satisfactory	75	PM <sub>10</sub>	1
119	Kolhapur	Good	32	PM <sub>10</sub>	2
120	Kolkata	Satisfactory	58	PM <sub>10</sub>	6

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Emakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kollam	Moderate	121	PM <sub>2.5</sub>	1
122	Korba	Good	39	PM <sub>10</sub>	2
123	Kota	Satisfactory	94	PM <sub>10</sub> , PM <sub>2.5</sub>	3
124	Kunjemura	Satisfactory	74	PM <sub>10</sub>	1
125	Latur	Satisfactory	51	PM <sub>10</sub>	1
126	Lucknow	Satisfactory	93	O <sub>3</sub> , PM <sub>2.5</sub>	6
127	Ludhiana	Satisfactory	90	PM <sub>10</sub>	1
128	Madikeri	Good	35	PM <sub>10</sub>	1
129	Mahad	Good	42	CO	1
130	Maihar	Good	43	PM <sub>10</sub>	1
131	Mandi Gobindgarh	Poor	229	PM <sub>2.5</sub>	1
132	Mandideep	Satisfactory	66	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Emakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandikhera	Satisfactory	94	PM <sub>10</sub>	1
134	Manesar	Satisfactory	86	PM <sub>2.5</sub>	1
135	Mangalore	Good	46	PM <sub>10</sub>	1
136	Manguraha	Good	32	PM <sub>10</sub>	1
137	Meerut	Moderate	108	PM <sub>10</sub> , CO	3
138	Moradabad	Moderate	112	PM <sub>10</sub>	5
139	Mumbai	Satisfactory	55	CO, PM <sub>10</sub>	18
140	Munger	Satisfactory	89	PM <sub>10</sub>	1
141	Muzaffarnagar	Moderate	121	PM <sub>10</sub>	1
142	Muzaffarpur	Satisfactory	86	CO	3
143	Mysuru	Satisfactory	66	PM <sub>10</sub>	1
144	Nagaur	Moderate	139	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhilwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Emakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagpur	Satisfactory	78	PM <sub>10</sub>	4
146	Nalbari	Moderate	107	PM <sub>2.5</sub>	1
147	Nanded	Satisfactory	52	O <sub>3</sub>	1
148	Nandesari	Good	50	CO	1
149	Narnaul	Satisfactory	80	PM <sub>10</sub>	1
150	Nashik	Good	42	PM <sub>10</sub>	2
151	Navi Mumbai	Satisfactory	87	O <sub>3</sub> , PM <sub>10</sub>	6
152	Nayagarh	Good	50	PM <sub>2.5</sub>	1
153	Noida	Moderate	132	PM <sub>10</sub> , PM <sub>2.5</sub>	4
154	Ooty	Moderate	104	PM <sub>10</sub>	1
155	Pali	Moderate	155	PM <sub>2.5</sub>	1
156	Palwal	Good	40	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Panchkula	Moderate	114	PM <sub>2.5</sub>	1
158	Patiala	Satisfactory	74	PM <sub>10</sub>	1
159	Patna	Satisfactory	78	PM <sub>10</sub> , NO <sub>2</sub>	6
160	Pimpri Chinchwad	Good	42	PM <sub>2.5</sub>	3
161	Pithampur	Satisfactory	97	PM <sub>10</sub>	1
162	Pratapgarh	Moderate	122	PM <sub>10</sub>	1
163	Prayagraj	Satisfactory	80	PM <sub>10</sub>	3
164	Puducherry	Satisfactory	66	PM <sub>10</sub>	1
165	Pune	Satisfactory	87	NO <sub>2</sub> , PM <sub>2.5</sub>	6
166	Purnia	Satisfactory	84	PM <sub>2.5</sub>	1
167	Raipur	Satisfactory	56	PM <sub>10</sub>	4
168	Rajamahendravaram	Good	50	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Emakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rajgir	Satisfactory	67	O <sub>3</sub>	1
170	Rajsamand	Moderate	123	PM <sub>10</sub>	1
171	Ramanagara	Satisfactory	62	PM <sub>10</sub>	1
172	Ramanathapuram	Good	41	CO	1
173	Ratlam	Satisfactory	82	PM <sub>10</sub>	1
174	Rohtak	Satisfactory	69	PM <sub>2.5</sub>	1
175	Rourkela	Satisfactory	53	PM <sub>10</sub>	1
176	Rupnagar	Moderate	151	PM <sub>10</sub>	1
177	Sagar	Satisfactory	67	PM <sub>10</sub>	1
178	Saharsa	Satisfactory	77	O <sub>3</sub>	1
179	Salem	Satisfactory	80	SO <sub>2</sub>	1
180	Samastipur	Satisfactory	73	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar,

Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore,

Darbhanga, Dindigul, Eloor, Emakulam, Gangtok, Hassan, Hisar, Hosur,

Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon,

Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur,

Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi,

Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sangli	Good	29	PM <sub>10</sub>	1
182	Sasaram	Moderate	111	CO	1
183	Sawai Madhopur	Satisfactory	84	PM <sub>10</sub>	1
184	Shillong	Good	29	PM <sub>10</sub>	2
185	Shivamogga	Satisfactory	51	O <sub>3</sub>	1
186	Sikar	Satisfactory	96	PM <sub>10</sub>	1
187	Silchar	Good	36	CO	1
188	Siliguri	Satisfactory	63	PM <sub>10</sub>	1
189	Singrauli	Satisfactory	95	NO <sub>2</sub>	1
190	Sirohi	Satisfactory	80	PM <sub>10</sub>	1
191	Sirsa	Moderate	112	PM <sub>10</sub>	1
192	Sivasagar	Good	27	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Emakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siwan	Good	34	PM <sub>2.5</sub>	1
194	Solapur	Satisfactory	66	PM <sub>10</sub>	3
195	Sonipat	Moderate	147	PM <sub>10</sub>	1
196	Sri Ganganagar	Satisfactory	96	PM <sub>10</sub>	1
197	Srinagar	Satisfactory	70	PM <sub>10</sub>	1
198	Suakati	Satisfactory	78	PM <sub>10</sub>	1
199	Surat	Moderate	147	PM <sub>10</sub>	1
200	Talcher	Satisfactory	61	PM <sub>10</sub>	1
201	Tensa	Good	49	PM <sub>10</sub>	1
202	Thane	Satisfactory	60	PM <sub>10</sub>	2
203	Thiruvananthapuram	Satisfactory	53	PM <sub>10</sub>	1
204	Thoothukudi	Satisfactory	85	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar,

Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Emakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thrissur	Satisfactory	59	PM <sub>10</sub>	1
206	Tirupati	Moderate	112	PM <sub>2.5</sub> , PM <sub>10</sub>	2
207	Tirupur	Satisfactory	67	PM <sub>10</sub>	1
208	Tonk	Moderate	154	PM <sub>10</sub>	1
209	Tumakuru	Satisfactory	99	CO	1
210	Udaipur	Moderate	102	PM <sub>10</sub>	1
211	Ujjain	Moderate	179	CO	1
212	Ulhasnagar	Satisfactory	62	PM <sub>10</sub>	1
213	Vapi	Satisfactory	83	CO	1
214	Varanasi	Good	47	O <sub>3</sub> , PM <sub>10</sub>	4
215	Vatva	Moderate	105	PM <sub>10</sub>	1
216	Vijayapura	Good	46	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Gangtok, Hassan, Hisar, Hosur, Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 17, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vijayawada	Good	48	PM <sub>10</sub>	1
218	Visakhapatnam	Satisfactory	77	PM <sub>2.5</sub>	1
219	Vrindavan	Good	41	PM <sub>10</sub>	1
220	Yadgir	Good	38	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Amritsar, Ariyalur, Baripada, Begusarai, Bettiah, Bhillwara, Boisar,

Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore,

Darbhanga, Dindigul, Eloor, Emakulam, Gangtok, Hassan, Hisar, Hosur,

Imphal, Jind, Jorapokhar, Kadapa, Koppal, Kozhikode, Kurukshetra, Malegaon,

Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Palkalaiperur,

Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Satna, Tumidih, Udupi,

Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used

to indicate air quality. Air quality may show variations across locations,

and averaging is not a scientifically sound approach. However, for the sake

of simplicity this method is being followed. For AQI of monitoring locations,

website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of

this data in research publication or any other form of publication shall duly

acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases