

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	255	PM _{2.5}	2
2	Agra	Satisfactory	98	PM ₁₀	6
3	Ahmedabad	Moderate	188	PM _{2.5} , NO ₂	7
4	Aizawl	Moderate	129	PM ₁₀	1
5	Ajmer	Moderate	101	PM ₁₀	1
6	Alwar	Satisfactory	85	PM ₁₀	1
7	Amaravati	Satisfactory	85	PM ₁₀	1
8	Ambala	Moderate	160	PM _{2.5}	1
9	Amritsar	Satisfactory	77	PM _{2.5}	1
10	Anantapur	Satisfactory	51	PM ₁₀	1
11	Ankleshwar	Satisfactory	77	PM ₁₀	1
12	Araria	Very Poor	346	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	72	NO ₂	1
14	Arrah	Poor	259	PM _{2.5}	1
15	Asansol	Poor	229	PM _{2.5}	1
16	Aurangabad (Bihar)	Moderate	158	PM _{2.5}	1
17	Aurangabad (Maharashtra)	Moderate	124	PM ₁₀	1
18	Baddi	Satisfactory	98	03	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Baghpat	Poor	250	PM _{2.5}	1
21	Bahadurgarh	Moderate	187	PM _{2.5}	1
22	Ballabgarh	Satisfactory	96	PM ₁₀	1
23	Bareilly	Satisfactory	94	PM ₁₀	2
24	Baripada	Moderate	181	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	192	03	1
26	Bathinda	Moderate	141	PM ₁₀	1
27	Begusarai	Very Poor	321	PM _{2.5}	1
28	Belgaum	Moderate	137	PM ₁₀	1
29	Bengaluru	Satisfactory	87	PM _{2.5} , PM ₁₀	11
30	Bettiah	Very Poor	319	PM _{2.5}	1
31	Bhagalpur	Poor	245	PM _{2.5}	2
32	Bharatpur	Moderate	198	PM ₁₀	1
33	Bhilai	Satisfactory	88	PM ₁₀	2
34	Bhiwadi	Poor	254	PM ₁₀	1
35	Bhiwani	Moderate	190	PM _{2.5}	1
36	Bhopal	Moderate	103	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bidar	Satisfactory	68	PM ₁₀	1
38	Bihar Sharif	Satisfactory	93	PM ₁₀	1
39	Bikaner	Poor	237	PM ₁₀	1
40	Bilaspur	Satisfactory	92	PM ₁₀	1
41	Bileipada	Very Poor	384	PM ₁₀	1
42	Brajrajnagar	Satisfactory	94	со	1
43	Bulandshahr	Poor	204	03	1
44	Byrnihat	Very Poor	349	PM _{2.5}	1
45	Chamarajanagar	Good	47	PM ₁₀	1
46	Chandigarh	Moderate	139	PM _{2.5} , PM ₁₀	3
47	Chandrapur	Poor	219	PM _{2.5}	1
48	Charkhi Dadri	Poor	240	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	90	PM _{2.5} , PM ₁₀	8
50	Chhal	Moderate	114	PM _{2.5}	1
51	Chhapra	Poor	251	PM _{2.5}	1
52	Chikkaballapur	Satisfactory	91	PM _{2.5}	1
53	Chikkamagaluru	Satisfactory	77	PM ₁₀	1
54	Chittoor	Moderate	184	03	1
55	Chittorgarh	Moderate	198	03	1
56	Churu	Moderate	125	PM ₁₀	1
57	Coimbatore	Moderate	162	PM _{2.5}	1
58	Cuddalore	Satisfactory	80	NO ₂	2
59	Damoh	Good	41	PM ₁₀	1
60	Dausa	Moderate	133	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Davanagere	Satisfactory	79	PM ₁₀	1
62	Dehradun	Satisfactory	96	PM ₁₀	1
63	Delhi	Poor	219	PM _{2.5}	38
64	Dhanbad	Poor	209	PM _{2.5}	1
65	Dharuhera	Poor	241	PM ₁₀	1
66	Dholpur	Moderate	166	PM _{2.5}	1
67	Dindigul	Good	44	SO ₂	1
68	Durgapur	Moderate	172	PM _{2.5}	1
69	Eloor	Satisfactory	94	PM ₁₀	1
70	Faridabad	Moderate	178	PM ₁₀	3
71	Fatehabad	Moderate	182	PM _{2.5}	1
72	Firozabad	Moderate	108	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gadag	Satisfactory	55	03	1
74	Gandhinagar	Moderate	117	PM _{2.5} , PM ₁₀	3
75	Gangtok	Satisfactory	63	03	1
76	Gaya	Moderate	185	O ₃ , PM _{2.5}	3
77	Ghaziabad	Moderate	190	PM _{2.5} , PM ₁₀	4
78	Gorakhpur	Moderate	154	PM _{2.5}	1
79	Greater Noida	Moderate	184	PM ₁₀	2
80	Gummidipoondi	Moderate	128	PM _{2.5}	1
81	Gurugram	Poor	221	PM _{2.5}	3
82	Guwahati	Poor	258	PM _{2.5}	4
83	Gwalior	Moderate	197	PM ₁₀ , PM _{2.5}	3
84	Hajipur	Poor	231	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haldia	Moderate	105	PM ₁₀	1
86	Hapur	Satisfactory	95	O ₃	1
87	Hassan	Moderate	190	PM _{2.5}	1
88	Haveri	Moderate	104	PM _{2.5}	1
89	Hosur	Moderate	123	PM _{2.5}	1
90	Howrah	Moderate	139	PM _{2.5} , PM ₁₀	2
91	Hubballi	Moderate	102	PM ₁₀	2
92	Hyderabad	Satisfactory	93	PM ₁₀	13
93	Imphal	Moderate	167	PM _{2.5} , SO ₂	2
94	Indore	Moderate	151	PM ₁₀	2
95	Jabalpur	Moderate	161	PM ₁₀	1
96	Jaipur	Moderate	124	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Satisfactory	93	PM ₁₀	1
98	Jhalawar	Moderate	167	O ₃	1
99	Jhansi	Satisfactory	91	PM ₁₀	1
100	Jhunjhunu	Moderate	162	03	1
101	Jind	Moderate	111	PM _{2.5}	1
102	Jodhpur	Poor	204	PM ₁₀	3
103	Jorapokhar	Moderate	170	PM ₁₀	1
104	Kadapa	Satisfactory	82	PM _{2.5}	1
105	Kaithal	Moderate	121	PM _{2.5}	1
106	Kalaburgi	Satisfactory	70	PM ₁₀	2
107	Kalyan	Poor	213	PM _{2.5}	1
108	Kanchipuram	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kanpur	Moderate	172	PM _{2.5}	3
110	Karauli	Satisfactory	57	O ₃	1
111	Karnal	Satisfactory	91	PM ₁₀	1
112	Kashipur	Moderate	120	PM ₁₀	1
113	Katihar	Poor	297	PM _{2.5}	1
114	Katni	Poor	208	PM ₁₀	1
115	Keonjhar	Poor	232	PM _{2.5}	1
116	Khanna	Satisfactory	83	PM ₁₀	1
117	Khurja	Moderate	159	PM _{2.5}	1
118	Kishanganj	Poor	239	PM ₁₀	1
119	Kochi	Moderate	125	PM _{2.5}	1
120	Kohima	Poor	220	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolkata	Moderate	119	PM _{2.5}	7
122	Kollam	Satisfactory	100	PM ₁₀	1
123	Koppal	Satisfactory	69	03	1
124	Korba	Moderate	114	PM ₁₀ , PM _{2.5}	2
125	Kota	Moderate	175	PM _{2.5}	3
126	Kozhikode	Satisfactory	75	PM _{2.5}	1
127	Kunjemura	Moderate	104	PM ₁₀	1
128	Kurukshetra	Moderate	139	PM _{2.5}	1
129	Lucknow	Moderate	154	PM _{2.5}	6
130	Ludhiana	Moderate	133	PM ₁₀	1
131	Madikeri	Good	45	PM _{2.5}	1
132	Maihar	Good	46	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandi Gobindgarh	Poor	230	PM _{2.5}	1
134	Mandideep	Moderate	198	PM ₁₀	1
135	Mandikhera	Moderate	114	PM ₁₀	1
136	Manesar	Poor	236	PM _{2.5}	1
137	Mangalore	Moderate	178	PM _{2.5}	1
138	Manguraha	Poor	250	PM _{2.5}	1
139	Meerut	Poor	207	PM _{2.5}	2
140	Milupara	Satisfactory	58	PM _{2.5}	1
141	Moradabad	Moderate	107	PM _{2.5} , PM ₁₀	6
142	Motihari	Moderate	169	PM ₁₀	1
143	Mumbai	Moderate	199	NO ₂ , PM _{2.5}	17
144	Munger	Poor	251	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarnagar	Poor	238	PM _{2.5}	1
146	Muzaffarpur	Poor	248	PM _{2.5}	3
147	Mysuru	Satisfactory	70	O ₃	1
148	Nagaon	Poor	267	PM _{2.5}	1
149	Nagpur	Moderate	137	PM _{2.5}	1
150	Naharlagun	Good	50	PM ₁₀	1
151	Nalbari	Poor	271	PM _{2.5}	1
152	Nandesari	Good	35	СО	1
153	Narnaul	Moderate	160	PM _{2.5}	1
154	Nashik	Moderate	118	PM _{2.5}	1
155	Navi Mumbai	Poor	230	PM _{2.5}	2
156	Nayagarh	Very Poor	322	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Noida	Moderate	173	PM _{2.5}	4
158	Ooty	Moderate	110	PM _{2.5}	1
159	Pali	Satisfactory	82	PM ₁₀	1
160	Palwal	Satisfactory	95	PM ₁₀	1
161	Panchkula	Moderate	122	PM _{2.5}	1
162	Panipat	Moderate	124	PM ₁₀	1
163	Patiala	Moderate	113	PM ₁₀	1
164	Patna	Poor	268	PM _{2.5}	6
165	Pithampur	Moderate	110	PM ₁₀	1
166	Pratapgarh	Satisfactory	97	O ₃	1
167	Prayagraj	Moderate	153	O ₃ , PM ₁₀	3
168	Puducherry	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pune	Moderate	130	PM _{2.5} , PM ₁₀	3
170	Purnia	Moderate	195	PM _{2.5}	1
171	Raichur	Moderate	101	PM ₁₀	1
172	Raipur	Moderate	114	NO ₂ , PM ₁₀	4
173	Rairangpur	Poor	235	PM _{2.5}	1
174	Rajamahendravaram	Moderate	194	PM _{2.5}	1
175	Rajsamand	Satisfactory	70	PM ₁₀	1
176	Ramanagara	Satisfactory	71	PM ₁₀	1
177	Ramanathapuram	Satisfactory	60	PM ₁₀	1
178	Ratlam	Moderate	111	PM ₁₀	1
179	Rishikesh	Satisfactory	85	PM ₁₀	1
180	Rohtak	Satisfactory	95	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rourkela	Very Poor	309	PM _{2.5}	3
182	Rupnagar	Satisfactory	94	PM ₁₀	1
183	Sagar	Moderate	102	O ₃	1
184	Saharsa	Poor	260	PM _{2.5}	1
185	Salem	Satisfactory	81	SO ₂	1
186	Samastipur	Poor	286	PM _{2.5}	1
187	Sasaram	Moderate	144	PM _{2.5}	1
188	Satna	Satisfactory	72	O ₃	1
189	Sawai Madhopur	Moderate	153	PM ₁₀	1
190	Shillong	Poor	217	PM _{2.5}	1
191	Shivamogga	Satisfactory	57	03	1
192	Sikar	Moderate	184	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Silchar	Satisfactory	78	PM ₁₀	1
194	Siliguri	Moderate	112	PM ₁₀	1
195	Singrauli	Moderate	169	PM _{2.5}	1
196	Sirsa	Moderate	126	PM ₁₀	1
197	Sivasagar	Satisfactory	73	PM ₁₀	1
198	Siwan	Poor	285	PM _{2.5}	1
199	Solapur	Moderate	135	PM ₁₀	1
200	Sonipat	Moderate	101	PM _{2.5}	1
201	Sri Ganganagar	Poor	223	PM _{2.5}	1
202	Srinagar	Satisfactory	61	PM ₁₀	1
203	Suakati	Poor	256	PM _{2.5}	1
204	Surat	Moderate	131	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Talcher	Moderate	181	PM _{2.5}	1
206	Tensa	Very Poor	337	PM _{2.5}	1
207	Thane	Poor	221	PM ₁₀	1
208	Thiruvananthapuram	Satisfactory	66	PM ₁₀ , PM _{2.5}	2
209	Thoothukudi	Satisfactory	61	PM ₁₀	1
210	Thrissur	Moderate	123	PM _{2.5}	1
211	Tirupati	Satisfactory	69	NO ₂	1
212	Tirupur	Satisfactory	89	PM ₁₀	1
213	Tonk	Moderate	181	PM ₁₀	1
214	Tumidih	Moderate	171	O ₃	1
215	Udaipur	Moderate	104	PM ₁₀	1
216	Varanasi	Moderate	101	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vatva	Poor	201	PM _{2.5}	1
218	Vijayapura	Good	42	PM ₁₀	1
219	Vijayawada	Moderate	184	PM _{2.5}	1
220	Visakhapatnam	Poor	215	PM _{2.5}	1
221	Vrindavan	Moderate	151	PM ₁₀	1
222	Yadgir	Satisfactory	68	PM ₁₀	1
223	Yamunanagar	Moderate	145	PM ₁₀	1
224	vellore	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Buxar, Chengalpattu, Darbhanga, Dewas, Dharwad, Ernakulam, Hanumangarh, Hisar, Kannur, Kolar, Rajgir, Sirohi, Tumakuru, Udupi, Ujjain, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.