

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	274	PM _{2.5}	1
2	Agra	Moderate	155	PM _{2.5}	1
3	Ahmedabad	Very Poor	308	PM ₁₀	1
4	Aizawl	Moderate	154	PM ₁₀	1
5	Ajmer	Satisfactory	66	03	1
6	Alwar	Satisfactory	91	PM ₁₀	1
7	Amaravati	Satisfactory	73	PM ₁₀	1
8	Ambala	Moderate	110	PM ₁₀	1
9	Amritsar	Moderate	108	PM ₁₀	1
10	Ankleshwar	Moderate	197	03	1
11	Asansol	Moderate	200	PM ₁₀	1
12	Aurangabad	Satisfactory	83	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Fatehabad, Gadag, Jorapokhar, Kohima, Maihar, Muzaffarnagar, Mysuru, Nagpur, Palwal, Panchkula, Rohtak, Sonipat, Thane as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	59	PM ₁₀	1
14	Baghpat	Moderate	178	PM ₁₀	1
15	Ballabgarh	Poor	201	PM _{2.5}	1
16	Bathinda	Moderate	174	PM ₁₀	1
17	Bengaluru	Satisfactory	90	PM _{2.5} , O ₃ , PM ₁₀	8
18	Bhiwadi	Poor	288	PM _{2.5}	1
19	Bhopal	Moderate	117	03	1
20	Bidar	Moderate	106	PM ₁₀	1
21	Brajrajnagar	Satisfactory	69	PM ₁₀	1
22	Bulandshahr	Poor	249	PM ₁₀	1
23	Chandigarh	Moderate	133	PM ₁₀	1
24	Chandrapur	Satisfactory	100	PM _{2.5} , PM ₁₀	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Fatehabad, Gadag, Jorapokhar, Kohima, Maihar, Muzaffarnagar, Mysuru, Nagpur, Palwal, Panchkula, Rohtak, Sonipat, Thane as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	131	PM ₁₀	1
26	Chennai	Satisfactory	98	PM ₁₀ , CO	6
27	Chikkamagaluru	Moderate	114	PM _{2.5}	1
28	Damoh	Good	35	PM _{2.5}	1
29	Delhi	Poor	234	PM _{2.5} , PM ₁₀	31
30	Dewas	Satisfactory	94	03	1
31	Dharuhera	Poor	206	PM ₁₀	1
32	Durgapur	Poor	266	PM _{2.5}	1
33	Eloor	Satisfactory	57	PM ₁₀	1
34	Faridabad	Poor	296	PM ₁₀	3
35	Gandhinagar	Moderate	127	PM ₁₀	1
36	Gaya	Moderate	132	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Fatehabad, Gadag, Jorapokhar, Kohima, Maihar, Muzaffarnagar, Mysuru, Nagpur, Palwal, Panchkula, Rohtak, Sonipat, Thane as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Poor	249	PM ₁₀ , PM _{2.5}	4
38	Greater Noida	Poor	259	PM ₁₀	1
39	Gummidipoondi	Moderate	170	PM _{2.5}	1
40	Gurugram	Poor	223	PM _{2.5}	3
41	Guwahati	Very Poor	340	PM ₁₀	2
42	Gwalior	Satisfactory	79	03	1
43	Hajipur	Poor	279	PM ₁₀	1
44	Haldia	Moderate	136	PM ₁₀	1
45	Hapur	Moderate	180	PM ₁₀	1
46	Hisar	Moderate	175	PM _{2.5}	1
47	Howrah	Poor	273	PM ₁₀ , PM _{2.5}	3
48	Hubballi	Moderate	130	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Fatehabad, Gadag, Jorapokhar, Kohima, Maihar, Muzaffarnagar, Mysuru, Nagpur, Palwal, Panchkula, Rohtak, Sonipat, Thane as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	112	PM ₁₀ , PM _{2.5}	6
50	Indore	Satisfactory	95	PM ₁₀	1
51	Jabalpur	Satisfactory	80	PM ₁₀	1
52	Jaipur	Satisfactory	98	PM _{2.5} , PM ₁₀	2
53	Jalandhar	Moderate	182	PM ₁₀	1
54	Jind	Moderate	179	PM _{2.5}	1
55	Jodhpur	Poor	208	PM _{2.5}	1
56	Kaithal	Moderate	123	PM ₁₀	1
57	Kalaburgi	Satisfactory	95	PM ₁₀	1
58	Kalyan	Moderate	184	PM ₁₀	1
59	Kannur	Moderate	120	PM ₁₀	1
60	Kanpur	Moderate	156	PM _{2.5}	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Fatehabad, Gadag, Jorapokhar, Kohima, Maihar, Muzaffarnagar, Mysuru, Nagpur, Palwal, Panchkula, Rohtak, Sonipat, Thane as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Moderate	101	PM ₁₀	1
62	Katni	Satisfactory	97	PM ₁₀	1
63	Khanna	Moderate	121	PM ₁₀	1
64	Kochi	Satisfactory	79	PM ₁₀	1
65	Kolar	Satisfactory	73	03	1
66	Kolkata	Poor	244	PM _{2.5} , PM ₁₀	7
67	Kollam	Moderate	112	PM _{2.5}	1
68	Koppal	Moderate	115	PM ₁₀	1
69	Kota	Moderate	110	PM ₁₀	1
70	Kozhikode	Satisfactory	74	PM ₁₀	1
71	Kurukshetra	Moderate	134	PM ₁₀	1
72	Lucknow	Poor	234	PM ₁₀ , PM _{2.5}	4

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Fatehabad, Gadag, Jorapokhar, Kohima, Maihar, Muzaffarnagar, Mysuru, Nagpur, Palwal, Panchkula, Rohtak, Sonipat, Thane as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Moderate	113	PM ₁₀	1
74	Mandi Gobindgarh	Moderate	176	PM ₁₀	1
75	Mandideep	Good	41	O ₃	1
76	Mandikhera	Satisfactory	89	PM _{2.5}	1
77	Manesar	Poor	217	PM _{2.5}	1
78	Manglore	Moderate	108	PM ₁₀	1
79	Medikeri	Satisfactory	72	PM ₁₀	1
80	Meerut	Poor	204	PM ₁₀	2
81	Moradabad	Poor	213	PM ₁₀	1
82	Mumbai	Moderate	161	PM _{2.5} , PM ₁₀	19
83	Muzaffarpur	Very Poor	305	PM _{2.5}	1
84	Nandesari	Moderate	122	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Fatehabad, Gadag, Jorapokhar, Kohima, Maihar, Muzaffarnagar, Mysuru, Nagpur, Palwal, Panchkula, Rohtak, Sonipat, Thane as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Poor	234	PM ₁₀	1
86	Nashik	Satisfactory	91	PM ₁₀	1
87	Navi Mumbai	Moderate	163	PM ₁₀	3
88	Noida	Poor	227	PM ₁₀	3
89	Pali	Moderate	126	PM ₁₀	1
90	Panipat	Moderate	146	PM ₁₀	1
91	Patiala	Moderate	114	PM ₁₀	1
92	Patna	Poor	265	PM ₁₀ , PM _{2.5}	5
93	Pithampur	Moderate	112	03	1
94	Puducherry	Satisfactory	83	PM _{2.5}	1
95	Pune	Satisfactory	95	PM _{2.5}	6
96	Raichur	Moderate	135	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Fatehabad, Gadag, Jorapokhar, Kohima, Maihar, Muzaffarnagar, Mysuru, Nagpur, Palwal, Panchkula, Rohtak, Sonipat, Thane as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Moderate	107	PM ₁₀	1
98	Ramanagara	Satisfactory	95	03	1
99	Ratlam	Moderate	114	PM ₁₀	1
100	Rupnagar	Satisfactory	84	PM ₁₀	1
101	Sagar	Good	37	PM _{2.5}	1
102	Satna	Satisfactory	68	PM ₁₀	1
103	Shillong	Good	49	O ₃	1
104	Shivamogga	Satisfactory	59	03	1
105	Siliguri	Very Poor	349	PM _{2.5}	1
106	Singrauli	Poor	235	PM _{2.5}	1
107	Sirsa	Moderate	110	PM ₁₀	1
108	Solapur	Moderate	168	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Fatehabad, Gadag, Jorapokhar, Kohima, Maihar, Muzaffarnagar, Mysuru, Nagpur, Palwal, Panchkula, Rohtak, Sonipat, Thane as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Srinagar	Satisfactory	92	PM ₁₀	1
110	Talcher	Moderate	125	PM _{2.5}	1
111	Thiruvananthapuram	Satisfactory	84	PM ₁₀	2
112	Thoothukudi	Satisfactory	88	PM ₁₀	1
113	Thrissur	Satisfactory	90	PM ₁₀	1
114	Tirupati	Satisfactory	80	PM ₁₀	1
115	Udaipur	Moderate	163	PM ₁₀	1
116	Udupi	Satisfactory	68	03	1
117	Ujjain	Moderate	172	03	1
118	Vapi	Moderate	141	PM ₁₀	1
119	Varanasi	Poor	228	PM ₁₀	1
120	Vatva	Very Poor	306	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Fatehabad, Gadag, Jorapokhar, Kohima, Maihar, Muzaffarnagar, Mysuru, Nagpur, Palwal, Panchkula, Rohtak, Sonipat, Thane as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vijayapura	Satisfactory	55	PM _{2.5}	1
122	Visakhapatnam	Moderate	130	PM ₁₀	1
123	Yadgir	Satisfactory	94	O ₃	1
124	Yamunanagar	Moderate	177	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Chamarajanagar, Chikkaballapur, Coimbatore, Davanagere, Ernakulam, Fatehabad, Gadag, Jorapokhar, Kohima, Maihar, Muzaffarnagar, Mysuru, Nagpur, Palwal, Panchkula, Rohtak, Sonipat, Thane as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.