Air Quality Index on Jan 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	183	$PM_{2.5}$	1
2	Ahmedabad	Satisfactory	83	PM_{10}	1
3	Ajmer	Satisfactory	75	$PM_{2.5}$	1
4	Amaravati	Satisfactory	59	$PM_{2.5}$	1
5	Ambala	Moderate	153	O_3	1
6	Amritsar	Moderate	106	$PM_{2.5}$	1
7	Ankleshwar	Moderate	128	$PM_{2.5}$	1
8	Asanol	Poor	215	$PM_{2.5}$	1
9	Aurangabad	Satisfactory	99	PM_{10}	1
10	Bahadurgarh	Moderate	103	$PM_{2.5}$	1
11	Bathinda	Satisfactory	93	CO	1
12	Bengaluru	Satisfactory	62	CO, PM_{10}, $PM_{2.5}$	9

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Maihar, Moradabad, Palwal, Siliguri as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Poor	252	$PM_{2.5}$	1
14	Bhiwani	Moderate	135	$PM_{2.5}$	1
15	Bhopal	Moderate	140	$PM_{2.5}$	1
16	Brajrajnagar	Poor	208	$PM_{2.5}$	1
17	Chandigarh	Moderate	101	PM_{10}	1
18	Chandrapur	Satisfactory	78	PM_{10}	1
19	Chennai	Satisfactory	73	$PM_{2.5}$, CO	3
20	Chikkaballapur	Good	49	PM_{10}	1
21	Coimbatore	Satisfactory	70	NO_2	1
22	Damoh	Satisfactory	75	$PM_{2.5}$	1
23	Delhi	Poor	277	$PM_{2.5}$	33
24	Dewas	Moderate	110	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Maihar, Moradabad, Palwal, Siliguri as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Moderate	186	PM_{10}	1
26	Eloor	Moderate	105	PM_{10}	1
27	Faridabad	Very Poor	301	$PM_{2.5}$	1
28	Fatehabad	Satisfactory	78	PM_{10}	1
29	GandhiNagar	Satisfactory	78	PM_{10}	1
30	Gaya	Moderate	163	$PM_{2.5}$	1
31	Ghaziabad	Very Poor	331	$PM_{2.5}$	3
32	Greater_Noida	Very Poor	335	$PM_{2.5}$	1
33	Gurugram	Moderate	175	$PM_{2.5}$	1
34	Guwahati	Very Poor	312	$PM_{2.5}$	1
35	Haldia	Moderate	106	PM_{10}	1
36	Hisar	Moderate	162	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Maihar, Moradabad, Palwal, Siliguri as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Howrah	Poor	209	PM_{10}, $PM_{2.5}$	3
38	Hubballi	Satisfactory	91	PM_{10}	1
39	Hyderabad	Satisfactory	75	$PM_{2.5}$, PM_{10}	4
40	Indore	Moderate	124	$PM_{2.5}$	1
41	Jabalpur	Moderate	165	$PM_{2.5}$	1
42	Jaipur	Moderate	120	$PM_{2.5}$, PM_{10}	2
43	Jalandhar	Moderate	106	$PM_{2.5}$	1
44	Jind	Moderate	175	$PM_{2.5}$	1
45	Jodhpur	Moderate	110	$PM_{2.5}$	1
46	Jorapokhar	Moderate	142	PM_{10}	1
47	Kaithal	Satisfactory	93	PM_{10}	1
48	Kalaburagi	Moderate	111	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Maihar, Moradabad, Palwal, Siliguri as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalyan	Moderate	191	PM_{10}	1
50	Kanpur	Moderate	151	$PM_{2.5}$	1
51	Karnal	Moderate	132	$PM_{2.5}$	1
52	Katni	Moderate	144	$PM_{2.5}$	1
53	Khanna	Moderate	130	$PM_{2.5}$	1
54	Kolkata	Moderate	181	$PM_{2.5}$	7
55	Kota	Satisfactory	74	$PM_{2.5}$	1
56	Kurukshetra	Moderate	117	$PM_{2.5}$	1
57	Lucknow	Moderate	140	$PM_{2.5}$, NO_2	4
58	Ludhiana	Satisfactory	70	PM_{10}	1
59	Mandi Gobindgarh	Moderate	166	$PM_{2.5}$	1
60	Mandideep	Satisfactory	78	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Maihar, Moradabad, Palwal, Siliguri as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandikhera	Poor	206	$PM_{2.5}$	1
62	Manesar	Moderate	131	$PM_{2.5}$	1
63	Meerut	Moderate	192	$PM_{2.5}$, PM_{10}	3
64	Mumbai	Poor	210	PM_{10}, $PM_{2.5}$	7
65	Muzaffarpur	Poor	258	$PM_{2.5}$	1
66	Mysuru	Good	37	O_3	1
67	Nagpur	Moderate	102	$PM_{2.5}$	1
68	Narnaul	Satisfactory	86	PM_{10}	1
69	Nashik	Moderate	159	$PM_{2.5}$	1
70	Navi Mumbai	Moderate	142	$PM_{2.5}$, CO	2
71	Noida	Very Poor	326	$PM_{2.5}$	4
72	Pali	Satisfactory	84	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Maihar, Moradabad, Palwal, Siliguri as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Panchkula	Moderate	121	$PM_{2.5}$	1
74	Panipat	Poor	229	PM_{10}	1
75	Patiala	Satisfactory	84	PM_{10}	1
76	Patna	Poor	210	$PM_{2.5}$	3
77	Pithampur	Moderate	126	$PM_{2.5}$	1
78	Pune	Poor	202	$PM_{2.5}$	1
79	Rajamahendravaram	Satisfactory	70	$PM_{2.5}$	1
80	Ramanagara	Good	27	SO_2	1
81	Ratlam	Moderate	111	PM_{10}	1
82	Rohtak	Moderate	167	$PM_{2.5}$	1
83	Rupnagar	Satisfactory	81	PM_{10}	1
84	Satna	Good	43	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Maihar, Moradabad, Palwal, Siliguri as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Shillong	Satisfactory	64	O_3	1
86	Singrauli	Poor	256	$PM_{2.5}$	1
87	Sirsa	Satisfactory	84	PM_{10}	1
88	Solapur	Moderate	136	PM_{10}	1
89	Sonipat	Moderate	125	CO	1
90	Talcher	Poor	295	$PM_{2.5}$	1
91	Thane	Satisfactory	79	PM_{10}	1
92	Thiruvananthapuram	Satisfactory	55	PM_{10}	1
93	Tirupati	Good	36	PM_{10}	1
94	Udaipur	Satisfactory	80	PM_{10}	1
95	Ujjain	Moderate	127	$PM_{2.5}$	1
96	Vapi	Poor	247	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Maihar, Moradabad, Palwal, Siliguri as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 19, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Varanasi	Moderate	150	$PM_{2.5}$	1
98	Vatva	Moderate	149	PM_{10}	1
99	Visakhapatnam	Satisfactory	93	PM_{10}	1
100	Yadgir	Satisfactory	56	PM_{10}	1
101	Yamunanagar	Moderate	117	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Maihar, Moradabad, Palwal, Siliguri as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.