



Air Quality Index on Feb 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	202	PM _{2.5}	1
2	Agra	Moderate	154	PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Moderate	188	PM _{2.5} , PM ₁₀	7
4	Aizawl	Satisfactory	79	PM ₁₀	1
5	Alwar	Moderate	117	PM ₁₀	1
6	Ambala	Moderate	164	PM _{2.5}	1
7	Amritsar	Satisfactory	77	PM ₁₀	1
8	Ankleshwar	Moderate	178	PM _{2.5}	1
9	Arrah	Moderate	145	PM _{2.5}	1
10	Aurangabad	Moderate	122	PM _{2.5}	1
11	Bagalkot	Good	50	PM _{2.5}	1
12	Bahadurgarh	Very Poor	324	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Araria, Asansol, Baghpat, Bhilai, Bhiwani, Buxar, Chamarajanagar, Chikkaballapur, Darbhanga, Davanagere, Gorakhpur, Hajipur, Haldia, Hapur, Indore, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Koppal, Maihar, Mandi Gobindgarh, Naharlagun, Nandesari, Panipat, Rajgir, Ratlam, Rohtak, Rupnagar, Shillong, Singrauli, Solapur, Thrissur, Udaipur, Vijayapura, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	170	PM _{2.5}	1
14	Bathinda	Moderate	110	PM ₁₀	1
15	Bengaluru	Satisfactory	69	CO, PM ₁₀ , PM _{2.5}	9
16	Bettiah	Poor	204	PM _{2.5}	1
17	Bhagalpur	Poor	262	PM ₁₀ , CO	2
18	Bhiwadi	Very Poor	302	PM _{2.5}	1
19	Bhopal	Moderate	132	PM ₁₀	1
20	Bidar	Satisfactory	81	PM ₁₀	1
21	Bihar Sharif	Moderate	131	PM _{2.5}	1
22	Bilaspur	Satisfactory	52	PM ₁₀	1
23	Brajrajnagar	Satisfactory	90	PM ₁₀	1
24	Bulandshahr	Poor	295	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Araria, Asansol, Baghpat, Bhilai, Bhiwani, Buxar, Chamarajanagar, Chikkaballapur, Darbhanga, Davanagere, Gorakhpur, Hajipur, Haldia, Hapur, Indore, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Koppal, Maihar, Mandi Gobindgarh, Naharlagun, Nandesari, Panipat, Rajgir, Ratlam, Rohtak, Rupnagar, Shillong, Singrauli, Solapur, Thrissur, Udaipur, Vijayapura, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	140	PM _{2.5} , PM ₁₀	2
26	Chandrapur	Moderate	146	O ₃ , PM ₁₀	2
27	Charkhi Dadri	Very Poor	323	PM _{2.5}	1
28	Chennai	Satisfactory	58	PM ₁₀ , CO	4
29	Chhapra	Poor	279	PM _{2.5}	1
30	Chikkamagaluru	Satisfactory	53	PM ₁₀	1
31	Coimbatore	Satisfactory	59	PM _{2.5}	1
32	Damoh	Satisfactory	78	PM _{2.5}	1
33	Delhi	Very Poor	307	PM _{2.5}	32
34	Dewas	Moderate	164	PM ₁₀	1
35	Dharuhera	Poor	280	PM _{2.5}	1
36	Durgapur	Poor	261	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Araria, Asansol, Baghpat, Bhilai, Bhiwani, Buxar, Chamarajanagar, Chikkaballapur, Darbhanga, Davanagere, Gorakhpur, Hajipur, Haldia, Hapur, Indore, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Koppal, Maihar, Mandi Gobindgarh, Naharlagun, Nandesari, Panipat, Rajgir, Ratlam, Rohtak, Rupnagar, Shillong, Singrauli, Solapur, Thrissur, Udaipur, Vijayapura, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Eloor	Satisfactory	76	PM ₁₀	1
38	Ernakulam	Moderate	118	NO ₂	1
39	Faridabad	Very Poor	308	PM _{2.5}	2
40	Fatehabad	Moderate	115	PM ₁₀	1
41	Firozabad	Moderate	146	PM _{2.5}	2
42	Gadag	Satisfactory	54	PM _{2.5}	1
43	Gandhinagar	Poor	211	PM _{2.5} , PM ₁₀	2
44	Gaya	Moderate	200	PM _{2.5} , PM ₁₀	2
45	Ghaziabad	Very Poor	326	PM _{2.5}	4
46	Greater Noida	Poor	244	PM ₁₀	2
47	Gummidipoondi	Good	35	PM ₁₀	1
48	Gurugram	Poor	276	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Araria, Asansol, Baghpat, Bhilai, Bhiwani, Buxar, Chamarajanagar, Chikkaballapur, Darbhanga, Davanagere, Gorakhpur, Hajipur, Haldia, Hapur, Indore, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Koppal, Maihar, Mandi Gobindgarh, Naharlagun, Nandesari, Panipat, Rajgir, Ratlam, Rohtak, Rupnagar, Shillong, Singrauli, Solapur, Thrissur, Udaipur, Vijayapura, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Poor	210	PM _{2.5}	2
50	Gwalior	Poor	218	PM _{2.5}	1
51	Hassan	Satisfactory	70	PM ₁₀	1
52	Hisar	Very Poor	313	PM _{2.5}	1
53	Howrah	Moderate	134	PM ₁₀	2
54	Hubballi	Moderate	111	PM ₁₀	1
55	Hyderabad	Satisfactory	90	PM ₁₀	3
56	Jabalpur	Moderate	116	PM ₁₀	1
57	Jaipur	Poor	248	PM _{2.5}	1
58	Jalandhar	Moderate	123	PM ₁₀	1
59	Jhansi	Moderate	151	PM ₁₀	1
60	Jind	Poor	242	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Araria, Asansol, Baghpat, Bhilai, Bhiwani, Buxar, Chamarajanagar, Chikkaballapur, Darbhanga, Davanagere, Gorakhpur, Hajipur, Haldia, Hapur, Indore, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Koppal, Maihar, Mandi Gobindgarh, Naharlagun, Nandesari, Panipat, Rajgir, Ratlam, Rohtak, Rupnagar, Shillong, Singrauli, Solapur, Thrissur, Udaipur, Vijayapura, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Poor	257	PM _{2.5}	1
62	Kaithal	Poor	220	PM _{2.5}	1
63	Kalyan	Poor	249	PM _{2.5}	1
64	Kannur	Satisfactory	60	PM _{2.5}	1
65	Kanpur	Moderate	150	PM _{2.5}	3
66	Karnal	Moderate	188	PM _{2.5}	1
67	Katihar	Very Poor	308	PM ₁₀	1
68	Katni	Poor	264	PM ₁₀	1
69	Khanna	Moderate	102	PM ₁₀	1
70	Kohima	Moderate	117	PM _{2.5}	1
71	Kolkata	Moderate	141	PM _{2.5} , PM ₁₀	6
72	Kollam	Satisfactory	68	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Araria, Asansol, Baghpat, Bhilai, Bhiwani, Buxar, Chamarajanagar, Chikkaballapur, Darbhanga, Davanagere, Gorakhpur, Hajipur, Haldia, Hapur, Indore, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Koppal, Maihar, Mandi Gobindgarh, Naharlagun, Nandesari, Panipat, Rajgir, Ratlam, Rohtak, Rupnagar, Shillong, Singrauli, Solapur, Thrissur, Udaipur, Vijayapura, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Moderate	190	PM _{2.5}	1
74	Kozhikode	Satisfactory	68	PM ₁₀	1
75	Kurukshetra	Poor	230	PM _{2.5}	1
76	Lucknow	Moderate	135	PM _{2.5} , PM ₁₀	5
77	Ludhiana	Moderate	144	PM ₁₀	1
78	Madikeri	Satisfactory	64	PM ₁₀	1
79	Mandideep	Poor	226	PM ₁₀	1
80	Mandikhera	Satisfactory	99	PM ₁₀	1
81	Manesar	Very Poor	303	PM _{2.5}	1
82	Manglore	Satisfactory	51	CO	1
83	Manguraha	Moderate	103	O ₃	1
84	Meerut	Very Poor	316	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Araria, Asansol, Baghpat, Bhilai, Bhiwani, Buxar, Chamarajanagar, Chikkaballapur, Darbhanga, Davanagere, Gorakhpur, Hajipur, Haldia, Hapur, Indore, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Koppal, Maihar, Mandi Gobindgarh, Naharlagun, Nandesari, Panipat, Rajgir, Ratlam, Rohtak, Rupnagar, Shillong, Singrauli, Solapur, Thrissur, Udaipur, Vijayapura, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Moderate	176	PM _{2.5} , PM ₁₀	3
86	Motihari	Moderate	157	PM _{2.5}	1
87	Mumbai	Moderate	166	PM _{2.5} , O ₃ , PM ₁₀	14
88	Munger	Very Poor	328	PM _{2.5}	1
89	Muzaffarnagar	Very Poor	311	PM _{2.5}	1
90	Muzaffarpur	Moderate	191	PM _{2.5} , PM ₁₀	3
91	Mysuru	Good	50	O ₃	1
92	Nagpur	Satisfactory	85	CO	1
93	Narnaul	Moderate	198	PM _{2.5}	1
94	Nashik	Satisfactory	69	PM ₁₀	1
95	Navi Mumbai	Poor	252	PM ₁₀	3
96	Noida	Poor	294	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Araria, Asansol, Baghpat, Bhilai, Bhiwani, Buxar, Chamarajanagar, Chikkaballapur, Darbhanga, Davanagere, Gorakhpur, Hajipur, Haldia, Hapur, Indore, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Koppal, Maihar, Mandi Gobindgarh, Naharlagun, Nandesari, Panipat, Rajgir, Ratlam, Rohtak, Rupnagar, Shillong, Singrauli, Solapur, Thrissur, Udaipur, Vijayapura, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pali	Moderate	184	PM _{2.5}	1
98	Palwal	Moderate	130	PM ₁₀	1
99	Panchkula	Moderate	124	PM _{2.5}	1
100	Patiala	Moderate	132	PM ₁₀	1
101	Patna	Moderate	164	PM _{2.5} , PM ₁₀	5
102	Pithampur	Satisfactory	71	PM ₁₀	1
103	Prayagraj	Moderate	122	PM ₁₀	2
104	Puducherry	Good	47	PM ₁₀	1
105	Pune	Moderate	164	PM _{2.5}	5
106	Purnia	Moderate	192	PM _{2.5}	1
107	Raichur	Satisfactory	77	PM ₁₀	1
108	Rajamahendravaram	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Araria, Asansol, Baghpat, Bhilai, Bhiwani, Buxar, Chamarajanagar, Chikkaballapur, Darbhanga, Davanagere, Gorakhpur, Hajipur, Haldia, Hapur, Indore, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Koppal, Maihar, Mandi Gobindgarh, Naharlagun, Nandesari, Panipat, Rajgir, Ratlam, Rohtak, Rupnagar, Shillong, Singrauli, Solapur, Thrissur, Udaipur, Vijayapura, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ramanagara	Good	45	PM ₁₀	1
110	Sagar	Moderate	108	PM _{2.5}	1
111	Saharsa	Poor	296	PM _{2.5}	1
112	Sasaram	Poor	261	PM _{2.5}	1
113	Satna	Satisfactory	60	PM ₁₀	1
114	Shivamogga	Satisfactory	71	NO ₂	1
115	Siliguri	Moderate	120	PM _{2.5}	1
116	Sirsa	Moderate	119	PM ₁₀	1
117	Siwan	Poor	221	PM _{2.5}	1
118	Sonipat	Poor	251	PM ₁₀	1
119	Srinagar	Satisfactory	80	PM ₁₀	1
120	Talcher	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Araria, Asansol, Baghpat, Bhilai, Bhiwani, Buxar, Chamarajanagar, Chikkaballapur, Darbhanga, Davanagere, Gorakhpur, Hajipur, Haldia, Hapur, Indore, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Koppal, Maihar, Mandi Gobindgarh, Naharlagun, Nandesari, Panipat, Rajgir, Ratlam, Rohtak, Rupnagar, Shillong, Singrauli, Solapur, Thrissur, Udaipur, Vijayapura, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 24, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thane	Poor	268	O ₃	1
122	Thiruvananthapuram	Good	50	PM ₁₀ , PM _{2.5}	2
123	Thoothukudi	Good	26	PM ₁₀	1
124	Tirupati	Good	48	PM _{2.5}	1
125	Udupi	Good	38	CO	1
126	Ujjain	Moderate	198	PM ₁₀	1
127	Vapi	Moderate	175	PM ₁₀	1
128	Varanasi	Satisfactory	100	PM ₁₀	4
129	Vatva	Poor	206	PM _{2.5}	1
130	Visakhapatnam	Satisfactory	71	PM ₁₀	1
131	Vrindavan	Moderate	160	PM _{2.5}	1
132	Yadgir	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Araria, Asansol, Baghpat, Bhilai, Bhiwani, Buxar, Chamarajanagar, Chikkaballapur, Darbhanga, Davanagere, Gorakhpur, Hajipur, Haldia, Hapur, Indore, Jorapokhar, Kalaburgi, Kishanganj, Kochi, Kolar, Koppal, Maihar, Mandi Gobindgarh, Naharlagun, Nandesari, Panipat, Rajgir, Ratlam, Rohtak, Rupnagar, Shillong, Singrauli, Solapur, Thrissur, Udaipur, Vijayapura, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.