Air Quality Index on Jun 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	29	PM_{10}	1
2	Agra	Good	24	O_3, PM_{10}, $PM_{2.5}$	4
3	Ahmedabad	Satisfactory	56	PM_{10}, CO, $PM_{2.5}$	6
4	Ajmer	Satisfactory	74	PM_{10}	1
5	Alwar	Satisfactory	56	PM_{10}	1
6	Amaravati	Good	37	O_3	1
7	Ambala	Satisfactory	70	PM_{10}	1
8	Amritsar	Satisfactory	69	NO_2	1
9	Ankleshwar	Satisfactory	70	PM_{10}	1
10	Araria	Satisfactory	90	$PM_{2.5}$	1
11	Asansol	Satisfactory	69	NO_2	1
12	Aurangabad (Maharashtra)	Satisfactory	91	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Ballabgarh, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chhapra, Chikkaballapur, Damoh, Darbhanga, Davanagere, Fatehabad, Gadag, Gaya, Gummidipoondi, Gwalior, Hajipur, Hassan, Haveri, Hisar, Hubballi, Jhansi, Jorapokhar, Katihar, Kishanganj, Kochi, Kolar, Koppal, Maihar, Manesar, Manglore, Manguraha, Motihari, Munger, Muzaffarpur, Naharlagun, Panipat, Raichur, Rajgir, Saharsa, Samastipur, Sasaram, Singrauli, Sirsa, Siwan, Solapur, Srinagar, Talcher, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Moderate	143	PM_{10}	1
14	Bagalkot	Satisfactory	58	PM_{10}	1
15	Baghpat	Good	46	$PM_{2.5}$	1
16	Bahadurgarh	Satisfactory	66	PM_{10}	1
17	Bareilly	Satisfactory	90	PM_{10}	1
18	Bengaluru	Good	45	PM_{10}, NO_2	7
19	Bhiwadi	Moderate	116	$PM_{2.5}$	1
20	Bhiwani	Satisfactory	87	O_3	1
21	Bhopal	Good	39	CO	1
22	Bihar Sharif	Satisfactory	70	$PM_{2.5}$	1
23	Bulandshahr	Satisfactory	84	PM_{10}	1
24	Chamarajanagar	Good	35	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Ballabgarh, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chhapra, Chikkaballapur, Damoh, Darbhanga, Davanagere, Fatehabad, Gadag, Gaya, Gummidipoondi, Gwalior, Hajipur, Hassan, Haveri, Hisar, Hubballi, Jhansi, Jorapokhar, Katihar, Kishanganj, Kochi, Kolar, Koppal, Maihar, Manesar, Manglore, Manguraha, Motihari, Munger, Muzaffarpur, Naharlagun, Panipat, Raichur, Rajgir, Saharsa, Samastipur, Sasaram, Singrauli, Sirsa, Siwan, Solapur, Srinagar, Talcher, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Satisfactory	81	PM_{10}, O_3	3
26	Chandrapur	Satisfactory	74	$PM_{2.5}$, CO	2
27	Charkhi Dadri	Satisfactory	53	PM_{10}	1
28	Chennai	Satisfactory	63	O_3, CO, PM_{10}	8
29	Chikkamagaluru	Good	26	PM_{10}	1
30	Coimbatore	Good	27	$PM_{2.5}$	1
31	Dehradun	Good	42	O_3	1
32	Delhi	Satisfactory	99	PM_{10}, $PM_{2.5}$	33
33	Dewas	Good	39	PM_{10}	1
34	Dharuhera	Moderate	118	$PM_{2.5}$	1
35	Durgapur	Moderate	112	PM_{10}	1
36	Eloor	Satisfactory	56	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Ballabgarh, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chhapra, Chikkaballapur, Damoh, Darbhanga, Davanagere, Fatehabad, Gadag, Gaya, Gummidipoondi, Gwalior, Hajipur, Hassan, Haveri, Hisar, Hubballi, Jhansi, Jorapokhar, Katihar, Kishanganj, Kochi, Kolar, Koppal, Maihar, Manesar, Manglore, Manguraha, Motihari, Munger, Muzaffarpur, Naharlagun, Panipat, Raichur, Rajgir, Saharsa, Samastipur, Sasaram, Singrauli, Sirsa, Siwan, Solapur, Srinagar, Talcher, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	32	CO	1
38	Faridabad	Satisfactory	98	PM_{10}	1
39	Firozabad	Satisfactory	56	NO_2, $PM_{2.5}$	2
40	Gandhinagar	Satisfactory	58	PM_{10}	2
41	Gangtok	Good	19	O_3	1
42	Ghaziabad	Moderate	115	$PM_{2.5}$, PM_{10}	4
43	Gorakhpur	Good	45	SO_2	1
44	Greater Noida	Moderate	123	PM_{10}	1
45	Gurugram	Satisfactory	86	PM_{10}, $PM_{2.5}$	4
46	Guwahati	Good	22	CO	1
47	Haldia	Good	39	PM_{10}	1
48	Hapur	Satisfactory	93	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Ballabgarh, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chhapra, Chikkaballapur, Damoh, Darbhanga, Davanagere, Fatehabad, Gadag, Gaya, Gummidipoondi, Gwalior, Hajipur, Hassan, Haveri, Hisar, Hubballi, Jhansi, Jorapokhar, Katihar, Kishanganj, Kochi, Kolar, Koppal, Maihar, Manesar, Manglore, Manguraha, Motihari, Munger, Muzaffarpur, Naharlagun, Panipat, Raichur, Rajgir, Saharsa, Samastipur, Sasaram, Singrauli, Sirsa, Siwan, Solapur, Srinagar, Talcher, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Satisfactory	56	PM_{10}, CO	3
50	Hyderabad	Satisfactory	68	$PM_{2.5}$, CO, PM_{10}	11
51	Imphal	Satisfactory	65	SO_2	2
52	Indore	Satisfactory	76	PM_{10}	1
53	Jabalpur	Good	32	PM_{10}	1
54	Jaipur	Good	46	$PM_{2.5}$, CO	2
55	Jalandhar	Good	38	PM_{10}	1
56	Jind	Satisfactory	57	CO	1
57	Jodhpur	Moderate	103	PM_{10}	1
58	Kaithal	Satisfactory	57	PM_{10}	1
59	Kalaburgi	Good	42	PM_{10}	1
60	Kalyan	Satisfactory	55	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Ballabgarh, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chhapra, Chikkaballapur, Damoh, Darbhanga, Davanagere, Fatehabad, Gadag, Gaya, Gummidipoondi, Gwalior, Hajipur, Hassan, Haveri, Hisar, Hubballi, Jhansi, Jorapokhar, Katihar, Kishanganj, Kochi, Kolar, Koppal, Maihar, Manesar, Manglore, Manguraha, Motihari, Munger, Muzaffarpur, Naharlagun, Panipat, Raichur, Rajgir, Saharsa, Samastipur, Sasaram, Singrauli, Sirsa, Siwan, Solapur, Srinagar, Talcher, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	53	$PM_{2.5}$	1
62	Kanpur	Satisfactory	70	PM_{10}	3
63	Karnal	Good	45	$PM_{2.5}$	1
64	Katni	Good	42	PM_{10}	1
65	Khanna	Satisfactory	58	NO_2	1
66	Khurja	Good	50	$PM_{2.5}$	1
67	Kohima	Good	49	SO_2	1
68	Kolkata	Good	39	PM_{10}, O_3	7
69	Kollam	Satisfactory	52	$PM_{2.5}$	1
70	Kota	Satisfactory	60	PM_{10}	1
71	Kozhikode	Satisfactory	69	PM_{10}	1
72	Kurukshetra	Satisfactory	82	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Ballabgarh, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chhapra, Chikkaballapur, Damoh, Darbhanga, Davanagere, Fatehabad, Gadag, Gaya, Gummidipoondi, Gwalior, Hajipur, Hassan, Haveri, Hisar, Hubballi, Jhansi, Jorapokhar, Katihar, Kishanganj, Kochi, Kolar, Koppal, Maihar, Manesar, Manglore, Manguraha, Motihari, Munger, Muzaffarpur, Naharlagun, Panipat, Raichur, Rajgir, Saharsa, Samastipur, Sasaram, Singrauli, Sirsa, Siwan, Solapur, Srinagar, Talcher, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Satisfactory	86	PM_{10}	6
74	Ludhiana	Satisfactory	61	$PM_{2.5}$	1
75	Madikeri	Good	23	O_3	1
76	Mandi Gobindgarh	Satisfactory	53	PM_{10}	1
77	Mandideep	Satisfactory	61	PM_{10}	1
78	Mandikhera	Good	44	PM_{10}	1
79	Meerut	Satisfactory	81	O_3, PM_{10}	3
80	Moradabad	Satisfactory	71	CO, PM_{10}, $PM_{2.5}$	4
81	Mumbai	Good	45	CO, PM_{10}, NO_2	14
82	Muzaffarnagar	Moderate	108	$PM_{2.5}$	1
83	Mysuru	Good	42	PM_{10}	1
84	Nagpur	Good	41	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Ballabgarh, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chhapra, Chikkaballapur, Damoh, Darbhanga, Davanagere, Fatehabad, Gadag, Gaya, Gummidipoondi, Gwalior, Hajipur, Hassan, Haveri, Hisar, Hubballi, Jhansi, Jorapokhar, Katihar, Kishanganj, Kochi, Kolar, Koppal, Maihar, Manesar, Manglore, Manguraha, Motihari, Munger, Muzaffarpur, Naharlagun, Panipat, Raichur, Rajgir, Saharsa, Samastipur, Sasaram, Singrauli, Sirsa, Siwan, Solapur, Srinagar, Talcher, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Moderate	136	CO	1
86	Narnaul	Good	50	PM_{10}	1
87	Nashik	Good	49	PM_{10}	1
88	Navi Mumbai	Satisfactory	70	CO, PM_{10}	2
89	Noida	Moderate	114	O_3, CO, PM_{10}	4
90	Pali	Moderate	101	$PM_{2.5}$	1
91	Palwal	Satisfactory	58	PM_{10}	1
92	Panchkula	Good	35	$PM_{2.5}$	1
93	Patiala	Good	46	PM_{10}	1
94	Patna	Satisfactory	94	PM_{10}, NO_2	5
95	Pithampur	Moderate	124	PM_{10}	1
96	Prayagraj	Good	50	SO_2, PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Ballabgarh, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chhapra, Chikkaballapur, Damoh, Darbhanga, Davanagere, Fatehabad, Gadag, Gaya, Gummidipoondi, Gwalior, Hajipur, Hassan, Haveri, Hisar, Hubballi, Jhansi, Jorapokhar, Katihar, Kishanganj, Kochi, Kolar, Koppal, Maihar, Manesar, Manglore, Manguraha, Motihari, Munger, Muzaffarpur, Naharlagun, Panipat, Raichur, Rajgir, Saharsa, Samastipur, Sasaram, Singrauli, Sirsa, Siwan, Solapur, Srinagar, Talcher, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Puducherry	Good	32	O_3	1
98	Pune	Satisfactory	76	SO_2, CO, $PM_{2.5}$	4
99	Purnia	Satisfactory	77	$PM_{2.5}$	1
100	Rajamahendravaram	Good	28	PM_{10}	1
101	Ramanagara	Good	30	SO_2	1
102	Ratlam	Good	46	PM_{10}	1
103	Rohtak	Satisfactory	58	NO_2	1
104	Rupnagar	Satisfactory	54	PM_{10}	1
105	Sagar	Satisfactory	53	CO	1
106	Satna	Good	50	PM_{10}	1
107	Shillong	Good	22	PM_{10}	1
108	Shivamogga	Satisfactory	55	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Ballabgarh, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chhapra, Chikkaballapur, Damoh, Darbhanga, Davanagere, Fatehabad, Gadag, Gaya, Gummidipoondi, Gwalior, Hajipur, Hassan, Haveri, Hisar, Hubballi, Jhansi, Jorapokhar, Katihar, Kishanganj, Kochi, Kolar, Koppal, Maihar, Manesar, Manglore, Manguraha, Motihari, Munger, Muzaffarpur, Naharlagun, Panipat, Raichur, Rajgir, Saharsa, Samastipur, Sasaram, Singrauli, Sirsa, Siwan, Solapur, Srinagar, Talcher, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Good	38	PM_{10}	1
110	Sonipat	Satisfactory	72	PM_{10}	1
111	Thane	Satisfactory	72	NO_2	1
112	Thiruvananthapuram	Good	23	CO	1
113	Thoothukudi	Good	27	O_3	1
114	Udaipur	Satisfactory	67	PM_{10}	1
115	Varanasi	Satisfactory	57	O_3, NO_2	3
116	Vatva	Satisfactory	69	PM_{10}	1
117	Vijayapura	Good	44	PM_{10}	1
118	Visakhapatnam	Satisfactory	53	PM_{10}	1
119	Vrindavan	Good	39	SO_2	1
120	Yadgir	Good	31	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Arrah, Aurangabad (Bihar), Ballabgarh, Bathinda, Begusarai, Bettiah, Bhagalpur, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chhapra, Chikkaballapur, Damoh, Darbhanga, Davanagere, Fatehabad, Gadag, Gaya, Gummidipoondi, Gwalior, Hajipur, Hassan, Haveri, Hisar, Hubballi, Jhansi, Jorapokhar, Katihar, Kishanganj, Kochi, Kolar, Koppal, Maihar, Manesar, Manglore, Manguraha, Motihari, Munger, Muzaffarpur, Naharlagun, Panipat, Raichur, Rajgir, Saharsa, Samastipur, Sasaram, Singrauli, Sirsa, Siwan, Solapur, Srinagar, Talcher, Thrissur, Tirupati, Udupi, Ujjain, Vapi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.