



## Air Quality Index on Feb 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	351	PM <sub>2.5</sub>	2
2	Agra	Good	30	PM <sub>10</sub>	5
3	Ahmedabad	Satisfactory	100	CO, PM <sub>10</sub>	7
4	Aizawl	Satisfactory	57	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	62	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	64	PM <sub>10</sub>	1
7	Amaravati	Moderate	140	PM <sub>2.5</sub>	1
8	Ambala	Moderate	136	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	143	PM <sub>2.5</sub>	1
10	Anantapur	Satisfactory	88	O <sub>3</sub>	1
11	Ankleshwar	Moderate	122	PM <sub>2.5</sub>	1
12	Araria	Poor	226	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bilaspur, Bileipada, Buxar, Chhal, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Durgapur, Ernakulam, Gangtok, Hisar, Hosur, Katni, Khurja, Kochi, Kolar, Kunjemura, Mandikhera, Milupara, Nalbari, Narnaul, Sasaram, Silchar, Surat, Tumakuru, Tumidih, Udupi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Feb 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Moderate	164	CO	1
14	Arrah	Moderate	129	PM <sub>10</sub>	1
15	Asansol	Moderate	128	PM <sub>10</sub>	1
16	Aurangabad (Bihar)	Moderate	108	PM <sub>10</sub>	1
17	Aurangabad (Maharashtra)	Satisfactory	89	PM <sub>10</sub>	1
18	Baddi	Moderate	108	PM <sub>2.5</sub>	1
19	Bagalkot	Good	49	PM <sub>10</sub>	1
20	Bahadurgarh	Satisfactory	81	PM <sub>2.5</sub>	1
21	Ballabgarh	Moderate	103	CO	1
22	Bareilly	Satisfactory	52	PM <sub>10</sub>	2
23	Baripada	Moderate	130	PM <sub>10</sub>	1
24	Begusarai	Moderate	168	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bilaspur, Bileipada, Buxar, Chhal, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Durgapur, Ernakulam, Gangtok, Hisar, Hosur, Katni, Khurja, Kochi, Kolar, Kunjemura, Mandikhera, Milupara, Nalbari, Narnaul, Sasaram, Silchar, Surat, Tumakuru, Tumidih, Udupi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Feb 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	126	PM <sub>10</sub>	1
26	Bengaluru	Satisfactory	93	PM <sub>10</sub> , CO	8
27	Bettiah	Poor	213	PM <sub>2.5</sub>	1
28	Bhagalpur	Poor	208	PM <sub>2.5</sub>	2
29	Bhilai	Satisfactory	70	O <sub>3</sub>	2
30	Bhiwadi	Moderate	129	PM <sub>10</sub>	1
31	Bhiwani	Satisfactory	89	PM <sub>10</sub>	1
32	Bhopal	Moderate	101	PM <sub>10</sub> , PM <sub>2.5</sub>	2
33	Bidar	Satisfactory	81	PM <sub>10</sub>	1
34	Bihar Sharif	Satisfactory	92	PM <sub>10</sub>	1
35	Brajrajnagar	Satisfactory	51	PM <sub>10</sub>	1
36	Bulandshahr	Satisfactory	100	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bilaspur, Bileipada, Buxar, Chhal, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Durgapur, Ernakulam, Gangtok, Hisar, Hosur, Katni, Khurja, Kochi, Kolar, Kunjemura, Mandikhera, Milupara, Nalbari, Narnaul, Sasaram, Silchar, Surat, Tumakuru, Tumidih, Udupi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Feb 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Byrnihat	Severe	402	PM <sub>2.5</sub>	1
38	Chamarajanagar	Good	43	PM <sub>10</sub>	1
39	Chandigarh	Moderate	110	PM <sub>2.5</sub>	3
40	Chandrapur	Moderate	134	PM <sub>2.5</sub>	2
41	Charkhi Dadri	Satisfactory	90	PM <sub>2.5</sub>	1
42	Chengalpattu	Moderate	110	PM <sub>10</sub>	1
43	Chennai	Moderate	101	PM <sub>2.5</sub> , PM <sub>10</sub>	8
44	Chhapra	Moderate	181	PM <sub>2.5</sub>	1
45	Chikkaballapur	Moderate	121	PM <sub>10</sub>	1
46	Chikkamagaluru	Good	45	PM <sub>10</sub>	1
47	Chittoor	Satisfactory	60	O <sub>3</sub>	1
48	Damoh	Good	26	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bilaspur, Bileipada, Buxar, Chhal, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Durgapur, Ernakulam, Gangtok, Hisar, Hosur, Katni, Khurja, Kochi, Kolar, Kunjemura, Mandikhera, Milupara, Nalbari, Narnaul, Sasaram, Silchar, Surat, Tumakuru, Tumidih, Udupi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Feb 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Davanagere	Satisfactory	73	PM <sub>10</sub>	1
50	Delhi	Moderate	164	PM <sub>2.5</sub>	39
51	Dewas	Satisfactory	88	PM <sub>10</sub>	1
52	Dharuhera	Moderate	152	PM <sub>2.5</sub>	1
53	Eloor	Satisfactory	79	PM <sub>10</sub>	1
54	Faridabad	Moderate	176	PM <sub>2.5</sub>	4
55	Fatehabad	Moderate	153	PM <sub>10</sub>	1
56	Firozabad	Satisfactory	63	PM <sub>10</sub> , PM <sub>2.5</sub>	2
57	Gadag	Satisfactory	59	O <sub>3</sub>	1
58	Gandhinagar	Satisfactory	87	PM <sub>2.5</sub> , PM <sub>10</sub>	3
59	Gaya	Moderate	113	PM <sub>10</sub> , PM <sub>2.5</sub>	3
60	Ghaziabad	Moderate	103	PM <sub>10</sub>	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bilaspur, Bileipada, Buxar, Chhal, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Durgapur, Ernakulam, Gangtok, Hisar, Hosur, Katni, Khurja, Kochi, Kolar, Kunjemura, Mandikhera, Milupara, Nalbari, Narnaul, Sasaram, Silchar, Surat, Tumakuru, Tumidih, Udupi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Feb 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Satisfactory	77	PM <sub>10</sub>	1
62	Greater Noida	Moderate	114	PM <sub>10</sub> , PM <sub>2.5</sub>	2
63	Gummidipoondi	Moderate	175	PM <sub>2.5</sub>	1
64	Gurugram	Moderate	143	PM <sub>2.5</sub>	4
65	Guwahati	Poor	268	PM <sub>2.5</sub>	4
66	Gwalior	Moderate	127	PM <sub>2.5</sub>	3
67	Hajipur	Poor	216	PM <sub>2.5</sub>	1
68	Haldia	Moderate	126	PM <sub>10</sub>	1
69	Hapur	Good	45	CO	1
70	Hassan	Satisfactory	60	PM <sub>10</sub>	1
71	Haveri	Satisfactory	73	PM <sub>2.5</sub>	1
72	Howrah	Moderate	199	PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bilaspur, Bileipada, Buxar, Chhal, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Durgapur, Ernakulam, Gangtok, Hisar, Hosur, Katni, Khurja, Kochi, Kolar, Kunjemura, Mandikhera, Milupara, Nalbari, Narnaul, Sasaram, Silchar, Surat, Tumakuru, Tumidih, Udupi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Feb 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Satisfactory	84	PM <sub>10</sub>	2
74	Hyderabad	Moderate	121	PM <sub>2.5</sub> , PM <sub>10</sub>	14
75	Imphal	Moderate	132	PM <sub>2.5</sub>	2
76	Indore	Satisfactory	77	PM <sub>10</sub>	1
77	Jabalpur	Satisfactory	82	PM <sub>10</sub>	1
78	Jaipur	Moderate	102	PM <sub>2.5</sub> , PM <sub>10</sub>	3
79	Jalandhar	Satisfactory	98	PM <sub>10</sub>	1
80	Jhansi	Satisfactory	57	PM <sub>10</sub>	1
81	Jind	Satisfactory	75	CO	1
82	Jodhpur	Moderate	133	PM <sub>10</sub>	1
83	Jorapokhar	Moderate	113	PM <sub>10</sub>	1
84	Kadapa	Moderate	159	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bilaspur, Bileipada, Buxar, Chhal, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Durgapur, Ernakulam, Gangtok, Hisar, Hosur, Katni, Khurja, Kochi, Kolar, Kunjemura, Mandikhera, Milupara, Nalbari, Narnaul, Sasaram, Silchar, Surat, Tumakuru, Tumidih, Udupi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Feb 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Satisfactory	97	PM <sub>10</sub>	1
86	Kalaburgi	Moderate	152	PM <sub>2.5</sub>	1
87	Kalyan	Moderate	157	PM <sub>10</sub>	1
88	Kanchipuram	Satisfactory	69	PM <sub>10</sub>	1
89	Kannur	Satisfactory	95	PM <sub>2.5</sub>	1
90	Kanpur	Satisfactory	73	NO <sub>2</sub>	3
91	Karnal	Satisfactory	77	PM <sub>2.5</sub>	1
92	Katihar	Poor	206	PM <sub>10</sub>	1
93	Keonjhar	Moderate	120	PM <sub>2.5</sub>	1
94	Khanna	Satisfactory	61	PM <sub>10</sub>	1
95	Kishanganj	Poor	228	PM <sub>2.5</sub>	1
96	Kohima	Moderate	103	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bilaspur, Bileipada, Buxar, Chhal, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Durgapur, Ernakulam, Gangtok, Hisar, Hosur, Katni, Khurja, Kochi, Kolar, Kunjemura, Mandikhera, Milupara, Nalbari, Narnaul, Sasaram, Silchar, Surat, Tumakuru, Tumidih, Udupi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Feb 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Moderate	168	PM <sub>2.5</sub>	7
98	Kollam	Moderate	104	PM <sub>10</sub>	1
99	Koppal	Moderate	124	PM <sub>10</sub>	1
100	Korba	Satisfactory	71	PM <sub>10</sub>	2
101	Kota	Moderate	110	PM <sub>10</sub>	1
102	Kozhikode	Satisfactory	75	PM <sub>2.5</sub>	1
103	Kurukshetra	Satisfactory	74	PM <sub>2.5</sub>	1
104	Lucknow	Satisfactory	87	PM <sub>10</sub> , PM <sub>2.5</sub>	6
105	Ludhiana	Moderate	113	PM <sub>2.5</sub>	1
106	Madikeri	Good	46	O <sub>3</sub>	1
107	Maihar	Good	29	PM <sub>10</sub>	1
108	Mandi Gobindgarh	Moderate	181	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bilaspur, Bileipada, Buxar, Chhal, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Durgapur, Ernakulam, Gangtok, Hisar, Hosur, Katni, Khurja, Kochi, Kolar, Kunjemura, Mandikhera, Milupara, Nalbari, Narnaul, Sasaram, Silchar, Surat, Tumakuru, Tumidih, Udupi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Feb 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandideep	Satisfactory	82	SO <sub>2</sub>	1
110	Manesar	Moderate	103	PM <sub>2.5</sub>	1
111	Mangalore	Moderate	112	PM <sub>10</sub>	1
112	Manguraha	Satisfactory	90	PM <sub>2.5</sub>	1
113	Meerut	Moderate	156	PM <sub>2.5</sub>	3
114	Moradabad	Satisfactory	72	CO	6
115	Motihari	Moderate	110	PM <sub>10</sub>	1
116	Mumbai	Poor	227	PM <sub>2.5</sub> , PM <sub>10</sub>	19
117	Munger	Moderate	162	PM <sub>2.5</sub>	1
118	Muzaffarnagar	Moderate	154	PM <sub>2.5</sub>	1
119	Muzaffarpur	Moderate	154	PM <sub>2.5</sub>	3
120	Mysuru	Good	46	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bilaspur, Bileipada, Buxar, Chhal, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Durgapur, Ernakulam, Gangtok, Hisar, Hosur, Katni, Khurja, Kochi, Kolar, Kunjemura, Mandikhera, Milupara, Nalbari, Narnaul, Sasaram, Silchar, Surat, Tumakuru, Tumidih, Udupi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Feb 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nagpur	Moderate	145	PM <sub>2.5</sub>	1
122	Naharlagun	Satisfactory	52	PM <sub>2.5</sub>	1
123	Nandesari	Good	11	PM <sub>2.5</sub>	1
124	Nashik	Satisfactory	60	PM <sub>10</sub>	1
125	Navi Mumbai	Poor	235	PM <sub>2.5</sub>	3
126	Nayagarh	Moderate	135	PM <sub>10</sub>	1
127	Noida	Moderate	111	PM <sub>2.5</sub>	4
128	Ooty	Good	48	PM <sub>2.5</sub>	1
129	Pali	Satisfactory	72	PM <sub>2.5</sub>	1
130	Palwal	Good	47	PM <sub>2.5</sub>	1
131	Panchkula	Satisfactory	83	PM <sub>2.5</sub>	1
132	Panipat	Satisfactory	78	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bilaspur, Bileipada, Buxar, Chhal, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Durgapur, Ernakulam, Gangtok, Hisar, Hosur, Katni, Khurja, Kochi, Kolar, Kunjemura, Mandikhera, Milupara, Nalbari, Narnaul, Sasaram, Silchar, Surat, Tumakuru, Tumidih, Udupi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Feb 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patiala	Satisfactory	75	PM <sub>10</sub>	1
134	Patna	Moderate	150	PM <sub>2.5</sub> , PM <sub>10</sub>	6
135	Pithampur	Moderate	101	PM <sub>10</sub>	1
136	Prayagraj	Satisfactory	62	SO <sub>2</sub> , PM <sub>10</sub>	3
137	Puducherry	Satisfactory	80	PM <sub>10</sub>	1
138	Pune	Moderate	162	PM <sub>2.5</sub> , PM <sub>10</sub>	4
139	Purnia	Poor	228	PM <sub>2.5</sub>	1
140	Raichur	Moderate	116	PM <sub>10</sub>	1
141	Raipur	Satisfactory	88	NO <sub>2</sub> , PM <sub>10</sub>	4
142	Rairangpur	Moderate	167	PM <sub>2.5</sub>	1
143	Rajamahendravaram	Moderate	143	PM <sub>2.5</sub>	1
144	Rajgir	Moderate	155	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bilaspur, Bileipada, Buxar, Chhal, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Durgapur, Ernakulam, Gangtok, Hisar, Hosur, Katni, Khurja, Kochi, Kolar, Kunjemura, Mandikhera, Milupara, Nalbari, Narnaul, Sasaram, Silchar, Surat, Tumakuru, Tumidih, Udupi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Feb 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanagara	Satisfactory	80	PM <sub>10</sub>	1
146	Ramanathapuram	Satisfactory	63	PM <sub>10</sub>	1
147	Ratlam	Satisfactory	69	PM <sub>2.5</sub>	1
148	Rohtak	Satisfactory	90	PM <sub>2.5</sub>	1
149	Rourkela	Moderate	130	PM <sub>2.5</sub>	3
150	Rupnagar	Satisfactory	79	PM <sub>10</sub>	1
151	Sagar	Moderate	102	CO	1
152	Saharsa	Moderate	156	PM <sub>10</sub>	1
153	Salem	Satisfactory	97	SO <sub>2</sub>	1
154	Samastipur	Moderate	125	PM <sub>10</sub>	1
155	Satna	Satisfactory	64	PM <sub>10</sub>	1
156	Shillong	Moderate	149	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bilaspur, Bileipada, Buxar, Chhal, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Durgapur, Ernakulam, Gangtok, Hisar, Hosur, Katni, Khurja, Kochi, Kolar, Kunjemura, Mandikhera, Milupara, Nalbari, Narnaul, Sasaram, Silchar, Surat, Tumakuru, Tumidih, Udupi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Feb 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Shivamogga	Satisfactory	58	O <sub>3</sub>	1
158	Siliguri	Moderate	144	PM <sub>10</sub>	1
159	Singrauli	Satisfactory	91	PM <sub>10</sub>	1
160	Sirsa	Satisfactory	77	O <sub>3</sub>	1
161	Sivasagar	Satisfactory	74	PM <sub>2.5</sub>	1
162	Siwan	Poor	217	PM <sub>2.5</sub>	1
163	Solapur	Moderate	124	PM <sub>10</sub>	1
164	Sonipat	Moderate	121	PM <sub>10</sub>	1
165	Srinagar	Satisfactory	55	PM <sub>10</sub>	1
166	Suakati	Moderate	128	PM <sub>2.5</sub>	1
167	Talcher	Moderate	124	PM <sub>10</sub>	1
168	Tensa	Moderate	105	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bilaspur, Bileipada, Buxar, Chhal, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Durgapur, Ernakulam, Gangtok, Hisar, Hosur, Katni, Khurja, Kochi, Kolar, Kunjemura, Mandikhera, Milupara, Nalbari, Narnaul, Sasaram, Silchar, Surat, Tumakuru, Tumidih, Udupi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Feb 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thane	Moderate	159	PM <sub>10</sub>	1
170	Thiruvananthapuram	Satisfactory	86	PM <sub>2.5</sub>	2
171	Thoothukudi	Satisfactory	63	PM <sub>10</sub>	1
172	Thrissur	Moderate	126	PM <sub>10</sub>	1
173	Tirupati	Satisfactory	82	NO <sub>2</sub> , PM <sub>2.5</sub>	2
174	Tirupur	Satisfactory	82	PM <sub>10</sub>	1
175	Udaipur	Satisfactory	73	PM <sub>10</sub>	1
176	Ujjain	Satisfactory	80	PM <sub>10</sub>	1
177	Vapi	Poor	266	PM <sub>2.5</sub>	1
178	Varanasi	Good	39	SO <sub>2</sub> , NO <sub>2</sub>	4
179	Vatva	Satisfactory	93	PM <sub>10</sub>	1
180	Vijayawada	Moderate	189	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bilaspur, Bileipada, Buxar, Chhal, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Durgapur, Ernakulam, Gangtok, Hisar, Hosur, Katni, Khurja, Kochi, Kolar, Kunjemura, Mandikhera, Milupara, Nalbari, Narnaul, Sasaram, Silchar, Surat, Tumakuru, Tumidih, Udupi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Feb 01, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Visakhapatnam	Moderate	121	PM <sub>10</sub>	1
182	Vrindavan	Moderate	144	PM <sub>10</sub>	1
183	Yadgir	Satisfactory	94	PM <sub>2.5</sub>	1
184	Yamunanagar	Satisfactory	84	PM <sub>10</sub>	1
185	vellore	Satisfactory	97	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Baghpat, Bathinda, Bilaspur, Bileipada, Buxar, Chhal, Coimbatore, Darbhanga, Dehradun, Dharwad, Dindigul, Durgapur, Ernakulam, Gangtok, Hisar, Hosur, Katni, Khurja, Kochi, Kolar, Kunjemura, Mandikhera, Milupara, Nalbari, Narnaul, Sasaram, Silchar, Surat, Tumakuru, Tumidih, Udupi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.