

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	184	PM _{2.5}	1
2	Agra	Moderate	140	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	112	PM _{2.5} , NO ₂ , PM ₁₀	8
4	Aizawl	Satisfactory	53	PM ₁₀	1
5	Ajmer	Satisfactory	97	PM _{2.5}	1
6	Alwar	Satisfactory	75	PM ₁₀	1
7	Amaravati	Satisfactory	95	PM _{2.5}	1
8	Ambala	Moderate	135	PM _{2.5}	1
9	Amritsar	Moderate	113	PM ₁₀	1
10	Ankleshwar	Moderate	179	PM _{2.5}	1
11	Araria	Poor	260	PM _{2.5}	1
12	Arrah	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bahadurgarh, Bhilai, Bidar, Bilaspur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Narnaul, Panipat, Shillong, Siliguri, Solapur, Tirupati, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	102	PM ₁₀	1
14	Bagalkot	Good	50	PM _{2.5}	1
15	Ballabgarh	Poor	257	PM _{2.5}	1
16	Bathinda	Poor	212	PM ₁₀	1
17	Bengaluru	Satisfactory	78	CO, PM ₁₀	10
18	Bettiah	Moderate	200	PM ₁₀	1
19	Bhagalpur	Poor	251	PM ₁₀ , PM _{2.5}	2
20	Bhiwadi	Poor	224	PM _{2.5}	1
21	Bhiwani	Poor	211	PM _{2.5}	1
22	Bhopal	Moderate	105	03	1
23	Bihar Sharif	Moderate	121	NO ₂	1
24	Brajrajnagar	Satisfactory	54	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bahadurgarh, Bhilai, Bidar, Bilaspur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Narnaul, Panipat, Shillong, Siliguri, Solapur, Tirupati, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Poor	238	PM _{2.5}	1
26	Buxar	Poor	203	PM _{2.5}	1
27	Chamarajanagar	Good	35	PM ₁₀	1
28	Chandigarh	Moderate	154	PM _{2.5} , O ₃ , PM ₁₀	3
29	Chandrapur	Moderate	142	O ₃ , PM ₁₀	2
30	Charkhi Dadri	Poor	219	PM _{2.5}	1
31	Chennai	Moderate	110	O ₃ , PM ₁₀ , CO	5
32	Chhapra	Poor	265	PM _{2.5}	1
33	Chikkaballapur	Satisfactory	65	PM _{2.5}	1
34	Chikkamagaluru	Good	50	PM ₁₀	1
35	Coimbatore	Satisfactory	63	PM ₁₀	1
36	Damoh	Satisfactory	69	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bahadurgarh, Bhilai, Bidar, Bilaspur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Narnaul, Panipat, Shillong, Siliguri, Solapur, Tirupati, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Poor	237	PM _{2.5}	1
38	Davanagere	Satisfactory	91	PM ₁₀	1
39	Delhi	Poor	253	PM ₁₀ , PM _{2.5}	36
40	Dewas	Satisfactory	69	PM ₁₀	1
41	Dharuhera	Moderate	193	PM _{2.5}	1
42	Durgapur	Poor	202	PM ₁₀	1
43	Eloor	Satisfactory	64	PM _{2.5}	1
44	Ernakulam	Satisfactory	76	NO ₂	1
45	Faridabad	Poor	279	PM ₁₀ , PM _{2.5}	3
46	Fatehabad	Moderate	143	PM _{2.5}	1
47	Firozabad	Moderate	144	PM _{2.5}	1
48	Gadag	Satisfactory	66	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bahadurgarh, Bhilai, Bidar, Bilaspur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Narnaul, Panipat, Shillong, Siliguri, Solapur, Tirupati, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Satisfactory	82	PM ₁₀	2
50	Gaya	Moderate	151	PM ₁₀ , PM _{2.5}	3
51	Ghaziabad	Poor	250	PM _{2.5} , PM ₁₀	4
52	Gorakhpur	Satisfactory	86	PM ₁₀	1
53	Greater Noida	Moderate	198	PM ₁₀	2
54	Gummidipoondi	Satisfactory	60	PM ₁₀	1
55	Gurugram	Poor	218	PM ₁₀ , PM _{2.5}	4
56	Guwahati	Poor	236	PM _{2.5}	2
57	Gwalior	Moderate	129	PM _{2.5}	1
58	Hajipur	Moderate	147	PM _{2.5}	1
59	Haldia	Moderate	113	PM ₁₀	1
60	Hapur	Poor	270	03	1

Possible Health Impacts

Minimal Impact

	·
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bahadurgarh, Bhilai, Bidar, Bilaspur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Narnaul, Panipat, Shillong, Siliguri, Solapur, Tirupati, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Satisfactory	69	PM ₁₀	1
62	Hisar	Poor	227	PM _{2.5}	1
63	Howrah	Moderate	130	PM ₁₀	1
64	Hubballi	Moderate	101	PM ₁₀	1
65	Hyderabad	Moderate	133	PM ₁₀ , PM _{2.5}	5
66	Indore	Satisfactory	99	PM ₁₀	1
67	Jabalpur	Moderate	171	PM ₁₀	1
68	Jaipur	Moderate	156	PM _{2.5} , PM ₁₀	3
69	Jalandhar	Moderate	130	PM ₁₀	1
70	Jhansi	Moderate	140	PM ₁₀	1
71	Jind	Moderate	163	PM _{2.5}	1
72	Jodhpur	Poor	225	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bahadurgarh, Bhilai, Bidar, Bilaspur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Narnaul, Panipat, Shillong, Siliguri, Solapur, Tirupati, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	161	PM _{2.5}	1
74	Kalyan	Poor	235	PM _{2.5}	1
75	Kannur	Satisfactory	63	PM _{2.5}	1
76	Kanpur	Moderate	170	PM _{2.5}	3
77	Karnal	Moderate	106	PM ₁₀	1
78	Katihar	Poor	291	PM _{2.5}	1
79	Katni	Moderate	200	PM _{2.5}	1
80	Khanna	Moderate	107	PM ₁₀	1
81	Kishanganj	Very Poor	318	PM _{2.5}	1
82	Kochi	Satisfactory	59	PM _{2.5}	1
83	Kolkata	Moderate	132	O ₃ , PM ₁₀	3
84	Kollam	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bahadurgarh, Bhilai, Bidar, Bilaspur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Narnaul, Panipat, Shillong, Siliguri, Solapur, Tirupati, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Satisfactory	70	PM ₁₀	1
86	Kota	Moderate	129	PM _{2.5}	1
87	Kozhikode	Good	49	PM ₁₀	1
88	Kurukshetra	Moderate	172	PM _{2.5}	1
89	Lucknow	Moderate	140	PM ₁₀ , PM _{2.5}	6
90	Ludhiana	Moderate	166	PM ₁₀	1
91	Madikeri	Satisfactory	64	PM ₁₀	1
92	Maihar	Good	22	PM ₁₀	1
93	Mandi Gobindgarh	Moderate	124	PM ₁₀	1
94	Mandideep	Moderate	163	PM _{2.5}	1
95	Mandikhera	Moderate	107	PM ₁₀	1
96	Manglore	Good	46	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bahadurgarh, Bhilai, Bidar, Bilaspur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Narnaul, Panipat, Shillong, Siliguri, Solapur, Tirupati, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Poor	277	PM _{2.5} , PM ₁₀	3
98	Moradabad	Moderate	160	PM _{2.5}	4
99	Motihari	Poor	258	PM _{2.5}	1
100	Mumbai	Moderate	174	PM _{2.5} , PM ₁₀	17
101	Munger	Poor	245	PM _{2.5}	1
102	Muzaffarnagar	Poor	292	PM _{2.5}	1
103	Muzaffarpur	Very Poor	312	PM ₁₀ , PM _{2.5}	3
104	Mysuru	Good	47	PM ₁₀	1
105	Nagpur	Satisfactory	87	со	1
106	Nandesari	Satisfactory	99	со	1
107	Nashik	Satisfactory	70	PM ₁₀	1
108	Navi Mumbai	Poor	202	PM ₁₀	2

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bahadurgarh, Bhilai, Bidar, Bilaspur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Narnaul, Panipat, Shillong, Siliguri, Solapur, Tirupati, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Poor	232	PM _{2.5} , PM ₁₀	4
110	Pali	Satisfactory	86	PM _{2.5}	1
111	Palwal	Moderate	132	PM ₁₀	1
112	Panchkula	Satisfactory	69	PM _{2.5}	1
113	Patiala	Moderate	157	PM _{2.5}	1
114	Patna	Poor	237	PM _{2.5} , PM ₁₀	6
115	Pithampur	Satisfactory	78	PM ₁₀	1
116	Prayagraj	Satisfactory	88	PM ₁₀	2
117	Puducherry	Satisfactory	67	PM ₁₀	1
118	Pune	Moderate	147	PM _{2.5}	6
119	Purnia	Poor	270	PM _{2.5}	1
120	Raichur	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bahadurgarh, Bhilai, Bidar, Bilaspur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Narnaul, Panipat, Shillong, Siliguri, Solapur, Tirupati, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Moderate	126	PM _{2.5}	1
122	Rajgir	Moderate	156	O ₃	1
123	Ramanagara	Satisfactory	63	PM ₁₀	1
124	Ratlam	Satisfactory	64	PM ₁₀	1
125	Rohtak	Moderate	195	PM _{2.5}	1
126	Rupnagar	Moderate	189	PM _{2.5}	1
127	Sagar	Satisfactory	59	PM _{2.5}	1
128	Saharsa	Very Poor	362	PM _{2.5}	1
129	Sasaram	Moderate	147	PM _{2.5}	1
130	Satna	Satisfactory	61	PM ₁₀	1
131	Shivamogga	Satisfactory	59	NO ₂	1
132	Singrauli	Poor	213	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bahadurgarh, Bhilai, Bidar, Bilaspur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Narnaul, Panipat, Shillong, Siliguri, Solapur, Tirupati, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sirsa	Moderate	114	PM ₁₀	1
134	Siwan	Poor	264	PM _{2.5}	1
135	Sonipat	Moderate	190	PM ₁₀	1
136	Srinagar	Poor	234	PM ₁₀	1
137	Talcher	Moderate	172	PM _{2.5}	1
138	Thane	Moderate	198	03	1
139	Thiruvananthapuram	Good	17	со	1
140	Thoothukudi	Good	35	PM ₁₀	1
141	Thrissur	Satisfactory	59	PM ₁₀	1
142	Udaipur	Moderate	131	PM ₁₀	1
143	Udupi	Satisfactory	52	03	1
144	Ujjain	Moderate	150	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bahadurgarh, Bhilai, Bidar, Bilaspur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Narnaul, Panipat, Shillong, Siliguri, Solapur, Tirupati, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vapi	Moderate	189	PM ₁₀	1
146	Varanasi	Satisfactory	86	PM ₁₀	4
147	Vatva	Moderate	122	PM ₁₀	1
148	Vijayapura	Satisfactory	51	PM ₁₀	1
149	Visakhapatnam	Moderate	148	PM _{2.5}	1
150	Vrindavan	Moderate	121	PM _{2.5}	1
151	Yadgir	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Baghpat, Bahadurgarh, Bhilai, Bidar, Bilaspur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manesar, Manguraha, Naharlagun, Narnaul, Panipat, Shillong, Siliguri, Solapur, Tirupati, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.