Air Quality Index on Jan 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	223	$PM_{2.5}$, PM_{10}	5
2	Ahmedabad	Moderate	148	$PM_{2.5}$, PM_{10}	9
3	Aizawl	Good	24	PM_{10}	1
4	Ajmer	Moderate	121	PM_{10}	1
5	Alwar	Moderate	108	$PM_{2.5}$	1
6	Amaravati	Moderate	101	$PM_{2.5}$	1
7	Ambala	Moderate	185	$PM_{2.5}$	1
8	Amritsar	Moderate	160	$PM_{2.5}$	1
9	Ankleshwar	Poor	223	$PM_{2.5}$	1
10	Araria	Moderate	190	$PM_{2.5}$	1
11	Arrah	Poor	282	$PM_{2.5}$	1
12	Asansol	Moderate	144	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Bathinda, Bettiah, Bhilai, Hubballi, Madikeri, Mandi Gobindgarh, Manguraha, Naharlagun, Nandesari, Panipat, Rajgir, Siliguri, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Satisfactory	99	PM_{10}	1
14	Bagalkot	Good	50	$PM_{2.5}$	1
15	Baghpat	Poor	292	$PM_{2.5}$	1
16	Bahadurgarh	Poor	275	$PM_{2.5}$	1
17	Ballabgarh	Poor	221	$PM_{2.5}$	1
18	Bengaluru	Satisfactory	84	$PM_{2.5}$, CO, PM_{10}	9
19	Bhagalpur	Very Poor	385	PM_{10}, $PM_{2.5}$	2
20	Bhiwadi	Very Poor	370	$PM_{2.5}$	1
21	Bhiwani	Very Poor	312	$PM_{2.5}$	1
22	Bhopal	Moderate	133	$PM_{2.5}$	1
23	Bidar	Satisfactory	95	PM_{10}	1
24	Bihar Sharif	Poor	287	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Bathinda, Bettiah, Bhilai, Hubballi, Madikeri, Mandi Gobindgarh, Manguraha, Naharlagun, Nandesari, Panipat, Rajgir, Siliguri, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Good	32	PM_{10}	1
26	Brajrajnagar	Satisfactory	78	O_3	1
27	Bulandshahr	Very Poor	313	$PM_{2.5}$	1
28	Buxar	Severe	408	PM_{10}	1
29	Chamarajanagar	Good	32	PM_{10}	1
30	Chandigarh	Poor	210	$PM_{2.5}$, PM_{10}	2
31	Chandrapur	Moderate	139	$PM_{2.5}$	2
32	Charkhi Dadri	Poor	285	$PM_{2.5}$	1
33	Chennai	Satisfactory	79	$PM_{2.5}$, PM_{10}, CO	8
34	Chhapra	Very Poor	360	$PM_{2.5}$	1
35	Chikkaballapur	Satisfactory	66	$PM_{2.5}$	1
36	Chikkamagaluru	Good	34	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Bathinda, Bettiah, Bhilai, Hubballi, Madikeri, Mandi Gobindgarh, Manguraha, Naharlagun, Nandesari, Panipat, Rajgir, Siliguri, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Good	50	$PM_{2.5}$	1
38	Damoh	Satisfactory	81	$PM_{2.5}$	1
39	Darbhanga	Poor	288	$PM_{2.5}$	1
40	Davanagere	Moderate	114	PM_{10}	1
41	Delhi	Very Poor	322	PM_{10}, $PM_{2.5}$	34
42	Dewas	Moderate	113	$PM_{2.5}$	1
43	Dharuhera	Poor	284	$PM_{2.5}$	1
44	Durgapur	Poor	216	PM_{10}	1
45	Eloor	Satisfactory	70	PM_{10}	1
46	Ernakulam	Satisfactory	68	$PM_{2.5}$	1
47	Faridabad	Very Poor	359	$PM_{2.5}$	3
48	Fatehabad	Poor	264	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Bathinda, Bettiah, Bhilai, Hubballi, Madikeri, Mandi Gobindgarh, Manguraha, Naharlagun, Nandesari, Panipat, Rajgir, Siliguri, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Poor	275	$PM_{2.5}$	1
50	Gadag	Satisfactory	53	$PM_{2.5}$	1
51	Gandhinagar	Moderate	132	$PM_{2.5}$, PM_{10}	3
52	Gaya	Poor	251	$PM_{2.5}$	3
53	Ghaziabad	Very Poor	323	$PM_{2.5}$	3
54	Gorakhpur	Moderate	157	$PM_{2.5}$	1
55	Greater Noida	Very Poor	314	$PM_{2.5}$	2
56	Gummidipoondi	Good	46	PM_{10}	1
57	Gurugram	Very Poor	328	$PM_{2.5}$	3
58	Guwahati	Poor	256	$PM_{2.5}$	2
59	Gwalior	Poor	232	$PM_{2.5}$	1
60	Hajipur	Moderate	185	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Bathinda, Bettiah, Bhilai, Hubballi, Madikeri, Mandi Gobindgarh, Manguraha, Naharlagun, Nandesari, Panipat, Rajgir, Siliguri, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Moderate	136	$PM_{2.5}$	1
62	Hapur	Very Poor	312	$PM_{2.5}$	1
63	Hassan	Good	49	PM_{10}	1
64	Hisar	Very Poor	372	$PM_{2.5}$	1
65	Howrah	Poor	260	$PM_{2.5}$	3
66	Hyderabad	Moderate	146	$PM_{2.5}$, PM_{10}	6
67	Indore	Moderate	105	$PM_{2.5}$	1
68	Jabalpur	Moderate	140	$PM_{2.5}$	1
69	Jaipur	Moderate	166	$PM_{2.5}$	3
70	Jalandhar	Moderate	134	PM_{10}	1
71	Jind	Very Poor	322	$PM_{2.5}$	1
72	Jodhpur	Moderate	191	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Bathinda, Bettiah, Bhilai, Hubballi, Madikeri, Mandi Gobindgarh, Manguraha, Naharlagun, Nandesari, Panipat, Rajgir, Siliguri, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jorapokhar	Satisfactory	52	PM_{10}	1
74	Kaithal	Poor	224	$PM_{2.5}$	1
75	Kalaburgi	Moderate	119	$PM_{2.5}$	1
76	Kalyan	Moderate	190	$PM_{2.5}$	1
77	Kannur	Satisfactory	70	$PM_{2.5}$	1
78	Kanpur	Moderate	170	$PM_{2.5}$	3
79	Karnal	Moderate	145	$PM_{2.5}$	1
80	Katihar	Very Poor	324	$PM_{2.5}$	1
81	Katni	Moderate	115	PM_{10}	1
82	Khanna	Moderate	138	$PM_{2.5}$	1
83	Kishanganj	Very Poor	325	$PM_{2.5}$	1
84	Kochi	Satisfactory	80	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Bathinda, Bettiah, Bhilai, Hubballi, Madikeri, Mandi Gobindgarh, Manguraha, Naharlagun, Nandesari, Panipat, Rajgir, Siliguri, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Satisfactory	65	PM_{10}	1
86	Kolar	Satisfactory	62	PM_{10}	1
87	Kolkata	Poor	267	$PM_{2.5}$	6
88	Kollam	Satisfactory	87	PM_{10}	1
89	Koppal	Satisfactory	54	PM_{10}	1
90	Kota	Moderate	183	$PM_{2.5}$	1
91	Kozhikode	Good	48	CO	1
92	Kurukshetra	Poor	270	$PM_{2.5}$	1
93	Lucknow	Moderate	185	$PM_{2.5}$, PM_{10}	6
94	Ludhiana	Moderate	115	PM_{10}	1
95	Maihar	Satisfactory	58	CO	1
96	Mandideep	Satisfactory	97	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Bathinda, Bettiah, Bhilai, Hubballi, Madikeri, Mandi Gobindgarh, Manguraha, Naharlagun, Nandesari, Panipat, Rajgir, Siliguri, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	60	PM_{10}	1
98	Manesar	Very Poor	331	$PM_{2.5}$	1
99	Manglore	Satisfactory	51	$PM_{2.5}$	1
100	Meerut	Very Poor	337	$PM_{2.5}$	3
101	Moradabad	Poor	271	$PM_{2.5}$	4
102	Motihari	Poor	241	$PM_{2.5}$	1
103	Mumbai	Moderate	181	$PM_{2.5}$	19
104	Munger	Very Poor	397	$PM_{2.5}$	1
105	Muzaffarnagar	Very Poor	348	$PM_{2.5}$	1
106	Muzaffarpur	Very Poor	324	$PM_{2.5}$	2
107	Mysuru	Satisfactory	62	PM_{10}	1
108	Nagpur	Satisfactory	73	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Bathinda, Bettiah, Bhilai, Hubballi, Madikeri, Mandi Gobindgarh, Manguraha, Naharlagun, Nandesari, Panipat, Rajgir, Siliguri, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Narnaul	Poor	201	$PM_{2.5}$	1
110	Nashik	Satisfactory	64	PM_{10}	1
111	Navi Mumbai	Moderate	198	$PM_{2.5}$, O_3	2
112	Noida	Very Poor	310	$PM_{2.5}$, PM_{10}	4
113	Pali	Moderate	116	PM_{10}	1
114	Palwal	Moderate	139	PM_{10}	1
115	Panchkula	Poor	263	$PM_{2.5}$	1
116	Patiala	Moderate	181	$PM_{2.5}$	1
117	Patna	Very Poor	316	$PM_{2.5}$, PM_{10}	6
118	Pithampur	Moderate	163	$PM_{2.5}$	1
119	Prayagraj	Moderate	145	$PM_{2.5}$	3
120	Puducherry	Satisfactory	61	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Bathinda, Bettiah, Bhilai, Hubballi, Madikeri, Mandi Gobindgarh, Manguraha, Naharlagun, Nandesari, Panipat, Rajgir, Siliguri, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pune	Moderate	102	$PM_{2.5}$, PM_{10}	2
122	Purnia	Very Poor	309	$PM_{2.5}$	1
123	Raichur	Moderate	141	PM_{10}	1
124	Rajamahendravaram	Moderate	127	$PM_{2.5}$	1
125	Ramanagara	Satisfactory	55	PM_{10}	1
126	Ratlam	Satisfactory	88	PM_{10}	1
127	Rohtak	Very Poor	332	$PM_{2.5}$	1
128	Rupnagar	Moderate	115	$PM_{2.5}$	1
129	Sagar	Good	48	$PM_{2.5}$	1
130	Saharsa	Poor	289	PM_{10}	1
131	Sasaram	Very Poor	381	$PM_{2.5}$	1
132	Satna	Satisfactory	59	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Bathinda, Bettiah, Bhilai, Hubballi, Madikeri, Mandi Gobindgarh, Manguraha, Naharlagun, Nandesari, Panipat, Rajgir, Siliguri, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Good	20	O_3	1
134	Shivamogga	Good	48	PM_{10}	1
135	Singrauli	Poor	233	$PM_{2.5}$	1
136	Sirsa	Poor	205	$PM_{2.5}$	1
137	Siwan	Very Poor	348	$PM_{2.5}$	1
138	Solapur	Moderate	102	$PM_{2.5}$	1
139	Sonipat	Moderate	182	PM_{10}	1
140	Srinagar	Moderate	152	PM_{10}	1
141	Talcher	Moderate	147	$PM_{2.5}$	1
142	Thane	Moderate	119	O_3	1
143	Thiruvananthapuram	Satisfactory	56	PM_{10}, $PM_{2.5}$	2
144	Thoothukudi	Good	38	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Bathinda, Bettiah, Bhilai, Hubballi, Madikeri, Mandi Gobindgarh, Manguraha, Naharlagun, Nandesari, Panipat, Rajgir, Siliguri, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 19, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thrissur	Good	50	$PM_{2.5}$	1
146	Tirupati	Satisfactory	74	$PM_{2.5}$	1
147	Udaipur	Moderate	182	$PM_{2.5}$	1
148	Ujjain	Moderate	142	$PM_{2.5}$	1
149	Vapi	Very Poor	313	$PM_{2.5}$	1
150	Varanasi	Moderate	180	$PM_{2.5}$	4
151	Vatva	Moderate	195	$PM_{2.5}$	1
152	Vijayapura	Good	50	PM_{10}	1
153	Visakhapatnam	Moderate	186	$PM_{2.5}$	1
154	Vrindavan	Moderate	191	$PM_{2.5}$	1
155	Yadgir	Satisfactory	76	PM_{10}	1
156	Yamunanagar	Poor	207	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agartala, Bathinda, Bettiah, Bhilai, Hubballi, Madikeri, Mandi Gobindgarh, Manguraha, Naharlagun, Nandesari, Panipat, Rajgir, Siliguri, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.