Air Quality Index on Jun 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	52	PM_{10}	2
2	Agra	Moderate	188	PM_{10}, $PM_{2.5}$	6
3	Ahmedabad	Satisfactory	94	PM_{10}, $PM_{2.5}$	5
4	Aizawl	Good	32	SO_2	1
5	Ajmer	Moderate	139	PM_{10}	1
6	Alwar	Moderate	140	$PM_{2.5}$	1
7	Amaravati	Moderate	161	O_3	1
8	Ambala	Moderate	155	PM_{10}	1
9	Amritsar	Satisfactory	69	$PM_{2.5}$	1
10	Ankleshwar	Satisfactory	75	$PM_{2.5}$	1
11	Arrah	Moderate	177	PM_{10}	1
12	Asansol	Moderate	123	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Ballabgarh, Bhilai, Bidar, Brajrajnagar, Chikkamagaluru, Durgapur, Eloor, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Manguraha, Raichur, Shivamogga, Siwan, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	88	PM_{10}	1
14	Baddi	Moderate	180	PM_{10}	1
15	Bagalkot	Satisfactory	51	PM_{10}	1
16	Baghpat	Moderate	164	O_3	1
17	Bahadurgarh	Poor	297	$PM_{2.5}$	1
18	Bathinda	Moderate	135	PM_{10}	1
19	Begusarai	Moderate	141	$PM_{2.5}$	1
20	Bengaluru	Satisfactory	67	PM_{10}, CO	8
21	Bettiah	Moderate	120	$PM_{2.5}$	1
22	Bhagalpur	Moderate	171	$PM_{2.5}$, PM_{10}	2
23	Bhiwadi	Very Poor	330	$PM_{2.5}$	1
24	Bhiwani	Poor	280	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Ballabgarh, Bhilai, Bidar, Brajrajnagar, Chikkamagaluru, Durgapur, Eloor, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Manguraha, Raichur, Shivamogga, Siwan, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	159	PM_{10}	1
26	Bihar Sharif	Poor	260	PM_{10}	1
27	Bilaspur	Satisfactory	59	PM_{10}	1
28	Bulandshahr	Very Poor	344	PM_{10}	1
29	Buxar	Poor	254	$PM_{2.5}$	1
30	Chamarajanagar	Good	43	PM_{10}	1
31	Chandigarh	Moderate	146	O_3, PM_{10}	3
32	Chandrapur	Moderate	129	PM_{10}	1
33	Charkhi Dadri	Poor	268	PM_{10}	1
34	Chennai	Satisfactory	69	PM_{10}, CO	5
35	Chhapra	Moderate	185	PM_{10}	1
36	Chikkaballapur	Good	43	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Ballabgarh, Bhilai, Bidar, Brajrajnagar, Chikkamagaluru, Durgapur, Eloor, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Manguraha, Raichur, Shivamogga, Siwan, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Good	35	$PM_{2.5}$	1
38	Damoh	Satisfactory	81	PM_{10}	1
39	Darbhanga	Moderate	169	PM_{10}	1
40	Davanagere	Satisfactory	55	PM_{10}	1
41	Dehradun	Moderate	127	PM_{10}	1
42	Delhi	Very Poor	322	PM_{10}	37
43	Dewas	Moderate	115	PM_{10}	1
44	Dharuhera	Very Poor	331	PM_{10}	1
45	Ernakulam	Good	41	CO	1
46	Faridabad	Poor	289	PM_{10}, $PM_{2.5}$	3
47	Fatehabad	Moderate	178	$PM_{2.5}$	1
48	Firozabad	Moderate	168	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Ballabgarh, Bhilai, Bidar, Brajrajnagar, Chikkamagaluru, Durgapur, Eloor, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Manguraha, Raichur, Shivamogga, Siwan, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Moderate	140	$PM_{2.5}$	1
50	Gandhinagar	Moderate	170	$PM_{2.5}$, PM_{10}	2
51	Gaya	Moderate	140	O_3, PM_{10}	2
52	Ghaziabad	Very Poor	310	PM_{10}	3
53	Gorakhpur	Satisfactory	60	PM_{10}	1
54	Greater Noida	Very Poor	372	PM_{10}	2
55	Gummidipoondi	Good	36	PM_{10}	1
56	Gurugram	Very Poor	306	$PM_{2.5}$, PM_{10}	3
57	Guwahati	Satisfactory	83	PM_{10}, $PM_{2.5}$	2
58	Gwalior	Poor	281	PM_{10}	1
59	Hajipur	Moderate	174	$PM_{2.5}$	1
60	Haldia	Satisfactory	65	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Ballabgarh, Bhilai, Bidar, Brajrajnagar, Chikkamagaluru, Durgapur, Eloor, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Manguraha, Raichur, Shivamogga, Siwan, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Very Poor	316	PM_{10}	1
62	Hassan	Satisfactory	66	PM_{10}	1
63	Hisar	Poor	215	PM_{10}	1
64	Howrah	Satisfactory	99	$PM_{2.5}$, PM_{10}	3
65	Hubballi	Satisfactory	88	PM_{10}	1
66	Hyderabad	Satisfactory	100	O_3, NO_2, PM_{10}	9
67	Imphal	Satisfactory	78	SO_2, PM_{10}	2
68	Indore	Satisfactory	73	PM_{10}	1
69	Jabalpur	Poor	240	PM_{10}	1
70	Jaipur	Poor	204	$PM_{2.5}$, PM_{10}	3
71	Jalandhar	Moderate	153	PM_{10}	1
72	Jind	Poor	208	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Ballabgarh, Bhilai, Bidar, Brajrajnagar, Chikkamagaluru, Durgapur, Eloor, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Manguraha, Raichur, Shivamogga, Siwan, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Moderate	176	$PM_{2.5}$	1
74	Kaithal	Poor	235	PM_{10}	1
75	Kalaburgi	Satisfactory	79	PM_{10}	1
76	Kalyan	Satisfactory	90	PM_{10}	1
77	Kannur	Satisfactory	55	PM_{10}	1
78	Kanpur	Moderate	198	$PM_{2.5}$	3
79	Karnal	Moderate	154	PM_{10}	1
80	Katihar	Moderate	175	PM_{10}	1
81	Katni	Poor	272	PM_{10}	1
82	Khanna	Moderate	113	PM_{10}	1
83	Kochi	Moderate	101	CO	1
84	Kohima	Good	50	SO_2	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Ballabgarh, Bhilai, Bidar, Brajrajnagar, Chikkamagaluru, Durgapur, Eloor, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Manguraha, Raichur, Shivamogga, Siwan, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Satisfactory	91	PM_{10}, NO_2	7
86	Kollam	Satisfactory	60	$PM_{2.5}$	1
87	Koppal	Satisfactory	58	O_3	1
88	Kota	Moderate	142	$PM_{2.5}$	1
89	Kozhikode	Satisfactory	68	PM_{10}	1
90	Kurukshetra	Poor	253	$PM_{2.5}$	1
91	Lucknow	Moderate	168	$PM_{2.5}$, PM_{10}	6
92	Ludhiana	Moderate	117	PM_{10}	1
93	Madikeri	Good	23	PM_{10}	1
94	Maihar	Satisfactory	72	PM_{10}	1
95	Mandi Gobindgarh	Poor	207	$PM_{2.5}$	1
96	Mandideep	Moderate	111	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Ballabgarh, Bhilai, Bidar, Brajrajnagar, Chikkamagaluru, Durgapur, Eloor, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Manguraha, Raichur, Shivamogga, Siwan, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Moderate	148	PM_{10}	1
98	Manesar	Very Poor	350	$PM_{2.5}$	1
99	Manglore	Satisfactory	61	NO_2	1
100	Meerut	Poor	273	PM_{10}, $PM_{2.5}$	3
101	Moradabad	Moderate	180	PM_{10}, O_3	4
102	Motihari	Moderate	170	$PM_{2.5}$	1
103	Mumbai	Satisfactory	79	$PM_{2.5}$, PM_{10}	16
104	Munger	Moderate	162	PM_{10}	1
105	Muzaffarnagar	Poor	296	PM_{10}	1
106	Muzaffarpur	Moderate	174	$PM_{2.5}$	2
107	Mysuru	Good	38	PM_{10}	1
108	Nagpur	Moderate	131	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Ballabgarh, Bhilai, Bidar, Brajrajnagar, Chikkamagaluru, Durgapur, Eloor, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Manguraha, Raichur, Shivamogga, Siwan, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Naharlagun	Satisfactory	68	SO_2	1
110	Nandesari	Satisfactory	97	$PM_{2.5}$	1
111	Narnaul	Moderate	160	PM_{10}	1
112	Nashik	Satisfactory	59	PM_{10}	1
113	Navi Mumbai	Satisfactory	92	CO, PM_{10}	3
114	Noida	Very Poor	386	PM_{10}	4
115	Pali	Satisfactory	91	PM_{10}	1
116	Palwal	Very Poor	314	$PM_{2.5}$	1
117	Panchkula	Moderate	163	$PM_{2.5}$	1
118	Panipat	Poor	247	PM_{10}	1
119	Patiala	Moderate	126	PM_{10}	1
120	Patna	Moderate	198	$PM_{2.5}, PM_{10}$	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Ballabgarh, Bhilai, Bidar, Brajrajnagar, Chikkamagaluru, Durgapur, Eloor, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Manguraha, Raichur, Shivamogga, Siwan, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Moderate	125	PM_{10}	1
122	Prayagraj	Moderate	148	PM_{10}	3
123	Puducherry	Satisfactory	58	PM_{10}	1
124	Pune	Moderate	104	$PM_{2.5}$	3
125	Purnia	Moderate	183	$PM_{2.5}$	1
126	Rajamahendravaram	Satisfactory	95	PM_{10}	1
127	Rajgir	Moderate	125	PM_{10}	1
128	Ramanagara	Good	30	SO_2	1
129	Ratlam	Moderate	119	$PM_{2.5}$	1
130	Rohtak	Very Poor	324	$PM_{2.5}$	1
131	Rupnagar	Moderate	122	PM_{10}	1
132	Sagar	Moderate	162	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Ballabgarh, Bhilai, Bidar, Brajrajnagar, Chikkamagaluru, Durgapur, Eloor, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Manguraha, Raichur, Shivamogga, Siwan, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Saharsa	Very Poor	315	PM_{10}	1
134	Samastipur	Poor	249	PM_{10}	1
135	Sasaram	Moderate	180	PM_{10}	1
136	Satna	Moderate	135	PM_{10}	1
137	Shillong	Good	44	PM_{10}	1
138	Siliguri	Satisfactory	51	PM_{10}	1
139	Singrauli	Poor	268	PM_{10}	1
140	Sirsa	Moderate	160	PM_{10}	1
141	Solapur	Satisfactory	84	PM_{10}	1
142	Srinagar	Satisfactory	55	PM_{10}	1
143	Talcher	Satisfactory	80	CO	1
144	Thane	Moderate	102	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Ballabgarh, Bhilai, Bidar, Brajrajnagar, Chikkamagaluru, Durgapur, Eloor, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Manguraha, Raichur, Shivamogga, Siwan, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thiruvananthapuram	Satisfactory	64	$PM_{2.5}$, CO	2
146	Thoothukudi	Good	38	PM_{10}	1
147	Udaipur	Satisfactory	77	PM_{10}	1
148	Ujjain	Moderate	162	PM_{10}	1
149	Varanasi	Satisfactory	92	PM_{10}	4
150	Vatva	Satisfactory	99	$PM_{2.5}$	1
151	Vijayapura	Satisfactory	56	PM_{10}	1
152	Visakhapatnam	Moderate	132	PM_{10}	1
153	Vrindavan	Moderate	188	PM_{10}	1
154	Yadgir	Satisfactory	80	PM_{10}	1
155	Yamunanagar	Very Poor	305	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Aurangabad (Bihar), Ballabgarh, Bhilai, Bidar, Brajrajnagar, Chikkamagaluru, Durgapur, Eloor, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Manguraha, Raichur, Shivamogga, Siwan, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.