

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	54	PM ₁₀	1
2	Agra	Good	46	PM ₁₀	4
3	Ahmedabad	Satisfactory	55	NO ₂ , PM ₁₀ , CO	8
4	Ajmer	Satisfactory	60	PM ₁₀	1
5	Alwar	Satisfactory	66	PM ₁₀	1
6	Amaravati	Good	34	03	1
7	Ambala	Good	45	PM ₁₀	1
8	Amritsar	Good	46	PM ₁₀	1
9	Ankleshwar	Satisfactory	64	PM ₁₀	1
10	Asansol	Satisfactory	61	PM ₁₀	1
11	Bagalkot	Good	36	PM ₁₀	1
12	Baghpat	Good	36	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad,
 Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Jind,
 Jorapokhar, Kalyan, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nashik,
 Rupnagar, Sirsa, Solapur, Sonipat, Thane, Thoothukudi, Vijayapura as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Good	34	NO ₂	1
14	Ballabgarh	Satisfactory	95	PM ₁₀	1
15	Bathinda	Satisfactory	72	со	1
16	Bengaluru	Satisfactory	55	PM ₁₀ , CO, O ₃	9
17	Bhiwadi	Moderate	195	03	1
18	Bhiwani	Satisfactory	77	03	1
19	Bhopal	Good	47	PM ₁₀	1
20	Bidar	Good	49	со	1
21	Brajrajnagar	Good	44	со	1
22	Bulandshahr	Good	41	03	1
23	Chamarajanagar	Good	39	PM _{2.5}	1
24	Chandigarh	Satisfactory	54	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad,
 Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Jind,
 Jorapokhar, Kalyan, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nashik,
 Rupnagar, Sirsa, Solapur, Sonipat, Thane, Thoothukudi, Vijayapura as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Good	30	PM ₁₀	2
26	Charkhi Dadri	Satisfactory	70	PM ₁₀	1
27	Chennai	Satisfactory	59	CO, PM ₁₀ , PM _{2.5}	7
28	Chikkaballapur	Good	47	NO ₂	1
29	Chikkamagaluru	Good	28	PM ₁₀	1
30	Damoh	Good	18	NO ₂	1
31	Delhi	Satisfactory	68	CO, PM _{2.5} , PM ₁₀	36
32	Dewas	Good	34	PM ₁₀	1
33	Dharuhera	Satisfactory	80	со	1
34	Durgapur	Satisfactory	97	PM ₁₀	1
35	Eloor	Satisfactory	70	со	1
36	Ernakulam	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad,
 Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Jind,
 Jorapokhar, Kalyan, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nashik,
 Rupnagar, Sirsa, Solapur, Sonipat, Thane, Thoothukudi, Vijayapura as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Satisfactory	71	O ₃ , PM ₁₀	3
38	Firozabad	Good	32	PM ₁₀	1
39	Gadag	Good	21	со	1
40	Gandhinagar	Good	41	CO, PM _{2.5}	3
41	Gaya	Satisfactory	68	CO, PM _{2.5}	2
42	Ghaziabad	Satisfactory	66	CO, PM ₁₀	3
43	Gorakhpur	Good	25	СО	1
44	Greater Noida	Good	50	PM ₁₀ , O ₃	2
45	Gummidipoondi	Satisfactory	73	PM ₁₀	1
46	Gurugram	Satisfactory	63	PM ₁₀ , PM _{2.5}	2
47	Guwahati	Moderate	110	PM ₁₀ , SO ₂	2
48	Gwalior	Satisfactory	62	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad,
 Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Jind,
 Jorapokhar, Kalyan, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nashik,
 Rupnagar, Sirsa, Solapur, Sonipat, Thane, Thoothukudi, Vijayapura as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Satisfactory	74	PM ₁₀	1
50	Haldia	Good	32	PM ₁₀	1
51	Hapur	Satisfactory	52	со	1
52	Hassan	Good	41	со	1
53	Hisar	Good	31	PM ₁₀	1
54	Howrah	Satisfactory	58	PM ₁₀ , NO ₂	3
55	Hubballi	Good	39	PM ₁₀	1
56	Hyderabad	Good	38	NO ₂ , SO ₂ , PM _{2.5}	6
57	Indore	Satisfactory	66	PM ₁₀	1
58	Jabalpur	Good	43	PM ₁₀	1
59	Jaipur	Good	46	O ₃	2
60	Jalandhar	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad,
 Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Jind,
 Jorapokhar, Kalyan, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nashik,
 Rupnagar, Sirsa, Solapur, Sonipat, Thane, Thoothukudi, Vijayapura as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Satisfactory	84	PM ₁₀	1
62	Kaithal	Satisfactory	67	O ₃	1
63	Kalaburgi	Good	27	O ₃	1
64	Kannur	Good	44	PM _{2.5}	1
65	Kanpur	Good	35	O ₃ , PM ₁₀	4
66	Karnal	Good	28	NO ₂	1
67	Katni	Good	37	O ₃	1
68	Khanna	Satisfactory	56	PM ₁₀	1
69	Kochi	Good	46	PM ₁₀	1
70	Kohima	Satisfactory	59	PM ₁₀	1
71	Kolar	Good	45	PM ₁₀	1
72	Kolkata	Satisfactory	54	PM ₁₀ , CO	6

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad,
 Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Jind,
 Jorapokhar, Kalyan, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nashik,
 Rupnagar, Sirsa, Solapur, Sonipat, Thane, Thoothukudi, Vijayapura as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	100	со	1
74	Koppal	Satisfactory	59	со	1
75	Kota	Good	46	NO ₂	1
76	Kozhikode	Good	40	PM ₁₀	1
77	Kurukshetra	Good	33	PM ₁₀	1
78	Lucknow	Satisfactory	55	CO, O ₃ , PM ₁₀	6
79	Ludhiana	Satisfactory	57	PM ₁₀	1
80	Mandi Gobindgarh	Good	30	со	1
81	Mandideep	Satisfactory	68	PM ₁₀	1
82	Mandikhera	Satisfactory	60	PM ₁₀	1
83	Manesar	Satisfactory	72	PM ₁₀	1
84	Medikeri	Good	29	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad,
 Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Jind,
 Jorapokhar, Kalyan, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nashik,
 Rupnagar, Sirsa, Solapur, Sonipat, Thane, Thoothukudi, Vijayapura as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Satisfactory	82	NO ₂ , O ₃	2
86	Mumbai	Satisfactory	54	PM ₁₀ , CO	17
87	Muzaffarnagar	Satisfactory	75	со	1
88	Muzaffarpur	Satisfactory	68	PM ₁₀ , PM _{2.5}	2
89	Mysuru	Good	33	со	1
90	Naharlagun	Good	40	SO ₂	1
91	Nandesari	Poor	288	PM _{2.5}	1
92	Narnaul	Good	44	NO ₂	1
93	Navi Mumbai	Good	48	PM _{2.5} , CO	2
94	Noida	Satisfactory	52	O ₃ , PM ₁₀	2
95	Pali	Satisfactory	74	PM ₁₀	1
96	Palwal	Good	42	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Jind, Jorapokhar, Kalyan, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nashik, Rupnagar, Sirsa, Solapur, Sonipat, Thane, Thoothukudi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Satisfactory	71	PM _{2.5}	1
98	Panipat	Satisfactory	66	SO ₂	1
99	Patiala	Good	31	03	1
100	Patna	Satisfactory	81	PM ₁₀ , PM _{2.5}	5
101	Pithampur	Satisfactory	76	PM ₁₀	1
102	Prayagraj	Good	42	PM ₁₀	2
103	Puducherry	Good	38	O ₃	1
104	Pune	Satisfactory	76	NO ₂ , CO	6
105	Raichur	Satisfactory	61	PM ₁₀	1
106	Rajamahendravaram	Good	27	03	1
107	Ramanagara	Good	30	PM ₁₀	1
108	Ratlam	Good	47	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Jind, Jorapokhar, Kalyan, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nashik, Rupnagar, Sirsa, Solapur, Sonipat, Thane, Thoothukudi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rohtak	Satisfactory	100	СО	1
110	Sagar	Good	22	NO ₂	1
111	Satna	Good	42	PM ₁₀	1
112	Shillong	Good	15	SO ₂	1
113	Shivamogga	Good	41	PM ₁₀	1
114	Siliguri	Good	37	PM ₁₀	1
115	Singrauli	Good	43	PM ₁₀	1
116	Srinagar	Satisfactory	88	PM ₁₀	1
117	Talcher	Satisfactory	53	со	1
118	Thiruvananthapuram	Satisfactory	54	CO, PM ₁₀	2
119	Thrissur	Satisfactory	59	03	1
120	Tirupati	Good	44	со	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Jind, Jorapokhar, Kalyan, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nashik, Rupnagar, Sirsa, Solapur, Sonipat, Thane, Thoothukudi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Satisfactory	66	PM ₁₀	1
122	Udupi	Satisfactory	97	со	1
123	Ujjain	Satisfactory	68	PM ₁₀	1
124	Vapi	Good	48	PM ₁₀	1
125	Varanasi	Good	50	PM ₁₀	4
126	Vatva	Satisfactory	78	PM ₁₀	1
127	Visakhapatnam	Satisfactory	73	PM ₁₀	1
128	Vrindavan	Good	34	PM ₁₀	1
129	Yadgir	Good	31	PM ₁₀	1
130	Yamunanagar	Satisfactory	78	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Jind, Jorapokhar, Kalyan, Maihar, Manglore, Moradabad, Motihari, Nagpur, Nashik, Rupnagar, Sirsa, Solapur, Sonipat, Thane, Thoothukudi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.