

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	SO ₂	1
2	Agra	Good	48	PM ₁₀ , O ₃ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	63	NO ₂ , PM ₁₀ , CO	8
4	Aizawl	Good	23	SO ₂	1
5	Ajmer	Good	46	PM ₁₀	1
6	Alwar	Satisfactory	54	PM ₁₀	1
7	Amaravati	Good	24	PM ₁₀	1
8	Ambala	Good	40	PM ₁₀	1
9	Amritsar	Good	32	PM ₁₀	1
10	Ankleshwar	Satisfactory	57	PM _{2.5}	1
11	Asansol	Satisfactory	55	O ₃	1
12	Aurangabad	Satisfactory	60	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat,
 Bettiah, Bihar Sharif, Charkhi Dadri, Chikkaballapur, Coimbatore, Damoh,
 Darbhanga, Davanagere, Jorapokhar, Kalyan, Kohima, Ludhiana, Maihar,
 Manesar, Manglore, Motihari, Muzaffarpur, Solapur, Thane, Thrissur, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	79	NO ₂	1
14	Ballabgarh	Good	47	PM ₁₀	1
15	Bathinda	Good	49	со	1
16	Bengaluru	Satisfactory	55	CO, PM ₁₀	10
17	Bhiwadi	Satisfactory	80	со	1
18	Bhiwani	Satisfactory	70	03	1
19	Bhopal	Good	44	со	1
20	Bidar	Good	44	SO ₂	1
21	Brajrajnagar	Good	43	со	1
22	Bulandshahr	Good	46	03	1
23	Chamarajanagar	Good	40	PM ₁₀	1
24	Chandigarh	Good	32	CO, PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat,
 Bettiah, Bihar Sharif, Charkhi Dadri, Chikkaballapur, Coimbatore, Damoh,
 Darbhanga, Davanagere, Jorapokhar, Kalyan, Kohima, Ludhiana, Maihar,
 Manesar, Manglore, Motihari, Muzaffarpur, Solapur, Thane, Thrissur, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Good	19	PM ₁₀	2
26	Chennai	Satisfactory	63	O ₃ , PM ₁₀	7
27	Chikkamagaluru	Good	27	O ₃	1
28	Delhi	Satisfactory	60	CO, O ₃ , PM ₁₀	34
29	Dewas	Good	28	PM ₁₀	1
30	Dharuhera	Good	47	PM _{2.5}	1
31	Durgapur	Satisfactory	71	PM ₁₀	1
32	Eloor	Satisfactory	70	со	1
33	Ernakulam	Good	31	со	1
34	Faridabad	Satisfactory	57	O ₃ , PM ₁₀	3
35	Fatehabad	Satisfactory	58	03	1
36	Firozabad	Good	20	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat,
 Bettiah, Bihar Sharif, Charkhi Dadri, Chikkaballapur, Coimbatore, Damoh,
 Darbhanga, Davanagere, Jorapokhar, Kalyan, Kohima, Ludhiana, Maihar,
 Manesar, Manglore, Motihari, Muzaffarpur, Solapur, Thane, Thrissur, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Good	19	PM ₁₀	1
38	Gandhinagar	Good	49	CO, PM _{2.5}	3
39	Gaya	Satisfactory	66	со	2
40	Ghaziabad	Satisfactory	52	CO, PM ₁₀ , O ₃	4
41	Gorakhpur	Good	26	PM ₁₀	1
42	Greater Noida	Good	46	03	1
43	Gummidipoondi	Satisfactory	63	PM ₁₀	1
44	Gurugram	Satisfactory	54	PM ₁₀ , PM _{2.5}	2
45	Guwahati	Satisfactory	72	SO ₂ , PM ₁₀	2
46	Gwalior	Good	48	PM _{2.5} , O ₃	2
47	Hajipur	Satisfactory	55	03	1
48	Haldia	Good	34	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat,
 Bettiah, Bihar Sharif, Charkhi Dadri, Chikkaballapur, Coimbatore, Damoh,
 Darbhanga, Davanagere, Jorapokhar, Kalyan, Kohima, Ludhiana, Maihar,
 Manesar, Manglore, Motihari, Muzaffarpur, Solapur, Thane, Thrissur, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Good	45	O ₃	1
50	Hassan	Good	29	PM ₁₀	1
51	Hisar	Good	30	PM _{2.5}	1
52	Howrah	Good	36	CO, PM ₁₀ , PM _{2.5}	3
53	Hubballi	Good	35	PM ₁₀	1
54	Hyderabad	Good	34	NO ₂ , SO ₂ , CO	6
55	Indore	Good	47	O ₃	1
56	Jabalpur	Good	45	со	1
57	Jaipur	Good	37	CO, O ₃	2
58	Jalandhar	Good	38	O ₃	1
59	Jind	Good	30	со	1
60	Jodhpur	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat,
 Bettiah, Bihar Sharif, Charkhi Dadri, Chikkaballapur, Coimbatore, Damoh,
 Darbhanga, Davanagere, Jorapokhar, Kalyan, Kohima, Ludhiana, Maihar,
 Manesar, Manglore, Motihari, Muzaffarpur, Solapur, Thane, Thrissur, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Good	49	O ₃	1
62	Kalaburgi	Good	27	O ₃	1
63	Kannur	Good	40	PM ₁₀	1
64	Kanpur	Good	47	NO ₂ , O ₃ , PM ₁₀	4
65	Karnal	Good	22	SO ₂	1
66	Katni	Satisfactory	64	PM ₁₀	1
67	Khanna	Good	45	PM ₁₀	1
68	Kochi	Good	39	PM ₁₀	1
69	Kolar	Good	43	со	1
70	Kolkata	Good	41	PM ₁₀ , CO, O ₃	5
71	Kollam	Satisfactory	100	со	1
72	Koppal	Satisfactory	57	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat,
 Bettiah, Bihar Sharif, Charkhi Dadri, Chikkaballapur, Coimbatore, Damoh,
 Darbhanga, Davanagere, Jorapokhar, Kalyan, Kohima, Ludhiana, Maihar,
 Manesar, Manglore, Motihari, Muzaffarpur, Solapur, Thane, Thrissur, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Satisfactory	53	NO ₂	1
74	Kozhikode	Good	48	со	1
75	Kurukshetra	Good	30	PM ₁₀	1
76	Lucknow	Satisfactory	59	PM ₁₀ , CO, SO ₂	6
77	Mandi Gobindgarh	Good	38	PM ₁₀	1
78	Mandideep	Good	27	PM ₁₀	1
79	Mandikhera	Good	40	СО	1
80	Medikeri	Good	26	03	1
81	Meerut	Good	40	03	3
82	Moradabad	Satisfactory	70	PM _{2.5}	1
83	Mumbai	Good	44	PM ₁₀ , CO, O ₃	18
84	Muzaffarnagar	Satisfactory	81	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat,
 Bettiah, Bihar Sharif, Charkhi Dadri, Chikkaballapur, Coimbatore, Damoh,
 Darbhanga, Davanagere, Jorapokhar, Kalyan, Kohima, Ludhiana, Maihar,
 Manesar, Manglore, Motihari, Muzaffarpur, Solapur, Thane, Thrissur, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Good	29	PM ₁₀	1
86	Nagpur	Satisfactory	83	со	1
87	Naharlagun	Good	47	PM ₁₀	1
88	Nandesari	Poor	270	PM _{2.5}	1
89	Narnaul	Good	47	PM _{2.5}	1
90	Nashik	Good	25	со	1
91	Navi Mumbai	Good	33	со	2
92	Noida	Satisfactory	70	CO, NO ₂ , O ₃	3
93	Pali	Satisfactory	96	PM ₁₀	1
94	Palwal	Good	39	PM ₁₀	1
95	Panchkula	Good	49	03	1
96	Panipat	Satisfactory	56	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat,
 Bettiah, Bihar Sharif, Charkhi Dadri, Chikkaballapur, Coimbatore, Damoh,
 Darbhanga, Davanagere, Jorapokhar, Kalyan, Kohima, Ludhiana, Maihar,
 Manesar, Manglore, Motihari, Muzaffarpur, Solapur, Thane, Thrissur, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Good	26	03	1
98	Patna	Satisfactory	65	PM ₁₀ , CO	5
99	Pithampur	Satisfactory	64	PM ₁₀	1
100	Prayagraj	Good	38	PM ₁₀	2
101	Puducherry	Good	49	O ₃	1
102	Pune	Satisfactory	70	SO ₂ , CO, PM _{2.5}	4
103	Raichur	Good	22	PM ₁₀	1
104	Rajamahendravaram	Good	39	PM ₁₀	1
105	Ramanagara	Good	29	PM ₁₀	1
106	Ratlam	Good	26	PM _{2.5}	1
107	Rohtak	Satisfactory	93	со	1
108	Rupnagar	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat,
 Bettiah, Bihar Sharif, Charkhi Dadri, Chikkaballapur, Coimbatore, Damoh,
 Darbhanga, Davanagere, Jorapokhar, Kalyan, Kohima, Ludhiana, Maihar,
 Manesar, Manglore, Motihari, Muzaffarpur, Solapur, Thane, Thrissur, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Good	22	NO ₂	1
110	Satna	Good	47	PM ₁₀	1
111	Shillong	Good	14	SO ₂	1
112	Shivamogga	Satisfactory	54	PM ₁₀	1
113	Siliguri	Good	46	PM ₁₀	1
114	Singrauli	Satisfactory	69	PM ₁₀	1
115	Sirsa	Good	36	NO ₂	1
116	Sonipat	Satisfactory	53	03	1
117	Srinagar	Moderate	162	PM ₁₀	1
118	Talcher	Satisfactory	66	со	1
119	Thiruvananthapuram	Good	40	PM ₁₀ , CO	2
120	Thoothukudi	Satisfactory	51	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Bettiah, Bihar Sharif, Charkhi Dadri, Chikkaballapur, Coimbatore, Damoh, Darbhanga, Davanagere, Jorapokhar, Kalyan, Kohima, Ludhiana, Maihar, Manesar, Manglore, Motihari, Muzaffarpur, Solapur, Thane, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Good	34	со	1
122	Udaipur	Good	47	PM ₁₀	1
123	Ujjain	Satisfactory	58	PM ₁₀	1
124	Vapi	Good	31	PM ₁₀	1
125	Varanasi	Good	37	PM ₁₀	4
126	Vatva	Satisfactory	80	PM ₁₀	1
127	Vijayapura	Satisfactory	62	со	1
128	Visakhapatnam	Good	44	PM ₁₀	1
129	Vrindavan	Good	37	PM ₁₀	1
130	Yadgir	Good	18	PM ₁₀	1
131	Yamunanagar	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Bettiah, Bihar Sharif, Charkhi Dadri, Chikkaballapur, Coimbatore, Damoh, Darbhanga, Davanagere, Jorapokhar, Kalyan, Kohima, Ludhiana, Maihar, Manesar, Manglore, Motihari, Muzaffarpur, Solapur, Thane, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.