Air Quality Index on Dec 11, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	286	$PM_{2.5}$	1
2	Ahmedabad	Moderate	141	$PM_{2.5}$	1
3	Ajmer	Moderate	172	$PM_{2.5}$	1
4	Alwar	Satisfactory	97	PM_{10}	1
5	Amaravati	Moderate	104	$PM_{2.5}$	1
6	Ambala	Very Poor	307	$PM_{2.5}$	1
7	Amritsar	Poor	210	$PM_{2.5}$	1
8	Ankleshwar	Poor	274	$PM_{2.5}$	1
9	Asanol	Poor	268	$PM_{2.5}$	1
10	Aurangabad	Satisfactory	76	PM_{10}	1
11	Baghpat	Severe	412	$PM_{2.5}$	1
12	Bahadurgarh	Very Poor	330	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Damoh, Haldia, Mandideep, Muzaffarnagar, Nagpur, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 11, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	349	PM_{10}	1
14	Bathinda	Poor	264	PM_{10}	1
15	Bengaluru	Satisfactory	63	O_3, CO, PM_{10}	9
16	Bhiwadi	Very Poor	362	$PM_{2.5}$	1
17	Bhiwani	Very Poor	344	$PM_{2.5}$	1
18	Bhopal	Poor	274	$PM_{2.5}$	1
19	Brajrajnagar	Poor	219	$PM_{2.5}$	1
20	Chandigarh	Moderate	179	$PM_{2.5}$	1
21	Chandrapur	Moderate	130	$PM_{2.5}$, PM_{10}	2
22	Chennai	Satisfactory	69	$PM_{2.5}$	3
23	Chikkaballapur	Satisfactory	62	CO	1
24	Delhi	Severe	408	$PM_{2.5}$	34

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Damoh, Haldia, Mandideep, Muzaffarnagar, Nagpur, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 11, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	168	O_3	1
26	Dharuhera	Very Poor	326	$PM_{2.5}$	1
27	Eloor	Good	39	CO	1
28	Faridabad	Very Poor	390	$PM_{2.5}$	1
29	Fatehabad	Moderate	173	PM_{10}	1
30	GandhiNagar	Satisfactory	85	PM_{10}	1
31	Gaya	Poor	267	$PM_{2.5}$	1
32	Ghaziabad	Severe	441	$PM_{2.5}$, PM_{10}	4
33	Greater_Noida	Severe	449	$PM_{2.5}$	1
34	Gurugram	Very Poor	370	$PM_{2.5}$	2
35	Guwahati	Poor	291	$PM_{2.5}$	1
36	Hapur	Very Poor	355	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Damoh, Haldia, Mandideep, Muzaffarnagar, Nagpur, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 11, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Very Poor	355	$PM_{2.5}$	1
38	Howrah	Poor	205	$PM_{2.5}$	3
39	Hubballi	Satisfactory	65	PM_{10}	1
40	Hyderabad	Moderate	127	$PM_{2.5}$, PM_{10}	6
41	Indore	Poor	259	$PM_{2.5}$	1
42	Jabalpur	Poor	263	$PM_{2.5}$	1
43	Jaipur	Moderate	164	$PM_{2.5}$, PM_{10}	3
44	Jalandhar	Poor	201	$PM_{2.5}$	1
45	Jind	Very Poor	344	$PM_{2.5}$	1
46	Jodhpur	Poor	264	$PM_{2.5}$	1
47	Jorapokhar	Poor	236	$PM_{2.5}$	1
48	Kaithal	Very Poor	320	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Damoh, Haldia, Mandideep, Muzaffarnagar, Nagpur, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 11, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalaburagi	Satisfactory	92	PM_{10}	1
50	Kalyan	Moderate	178	PM_{10}	1
51	Kanpur	Very Poor	367	$PM_{2.5}$	1
52	Karnal	Very Poor	364	$PM_{2.5}$	1
53	Katni	Very Poor	327	$PM_{2.5}$	1
54	Khanna	Moderate	196	PM_{10}	1
55	Kolkata	Moderate	156	$PM_{2.5}$, PM_{10}	6
56	Kota	Poor	238	$PM_{2.5}$	1
57	Kurukshetra	Very Poor	360	$PM_{2.5}$	1
58	Lucknow	Very Poor	362	$PM_{2.5}$	4
59	Ludhiana	Poor	279	$PM_{2.5}$	1
60	Maihar	Satisfactory	66	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Damoh, Haldia, Mandideep, Muzaffarnagar, Nagpur, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 11, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandi Gobindgarh	Poor	279	$PM_{2.5}$	1
62	Mandikhera	Poor	300	$PM_{2.5}$	1
63	Manesar	Poor	275	$PM_{2.5}$	1
64	Meerut	Very Poor	356	$PM_{2.5}$	3
65	Moradabad	Very Poor	330	$PM_{2.5}$	1
66	Mumbai	Poor	206	$PM_{2.5}$	9
67	Muzaffarpur	Very Poor	360	$PM_{2.5}$	1
68	Mysuru	Satisfactory	66	PM_{10}	1
69	Narnaul	Poor	286	$PM_{2.5}$	1
70	Nashik	Satisfactory	96	PM_{10}	1
71	Navi Mumbai	Moderate	179	$PM_{2.5}$, CO	3
72	Noida	Severe	426	$PM_{2.5}$, PM_{10}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Damoh, Haldia, Mandideep, Muzaffarnagar, Nagpur, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 11, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Pali	Moderate	133	$PM_{2.5}$	1
74	Palwal	Very Poor	366	$PM_{2.5}$	1
75	Panchkula	Moderate	134	$PM_{2.5}$	1
76	Panipat	Severe	419	PM_{10}	1
77	Patiala	Poor	281	$PM_{2.5}$	1
78	Patna	Severe	404	$PM_{2.5}$	1
79	Pithampur	Poor	231	$PM_{2.5}$	1
80	Pune	Moderate	128	$PM_{2.5}$	1
81	Rajamahendravaram	Satisfactory	66	O_3	1
82	Ramanagara	Satisfactory	53	PM_{10}	1
83	Rohtak	Very Poor	371	$PM_{2.5}$	1
84	Satna	Moderate	144	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Damoh, Haldia, Mandideep, Muzaffarnagar, Nagpur, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 11, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Siliguri	Moderate	193	$PM_{2.5}$	1
86	Sirsa	Poor	203	$PM_{2.5}$	1
87	Solapur	Moderate	170	PM_{10}	1
88	Sonipat	Moderate	115	CO	1
89	Talcher	Poor	229	PM_{10}	1
90	Thane	Satisfactory	87	PM_{10}	1
91	Thiruvananthapuram	Satisfactory	69	$PM_{2.5}$	1
92	Tirupati	Good	42	PM_{10}	1
93	Udaipur	Moderate	158	$PM_{2.5}$	1
94	Ujjain	Poor	216	$PM_{2.5}$	1
95	Vapi	Very Poor	313	$PM_{2.5}$	1
96	Varanasi	Very Poor	354	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Damoh, Haldia, Mandideep, Muzaffarnagar, Nagpur, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 11, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Vatva	Very Poor	302	$PM_{2.5}$	1
98	Visakhapatnam	Satisfactory	85	PM_{10}	1
99	Yadgir	Satisfactory	60	PM_{10}	1
100	Yamunanagar	Very Poor	339	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Coimbatore, Damoh, Haldia, Mandideep, Muzaffarnagar, Nagpur, Ratlam, Rupnagar, Shillong, Singrauli, Vijayawada as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.