

## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	86	со	1
2	Ahmedabad	Good	46	NO <sub>2</sub>	1
3	Ajmer	Good	46	03	1
4	Alwar	Satisfactory	59	PM <sub>10</sub>	1
5	Amaravati	Good	31	O <sub>3</sub>	1
6	Ambala	Satisfactory	60	PM <sub>10</sub>	1
7	Amritsar	Satisfactory	79	PM <sub>10</sub>	1
8	Ankleshwar	Satisfactory	51	PM <sub>10</sub>	1
9	Asanol	Good	38	PM <sub>10</sub>	1
10	Aurangabad	Good	39	PM <sub>10</sub>	1
11	Bagalkot	Good	42	PM <sub>10</sub>	1
12	Baghpat	Satisfactory	86	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

\* Motores calculated for today's bulletin for Aizawl, Bathinda, Bhopal, Brajrajnagar, Ernakulam, Fatehabad, Guwahati, Hubballi, Jodhpur, Kalaburgi, Karnal, Kollam, Kozhikode, Maihar, Nagpur, Shillong, Siliguri, Solapur, Vijayapura, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Good	44	PM <sub>10</sub>	1
14	Ballabgarh	Moderate	167	PM <sub>10</sub>	1
15	Bengaluru	Good	34	CO, PM <sub>10</sub> , O <sub>3</sub>	9
16	Bhiwadi	Satisfactory	97	PM <sub>10</sub>	1
17	Bhiwani	Satisfactory	73	PM <sub>10</sub>	1
18	Bulandshahr	Moderate	151	O <sub>3</sub>	1
19	Chandigarh	Satisfactory	54	PM <sub>10</sub>	1
20	Chandrapur	Good	35	O <sub>3</sub> , CO	2
21	Charkhi Dadri	Satisfactory	90	PM <sub>2.5</sub>	1
22	Chennai	Satisfactory	64	СО	3
23	Chikkaballapur	Good	38	PM <sub>10</sub>	1
24	Chikkamagaluru	Good	34	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Oor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

- \* Motes calculated for today's bulletin for Aizawl, Bathinda, Bhopal, Brajrajnagar, Ernakulam, Fatehabad, Guwahati, Hubballi, Jodhpur, Kalaburgi, Karnal, Kollam, Kozhikode, Maihar, Nagpur, Shillong, Siliguri, Solapur, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Good	42	PM <sub>2.5</sub>	1
26	Damoh	Good	37	PM <sub>10</sub>	1
27	Delhi	Satisfactory	67	PM <sub>10</sub> , CO	34
28	Dewas	Satisfactory	56	PM <sub>10</sub>	1
29	Dharuhera	Satisfactory	53	со	1
30	Eloor	Good	50	PM <sub>10</sub>	1
31	Faridabad	Satisfactory	82	PM <sub>10</sub> , CO	3
32	Gandhinagar	Good	38	PM <sub>10</sub>	1
33	Gaya	Good	28	PM <sub>10</sub>	1
34	Ghaziabad	Satisfactory	88	PM <sub>10</sub> , O <sub>3</sub>	4
35	Greater Noida	Satisfactory	70	PM <sub>10</sub>	2
36	Gurugram	Satisfactory	57	PM <sub>10</sub> , O <sub>3</sub>	4

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Moters calculated for today's bulletin for Aizawl, Bathinda, Bhopal, Brajrajnagar, Ernakulam, Fatehabad, Guwahati, Hubballi, Jodhpur, Kalaburgi, Karnal, Kollam, Kozhikode, Maihar, Nagpur, Shillong, Siliguri, Solapur, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gwalior	Satisfactory	61	O <sub>3</sub>	1
38	Hajipur	Satisfactory	67	PM <sub>10</sub>	1
39	Hapur	Satisfactory	68	PM <sub>10</sub>	1
40	Hisar	Satisfactory	74	PM <sub>10</sub>	1
41	Howrah	Satisfactory	51	NO <sub>2</sub> , PM <sub>10</sub> , O <sub>3</sub>	3
42	Hyderabad	Good	34	NO <sub>2</sub> , PM <sub>10</sub> , O <sub>3</sub>	5
43	Indore	Satisfactory	63	PM <sub>10</sub>	1
44	Jabalpur	Satisfactory	53	PM <sub>10</sub>	1
45	Jaipur	Satisfactory	60	PM <sub>10</sub>	3
46	Jalandhar	Satisfactory	63	PM <sub>10</sub>	1
47	Jind	Satisfactory	65	O <sub>3</sub>	1
48	Jorapokhar	Satisfactory	72	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disea		

- \* Motores calculated for today's bulletin for Aizawl, Bathinda, Bhopal, Brajrajnagar, Ernakulam, Fatehabad, Guwahati, Hubballi, Jodhpur, Kalaburgi, Karnal, Kollam, Kozhikode, Maihar, Nagpur, Shillong, Siliguri, Solapur, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Satisfactory	59	PM <sub>10</sub>	1
50	Kalyan	Good	38	PM <sub>10</sub>	1
51	Kannur	Good	29	PM <sub>2.5</sub>	1
52	Kanpur	Good	45	PM <sub>2.5</sub>	1
53	Katni	Satisfactory	73	PM <sub>10</sub>	1
54	Khanna	Satisfactory	74	PM <sub>10</sub>	1
55	Kochi	Satisfactory	80	СО	1
56	Kolkata	Good	40	O <sub>3</sub> , PM <sub>10</sub>	6
57	Kota	Good	41	PM <sub>10</sub>	1
58	Kurukshetra	Good	48	PM <sub>2.5</sub>	1
59	Lucknow	Satisfactory	57	PM <sub>2.5</sub> , O <sub>3</sub>	4
60	Ludhiana	Satisfactory	57	O <sub>3</sub>	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Oor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

- \* Moters calculated for today's bulletin for Aizawl, Bathinda, Bhopal, Brajrajnagar, Ernakulam, Fatehabad, Guwahati, Hubballi, Jodhpur, Kalaburgi, Karnal, Kollam, Kozhikode, Maihar, Nagpur, Shillong, Siliguri, Solapur, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandi Gobindgarh	Poor	227	PM <sub>2.5</sub>	1
62	Mandideep	Satisfactory	57	PM <sub>2.5</sub>	1
63	Mandikhera	Good	36	PM <sub>10</sub>	1
64	Manesar	Moderate	101	PM <sub>10</sub>	1
65	Meerut	Satisfactory	99	PM <sub>10</sub>	1
66	Moradabad	Satisfactory	75	со	1
67	Mumbai	Good	48	PM <sub>10</sub> , SO <sub>2</sub> , CO	8
68	Muzaffarnagar	Moderate	135	PM <sub>2.5</sub>	1
69	Muzaffarpur	Satisfactory	83	O <sub>3</sub>	1
70	Mysuru	Good	20	O <sub>3</sub>	1
71	Nandesari	Moderate	169	PM <sub>10</sub>	1
72	Narnaul	Good	44	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

- \* Motores calculated for today's bulletin for Aizawl, Bathinda, Bhopal, Brajrajnagar, Ernakulam, Fatehabad, Guwahati, Hubballi, Jodhpur, Kalaburgi, Karnal, Kollam, Kozhikode, Maihar, Nagpur, Shillong, Siliguri, Solapur, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nashik	Good	30	PM <sub>10</sub>	1
74	Navi Mumbai	Good	36	PM <sub>10</sub>	1
75	Noida	Satisfactory	84	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	4
76	Pali	Satisfactory	58	PM <sub>10</sub>	1
77	Palwal	Good	41	со	1
78	Panchkula	Satisfactory	70	PM <sub>2.5</sub>	1
79	Panipat	Moderate	120	PM <sub>10</sub>	1
80	Patiala	Good	43	PM <sub>10</sub>	1
81	Patna	Good	38	O <sub>3</sub> , PM <sub>10</sub>	4
82	Pithampur	Satisfactory	63	PM <sub>10</sub>	1
83	Pune	Satisfactory	67	СО	1
84	Rajamahendravaram	Good	34	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Athites calculated for today's bulletin for Aizawl, Bathinda, Bhopal, Brajrajnagar, Ernakulam, Fatehabad, Guwahati, Hubballi, Jodhpur, Kalaburgi, Karnal, Kollam, Kozhikode, Maihar, Nagpur, Shillong, Siliguri, Solapur, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ramanagara	Good	26	SO <sub>2</sub>	1
86	Ratlam	Satisfactory	59	PM <sub>10</sub>	1
87	Rohtak	Good	33	NO <sub>2</sub>	1
88	Rupnagar	Satisfactory	62	PM <sub>10</sub>	1
89	Sagar	Satisfactory	66	PM <sub>10</sub>	1
90	Satna	Satisfactory	59	PM <sub>10</sub>	1
91	Singrauli	Good	38	SO <sub>2</sub>	1
92	Sirsa	Satisfactory	80	O <sub>3</sub>	1
93	Sonipat	Satisfactory	70	PM <sub>10</sub>	1
94	Talcher	Satisfactory	56	СО	1
95	Thane	Good	35	PM <sub>10</sub>	1
96	Thiruvananthapuram	Good	30	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* Motes calculated for today's bulletin for Aizawl, Bathinda, Bhopal, Brajrajnagar, Ernakulam, Fatehabad, Guwahati, Hubballi, Jodhpur, Kalaburgi, Karnal, Kollam, Kozhikode, Maihar, Nagpur, Shillong, Siliguri, Solapur, Vijayapura, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Tirupati	Good	32	со	1
98	Udaipur	Satisfactory	55	PM <sub>10</sub>	1
99	Ujjain	Satisfactory	61	PM <sub>10</sub>	1
100	Vapi	Satisfactory	96	со	1
101	Varanasi	Satisfactory	57	PM <sub>2.5</sub>	1
102	Vatva	Good	44	PM <sub>10</sub>	1
103	Visakhapatnam	Satisfactory	87	PM <sub>10</sub>	1
104	Yamunanagar	Satisfactory	73	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.