Air Quality Index on Jun 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	61	PM_{10}	2
2	Agra	Moderate	128	PM_{10}, $PM_{2.5}$	6
3	Ahmedabad	Satisfactory	87	CO, $PM_{2.5}$, O_3	8
4	Aizawl	Good	49	PM_{10}	1
5	Ajmer	Satisfactory	100	PM_{10}	1
6	Alwar	Satisfactory	89	PM_{10}	1
7	Amaravati	Good	43	O_3	1
8	Ambala	Poor	270	$PM_{2.5}$	1
9	Amritsar	Poor	210	$PM_{2.5}$	1
10	Arrah	Moderate	135	PM_{10}	1
11	Asansol	Satisfactory	73	PM_{10}	1
12	Aurangabad (Bihar)	Moderate	197	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chamarajanagar, Davanagere, Dehradun, Fatehabad, Gadag, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Koppal, Mandi Gobindgarh, Manglore, Manguraha, Naharlagun, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Good	38	$PM_{2.5}$	1
14	Baddi	Moderate	175	PM_{10}	1
15	Bagalkot	Good	50	$PM_{2.5}$	1
16	Baghpat	Moderate	185	PM_{10}	1
17	Bahadurgarh	Poor	219	$PM_{2.5}$	1
18	Ballabgarh	Moderate	162	$PM_{2.5}$	1
19	Bareilly	Satisfactory	74	PM_{10}	1
20	Begusarai	Moderate	125	$PM_{2.5}$	1
21	Bengaluru	Satisfactory	56	PM_{10}	9
22	Bettiah	Moderate	109	PM_{10}	1
23	Bhagalpur	Moderate	161	PM_{10}	2
24	Bhiwadi	Poor	279	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chamarajanagar, Davanagere, Dehradun, Fatehabad, Gadag, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Koppal, Mandi Gobindgarh, Manglore, Manguraha, Naharlagun, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Poor	270	$PM_{2.5}$	1
26	Bhopal	Satisfactory	68	PM_{10}	1
27	Bihar Sharif	Very Poor	343	PM_{10}	1
28	Bulandshahr	Poor	285	PM_{10}	1
29	Chandigarh	Moderate	194	O_3, $PM_{2.5}$	3
30	Chandrapur	Satisfactory	86	PM_{10}, $PM_{2.5}$	2
31	Charkhi Dadri	Moderate	192	PM_{10}	1
32	Chennai	Satisfactory	65	O_3, CO, $PM_{2.5}$	8
33	Chhapra	Moderate	146	PM_{10}	1
34	Chikkaballapur	Good	30	CO	1
35	Chikkamagaluru	Good	26	O_3	1
36	Coimbatore	Good	30	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chamarajanagar, Davanagere, Dehradun, Fatehabad, Gadag, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Koppal, Mandi Gobindgarh, Manglore, Manguraha, Naharlagun, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Good	34	PM_{10}	1
38	Darbhanga	Satisfactory	69	$PM_{2.5}$	1
39	Delhi	Poor	249	PM_{10}	35
40	Dewas	Moderate	115	PM_{10}	1
41	Dharuhera	Poor	220	PM_{10}	1
42	Durgapur	Satisfactory	99	PM_{10}	1
43	Eloor	Satisfactory	55	$PM_{2.5}$	1
44	Ernakulam	Good	41	NO_2	1
45	Faridabad	Poor	210	$PM_{2.5}$, PM_{10}	3
46	Firozabad	Moderate	110	PM_{10}, O_3	2
47	Gandhinagar	Satisfactory	76	$PM_{2.5}$, PM_{10}	3
48	Gaya	Moderate	142	PM_{10}, $PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chamarajanagar, Davanagere, Dehradun, Fatehabad, Gadag, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Koppal, Mandi Gobindgarh, Manglore, Manguraha, Naharlagun, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Poor	292	PM_{10}	4
50	Gorakhpur	Satisfactory	55	PM_{10}	1
51	Greater Noida	Poor	257	PM_{10}	2
52	Gummidipoondi	Good	28	$PM_{2.5}$	1
53	Gurugram	Poor	234	PM_{10}	3
54	Guwahati	Good	41	PM_{10}	1
55	Gwalior	Moderate	146	PM_{10}	1
56	Hajipur	Moderate	128	$PM_{2.5}$	1
57	Haldia	Satisfactory	63	PM_{10}	1
58	Hapur	Very Poor	365	PM_{10}	1
59	Hassan	Good	36	PM_{10}	1
60	Hisar	Moderate	188	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chamarajanagar, Davanagere, Dehradun, Fatehabad, Gadag, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Koppal, Mandi Gobindgarh, Manglore, Manguraha, Naharlagun, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Satisfactory	64	PM_{10}	2
62	Hubballi	Good	49	CO	1
63	Hyderabad	Satisfactory	60	O_3, $PM_{2.5}$, CO	13
64	Imphal	Satisfactory	82	SO_2, PM_{10}	2
65	Indore	Satisfactory	96	PM_{10}	1
66	Jabalpur	Satisfactory	98	PM_{10}	1
67	Jaipur	Moderate	133	PM_{10}, $PM_{2.5}$	3
68	Jalandhar	Poor	228	PM_{10}	1
69	Jind	Poor	221	PM_{10}	1
70	Jodhpur	Moderate	129	PM_{10}	1
71	Kaithal	Very Poor	366	PM_{10}	1
72	Kalaburgi	Good	35	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chamarajanagar, Davanagere, Dehradun, Fatehabad, Gadag, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Koppal, Mandi Gobindgarh, Manglore, Manguraha, Naharlagun, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Satisfactory	53	PM_{10}	1
74	Kannur	Satisfactory	53	$PM_{2.5}$	1
75	Kanpur	Moderate	151	PM_{10}, $PM_{2.5}$	3
76	Karnal	Moderate	168	PM_{10}	1
77	Katihar	Moderate	171	PM_{10}	1
78	Katni	Moderate	114	PM_{10}	1
79	Khanna	Moderate	129	PM_{10}	1
80	Khurja	Moderate	174	PM_{10}	1
81	Kochi	Satisfactory	61	$PM_{2.5}$	1
82	Kohima	Moderate	123	PM_{10}	1
83	Kolkata	Satisfactory	66	PM_{10}, O_3, $PM_{2.5}$	6
84	Kollam	Satisfactory	52	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chamarajanagar, Davanagere, Dehradun, Fatehabad, Gadag, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Koppal, Mandi Gobindgarh, Manglore, Manguraha, Naharlagun, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Satisfactory	74	PM_{10}	1
86	Kozhikode	Satisfactory	54	PM_{10}	1
87	Kurukshetra	Very Poor	311	$PM_{2.5}$	1
88	Lucknow	Poor	273	$PM_{2.5}$, PM_{10}	4
89	Ludhiana	Poor	268	PM_{10}	1
90	Madikeri	Good	18	O_3	1
91	Maihar	Satisfactory	54	CO	1
92	Mandideep	Satisfactory	56	O_3	1
93	Mandikhera	Moderate	101	PM_{10}	1
94	Manesar	Moderate	173	$PM_{2.5}$	1
95	Meerut	Very Poor	325	PM_{10}	1
96	Moradabad	Moderate	150	PM_{10}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chamarajanagar, Davanagere, Dehradun, Fatehabad, Gadag, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Koppal, Mandi Gobindgarh, Manglore, Manguraha, Naharlagun, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Motihari	Moderate	158	O_3	1
98	Mumbai	Satisfactory	55	O_3, CO, PM_{10}	18
99	Munger	Moderate	200	PM_{10}	1
100	Muzaffarnagar	Poor	275	PM_{10}	1
101	Muzaffarpur	Satisfactory	99	$PM_{2.5}$, PM_{10}	3
102	Mysuru	Good	33	PM_{10}	1
103	Nagpur	Satisfactory	93	O_3	1
104	Nandesari	Moderate	134	CO	1
105	Narnaul	Moderate	128	PM_{10}	1
106	Nashik	Good	27	O_3	1
107	Navi Mumbai	Satisfactory	58	CO	2
108	Noida	Poor	298	PM_{10}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chamarajanagar, Davanagere, Dehradun, Fatehabad, Gadag, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Koppal, Mandi Gobindgarh, Manglore, Manguraha, Naharlagun, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Satisfactory	95	PM_{10}	1
110	Palwal	Moderate	143	PM_{10}	1
111	Panchkula	Moderate	156	$PM_{2.5}$	1
112	Panipat	Poor	285	PM_{10}	1
113	Patiala	Moderate	187	PM_{10}	1
114	Patna	Moderate	158	$PM_{2.5}$, PM_{10}	5
115	Pithampur	Moderate	118	PM_{10}	1
116	Prayagraj	Moderate	113	PM_{10}	3
117	Puducherry	Good	46	O_3	1
118	Pune	Satisfactory	79	NO_2, CO	4
119	Purnia	Poor	220	$PM_{2.5}$	1
120	Raichur	Good	41	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on Jun 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Good	39	PM_{10}	1
122	Rajgir	Moderate	139	PM_{10}	1
123	Ramanagara	Good	29	SO_2	1
124	Ratlam	Good	48	PM_{10}	1
125	Rohtak	Very Poor	301	$PM_{2.5}$	1
126	Rupnagar	Moderate	115	PM_{10}	1
127	Sagar	Moderate	154	NO_2	1
128	Saharsa	Moderate	179	PM_{10}	1
129	Samastipur	Moderate	187	PM_{10}	1
130	Sasaram	Moderate	188	PM_{10}	1
131	Satna	Satisfactory	69	PM_{10}	1
132	Shillong	Good	39	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on Jun 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Good	50	PM_{10}	1
134	Siliguri	Satisfactory	60	PM_{10}	1
135	Singrauli	Moderate	196	PM_{10}	1
136	Sirsa	Poor	265	$PM_{2.5}$	1
137	Solapur	Satisfactory	91	PM_{10}	1
138	Sonipat	Moderate	191	PM_{10}	1
139	Srinagar	Satisfactory	86	PM_{10}	1
140	Talcher	Good	50	CO	1
141	Thane	Satisfactory	97	NO_2	1
142	Thiruvananthapuram	Good	29	CO	1
143	Thoothukudi	Good	28	O_3	1
144	Udaipur	Satisfactory	67	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chamarajanagar, Davanagere, Dehradun, Fatehabad, Gadag, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Koppal, Mandi Gobindgarh, Manglore, Manguraha, Naharlagun, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jun 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Satisfactory	91	PM_{10}	1
146	Varanasi	Moderate	102	PM_{10}	4
147	Vatva	Satisfactory	74	PM_{10}	1
148	Vijayapura	Satisfactory	56	PM_{10}	1
149	Visakhapatnam	Satisfactory	91	PM_{10}	1
150	Vrindavan	Moderate	123	PM_{10}	1
151	Yadgir	Good	29	CO	1
152	Yamunanagar	Poor	213	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Bathinda, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chamarajanagar, Davanagere, Dehradun, Fatehabad, Gadag, Gangtok, Haveri, Jhansi, Jorapokhar, Kishanganj, Kolar, Koppal, Mandi Gobindgarh, Manglore, Manguraha, Naharlagun, Siwan, Thrissur, Tirupati, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.