

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	70	PM _{2.5}	1
2	Agra	Poor	234	PM _{2.5}	1
3	Ahmedabad	Moderate	111	PM ₁₀	1
4	Ajmer	Moderate	111	PM ₁₀	1
5	Alwar	Moderate	102	PM ₁₀	1
6	Amaravati	Satisfactory	66	PM ₁₀	1
7	Ambala	Satisfactory	91	PM ₁₀	1
8	Amritsar	Moderate	104	PM ₁₀	1
9	Ankleshwar	Moderate	182	PM _{2.5}	1
10	Asansol	Moderate	150	PM ₁₀	1
11	Aurangabad	Satisfactory	85	PM ₁₀	1
12	Bagalkot	Good	43	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bidar,
 Brajrajnagar, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Gummidipoondi
 Haldia, Kochi, Manglore, Palwal, Ratlam, Rupnagar, Satna, Udupi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	223	PM ₁₀	1
14	Bahadurgarh	Poor	247	PM _{2.5}	1
15	Ballabgarh	Moderate	178	PM _{2.5}	1
16	Bathinda	Moderate	111	PM ₁₀	1
17	Bengaluru	Satisfactory	89	PM ₁₀ , O ₃	9
18	Bhiwadi	Very Poor	307	PM ₁₀	1
19	Bhiwani	Moderate	123	PM ₁₀	1
20	Bhopal	Moderate	111	PM ₁₀	1
21	Bulandshahr	Moderate	199	PM ₁₀	1
22	Chandigarh	Satisfactory	93	PM ₁₀	1
23	Chandrapur	Moderate	133	PM _{2.5} , PM ₁₀	2
24	Charkhi Dadri	Poor	202	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bidar,
 Brajrajnagar, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Gummidipoondi
 Haldia, Kochi, Manglore, Palwal, Ratlam, Rupnagar, Satna, Udupi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Good	46	PM ₁₀ , O ₃ , CO	5
26	Chikkaballapur	Satisfactory	100	PM _{2.5}	1
27	Chikkamagaluru	Satisfactory	82	PM _{2.5}	1
28	Damoh	Satisfactory	51	PM ₁₀	1
29	Davanagere	Moderate	127	PM ₁₀	1
30	Delhi	Poor	208	PM ₁₀	38
31	Dewas	Moderate	103	PM ₁₀	1
32	Dharuhera	Poor	294	PM ₁₀	1
33	Durgapur	Very Poor	302	PM ₁₀	1
34	Eloor	Satisfactory	53	PM _{2.5}	1
35	Faridabad	Poor	219	PM _{2.5} , PM ₁₀	4
36	Fatehabad	Moderate	138	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bidar,
 Brajrajnagar, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Gummidipoondi
 Haldia, Kochi, Manglore, Palwal, Ratlam, Rupnagar, Satna, Udupi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Moderate	102	PM ₁₀	1
38	Gaya	Satisfactory	93	03	1
39	Ghaziabad	Poor	240	PM ₁₀	4
40	Greater Noida	Poor	255	PM ₁₀	2
41	Gurugram	Poor	233	PM ₁₀ , PM _{2.5}	4
42	Guwahati	Moderate	192	PM _{2.5} , PM ₁₀	2
43	Gwalior	Moderate	163	PM ₁₀	1
44	Hajipur	Moderate	165	PM ₁₀	1
45	Hapur	Moderate	149	PM ₁₀	1
46	Hisar	Moderate	156	PM _{2.5}	1
47	Howrah	Moderate	155	PM ₁₀ , PM _{2.5}	3
48	Hubballi	Moderate	146	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bidar,
 Brajrajnagar, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Gummidipoondi
 Haldia, Kochi, Manglore, Palwal, Ratlam, Rupnagar, Satna, Udupi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	150	PM _{2.5} , PM ₁₀	6
50	Indore	Moderate	133	PM ₁₀	1
51	Jabalpur	Moderate	145	PM ₁₀	1
52	Jaipur	Poor	208	PM _{2.5} , PM ₁₀	3
53	Jalandhar	Moderate	101	PM ₁₀	1
54	Jind	Moderate	123	PM ₁₀	1
55	Jodhpur	Poor	226	PM _{2.5}	1
56	Jorapokhar	Good	44	O ₃	1
57	Kaithal	Moderate	140	PM ₁₀	1
58	Kalaburgi	Moderate	109	PM ₁₀	1
59	Kalyan	Moderate	152	PM ₁₀	1
60	Kannur	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bidar,
 Brajrajnagar, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Gummidipoondi
 Haldia, Kochi, Manglore, Palwal, Ratlam, Rupnagar, Satna, Udupi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Satisfactory	100	PM _{2.5}	2
62	Karnal	Moderate	107	PM ₁₀	1
63	Katni	Poor	232	PM ₁₀	1
64	Khanna	Satisfactory	92	PM ₁₀	1
65	Kohima	Moderate	121	PM ₁₀	1
66	Kolar	Satisfactory	79	NO ₂	1
67	Kolkata	Moderate	134	PM _{2.5} , PM ₁₀	7
68	Kollam	Satisfactory	99	PM ₁₀	1
69	Koppal	Moderate	104	PM ₁₀	1
70	Kota	Moderate	107	PM ₁₀	1
71	Kozhikode	Satisfactory	85	PM ₁₀	1
72	Kurukshetra	Moderate	114	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bidar,
 Brajrajnagar, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Gummidipoondi
 Haldia, Kochi, Manglore, Palwal, Ratlam, Rupnagar, Satna, Udupi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Moderate	194	PM _{2.5} , PM ₁₀	3
74	Ludhiana	Moderate	110	PM ₁₀	1
75	Maihar	Satisfactory	62	PM ₁₀	1
76	Mandi Gobindgarh	Moderate	111	PM ₁₀	1
77	Mandideep	Satisfactory	60	NO ₂	1
78	Mandikhera	Moderate	154	PM _{2.5}	1
79	Manesar	Poor	242	PM _{2.5}	1
80	Medikeri	Satisfactory	77	PM ₁₀	1
81	Meerut	Moderate	192	PM ₁₀	2
82	Moradabad	Moderate	153	PM ₁₀	1
83	Mumbai	Moderate	139	PM _{2.5} , O ₃	17
84	Muzaffarnagar	Moderate	166	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bidar,
 Brajrajnagar, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Gummidipoondi
 Haldia, Kochi, Manglore, Palwal, Ratlam, Rupnagar, Satna, Udupi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Moderate	178	PM _{2.5} , PM ₁₀	2
86	Mysuru	Moderate	110	PM ₁₀	1
87	Nagpur	Satisfactory	76	PM ₁₀	1
88	Nandesari	Moderate	114	СО	1
89	Narnaul	Poor	214	PM ₁₀	1
90	Nashik	Satisfactory	79	PM _{2.5}	1
91	Navi Mumbai	Moderate	199	PM ₁₀ , O ₃	3
92	Noida	Moderate	199	PM ₁₀ , PM _{2.5}	4
93	Pali	Moderate	136	PM ₁₀	1
94	Panchkula	Satisfactory	61	PM _{2.5}	1
95	Panipat	Moderate	187	PM ₁₀	1
96	Patiala	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bidar,
 Brajrajnagar, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Gummidipoondi
 Haldia, Kochi, Manglore, Palwal, Ratlam, Rupnagar, Satna, Udupi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Moderate	144	PM ₁₀ , PM _{2.5}	5
98	Pithampur	Moderate	116	PM ₁₀	1
99	Puducherry	Good	31	PM _{2.5}	1
100	Pune	Moderate	101	PM _{2.5} , CO, PM ₁₀	6
101	Raichur	Moderate	142	PM ₁₀	1
102	Rajamahendravaram	Satisfactory	76	PM ₁₀	1
103	Ramanagara	Moderate	157	03	1
104	Rohtak	Moderate	146	PM _{2.5}	1
105	Sagar	Satisfactory	82	PM _{2.5}	1
106	Shillong	Satisfactory	84	PM ₁₀	1
107	Shivamogga	Satisfactory	82	PM _{2.5}	1
108	Siliguri	Poor	229	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bidar,
 Brajrajnagar, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Gummidipoondi
 Haldia, Kochi, Manglore, Palwal, Ratlam, Rupnagar, Satna, Udupi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Moderate	178	PM _{2.5}	1
110	Sirsa	Satisfactory	94	PM ₁₀	1
111	Solapur	Moderate	139	PM ₁₀	1
112	Sonipat	Poor	218	PM ₁₀	1
113	Srinagar	Good	25	PM ₁₀	1
114	Talcher	Moderate	156	PM _{2.5}	1
115	Thane	Poor	273	PM ₁₀	1
116	Thiruvananthapuram	Satisfactory	94	PM _{2.5}	2
117	Thoothukudi	Satisfactory	67	PM ₁₀	1
118	Thrissur	Satisfactory	94	PM _{2.5}	1
119	Tirupati	Satisfactory	96	NO ₂	1
120	Udaipur	Moderate	110	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bidar,
 Brajrajnagar, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Gummidipoondi
 Haldia, Kochi, Manglore, Palwal, Ratlam, Rupnagar, Satna, Udupi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Moderate	150	PM ₁₀	1
122	Vapi	Moderate	140	PM ₁₀	1
123	Varanasi	Moderate	149	PM _{2.5}	1
124	Vatva	Poor	220	PM _{2.5}	1
125	Vijayapura	Satisfactory	78	PM ₁₀	1
126	Visakhapatnam	Moderate	121	PM ₁₀	1
127	Yadgir	Satisfactory	89	O ₃	1
128	Yamunanagar	Moderate	127	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bidar,
 Brajrajnagar, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Gummidipoondi
 Haldia, Kochi, Manglore, Palwal, Ratlam, Rupnagar, Satna, Udupi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.