

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	77	SO ₂ , PM ₁₀	2
2	Agra	Moderate	137	PM _{2.5} , PM ₁₀ , O ₃	6
3	Ahmedabad	Poor	259	PM _{2.5} , PM ₁₀	8
4	Aizawl	Satisfactory	73	PM ₁₀	1
5	Ajmer	Moderate	106	PM ₁₀	1
6	Alwar	Satisfactory	88	PM ₁₀	1
7	Amaravati	Good	42	O ₃	1
8	Ambala	Moderate	154	PM ₁₀	1
9	Amritsar	Moderate	116	PM ₁₀	1
10	Ankleshwar	Poor	226	PM _{2.5}	1
11	Araria	Satisfactory	71	PM ₁₀	1
12	Asansol	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Chikkamagaluru, Fatehabad, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Naharlagun, Panipat, Sagar, Sonipat, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	117	PM ₁₀	1
14	Baddi	Moderate	130	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Baghpat	Poor	232	PM ₁₀	1
17	Bahadurgarh	Poor	224	PM _{2.5}	1
18	Ballabgarh	Poor	204	PM ₁₀	1
19	Bathinda	Satisfactory	74	PM ₁₀	1
20	Bengaluru	Satisfactory	91	PM _{2.5} , CO, PM ₁₀	8
21	Bhagalpur	Poor	218	PM ₁₀ , PM _{2.5}	2
22	Bhiwadi	Poor	261	PM _{2.5}	1
23	Bhiwani	Moderate	170	PM _{2.5}	1
24	Bhopal	Moderate	197	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Chikkamagaluru, Fatehabad, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Naharlagun, Panipat, Sagar, Sonipat, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Very Poor	388	PM ₁₀	1
26	Bilaspur	Satisfactory	58	PM ₁₀	1
27	Brajrajnagar	Moderate	111	PM ₁₀	1
28	Bulandshahr	Poor	228	PM ₁₀	1
29	Chandigarh	Moderate	166	O ₃ , PM _{2.5} , PM ₁₀	3
30	Chandrapur	Moderate	142	PM _{2.5}	1
31	Charkhi Dadri	Poor	227	PM _{2.5}	1
32	Chennai	Good	42	CO, PM ₁₀ , O ₃	8
33	Chhapra	Poor	219	PM _{2.5}	1
34	Chikkaballapur	Satisfactory	87	PM _{2.5}	1
35	Coimbatore	Satisfactory	57	PM _{2.5}	1
36	Damoh	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Chikkamagaluru, Fatehabad, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Naharlagun, Panipat, Sagar, Sonipat, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Moderate	170	PM ₁₀	1
38	Davanagere	Satisfactory	85	PM ₁₀	1
39	Delhi	Poor	226	PM ₁₀ , NO ₂ , PM _{2.5}	37
40	Dewas	Moderate	125	PM ₁₀	1
41	Dharuhera	Very Poor	313	PM ₁₀	1
42	Durgapur	Moderate	174	PM _{2.5}	1
43	Eloor	Satisfactory	72	PM ₁₀	1
44	Ernakulam	Good	45	PM _{2.5}	1
45	Faridabad	Poor	205	PM ₁₀ , PM _{2.5}	3
46	Firozabad	Poor	206	03	1
47	Gadag	Satisfactory	51	PM _{2.5}	1
48	Gandhinagar	Poor	246	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Chikkamagaluru, Fatehabad, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Naharlagun, Panipat, Sagar, Sonipat, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	185	PM _{2.5} , PM ₁₀	3
50	Ghaziabad	Poor	216	PM ₁₀	4
51	Gorakhpur	Satisfactory	80	PM _{2.5}	1
52	Greater Noida	Poor	265	PM ₁₀	2
53	Gurugram	Poor	212	PM ₁₀ , PM _{2.5}	4
54	Guwahati	Satisfactory	55	O ₃ , PM _{2.5}	2
55	Gwalior	Moderate	142	PM _{2.5}	1
56	Hajipur	Moderate	158	PM _{2.5}	1
57	Haldia	Good	31	PM _{2.5}	1
58	Hapur	Poor	277	03	1
59	Hassan	Satisfactory	100	PM ₁₀	1
60	Hisar	Moderate	180	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Chikkamagaluru, Fatehabad, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Naharlagun, Panipat, Sagar, Sonipat, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Satisfactory	76	PM ₁₀	3
62	Hubballi	Satisfactory	82	PM ₁₀	1
63	Hyderabad	Moderate	105	PM _{2.5} , PM ₁₀	5
64	Indore	Moderate	196	PM ₁₀	1
65	Jabalpur	Poor	253	PM ₁₀	1
66	Jaipur	Moderate	165	PM _{2.5} , PM ₁₀	3
67	Jalandhar	Moderate	125	PM ₁₀	1
68	Jhansi	Moderate	178	PM ₁₀	1
69	Jind	Moderate	147	PM _{2.5}	1
70	Jodhpur	Poor	240	PM ₁₀	1
71	Kaithal	Moderate	173	PM _{2.5}	1
72	Kalaburgi	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Chikkamagaluru, Fatehabad, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Naharlagun, Panipat, Sagar, Sonipat, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Poor	240	PM ₁₀	1
74	Kannur	Good	50	СО	1
75	Kanpur	Moderate	121	PM _{2.5} , PM ₁₀	3
76	Karnal	Moderate	115	PM ₁₀	1
77	Katni	Poor	244	PM ₁₀	1
78	Khanna	Moderate	120	PM ₁₀	1
79	Kishanganj	Satisfactory	75	PM ₁₀	1
80	Kochi	Satisfactory	60	PM _{2.5}	1
81	Kolkata	Satisfactory	65	PM ₁₀ , NO ₂	7
82	Kollam	Satisfactory	81	PM ₁₀	1
83	Koppal	Satisfactory	62	PM ₁₀	1
84	Kota	Moderate	129	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Chikkamagaluru, Fatehabad, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Naharlagun, Panipat, Sagar, Sonipat, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Satisfactory	54	PM ₁₀	1
86	Kurukshetra	Moderate	171	O ₃	1
87	Lucknow	Moderate	186	PM _{2.5} , PM ₁₀	6
88	Ludhiana	Moderate	165	PM ₁₀	1
89	Madikeri	Satisfactory	66	PM ₁₀	1
90	Mandi Gobindgarh	Satisfactory	96	PM _{2.5}	1
91	Mandideep	Moderate	136	PM ₁₀	1
92	Mandikhera	Satisfactory	89	PM ₁₀	1
93	Manesar	Poor	255	PM _{2.5}	1
94	Manglore	Satisfactory	53	со	1
95	Meerut	Poor	280	PM ₁₀ , O ₃ , PM _{2.5}	3
96	Moradabad	Moderate	132	O ₃ , PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Chikkamagaluru, Fatehabad, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Naharlagun, Panipat, Sagar, Sonipat, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Motihari	Moderate	158	PM ₁₀	1
98	Mumbai	Poor	214	PM ₁₀ , PM _{2.5}	16
99	Munger	Poor	249	PM _{2.5}	1
100	Muzaffarnagar	Poor	260	03	1
101	Muzaffarpur	Moderate	158	PM ₁₀ , PM _{2.5}	3
102	Mysuru	Satisfactory	52	PM ₁₀	1
103	Nagpur	Satisfactory	95	PM ₁₀	1
104	Nandesari	Good	39	PM _{2.5}	1
105	Narnaul	Moderate	180	PM _{2.5}	1
106	Nashik	Satisfactory	83	PM ₁₀	1
107	Navi Mumbai	Poor	232	PM ₁₀	3
108	Noida	Poor	243	PM ₁₀	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Chikkamagaluru, Fatehabad, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Naharlagun, Panipat, Sagar, Sonipat, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Moderate	162	PM _{2.5}	1
110	Palwal	Moderate	162	PM ₁₀	1
111	Panchkula	Moderate	161	PM _{2.5}	1
112	Patiala	Moderate	125	PM ₁₀	1
113	Patna	Poor	236	PM _{2.5} , PM ₁₀	6
114	Pithampur	Moderate	111	PM ₁₀	1
115	Prayagraj	Moderate	141	PM ₁₀	3
116	Puducherry	Good	43	СО	1
117	Pune	Moderate	120	PM _{2.5} , PM ₁₀	5
118	Purnia	Satisfactory	86	NO ₂	1
119	Raichur	Moderate	115	PM ₁₀	1
120	Rajamahendravaram	Good	32	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Chikkamagaluru, Fatehabad, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Naharlagun, Panipat, Sagar, Sonipat, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Poor	221	PM _{2.5}	1
122	Ramanagara	Satisfactory	100	PM ₁₀	1
123	Ratlam	Moderate	144	PM ₁₀	1
124	Rohtak	Moderate	185	PM _{2.5}	1
125	Rupnagar	Moderate	151	PM ₁₀	1
126	Saharsa	Moderate	178	PM ₁₀	1
127	Samastipur	Moderate	196	PM ₁₀	1
128	Sasaram	Poor	247	PM _{2.5}	1
129	Satna	Satisfactory	56	PM ₁₀	1
130	Shillong	Good	31	O ₃	1
131	Shivamogga	Satisfactory	55	PM ₁₀	1
132	Siliguri	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Chikkamagaluru, Fatehabad, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Naharlagun, Panipat, Sagar, Sonipat, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Very Poor	352	PM ₁₀	1
134	Sirsa	Moderate	122	03	1
135	Siwan	Moderate	200	PM ₁₀	1
136	Solapur	Moderate	119	PM ₁₀	1
137	Srinagar	Good	42	PM ₁₀	1
138	Talcher	Satisfactory	86	со	1
139	Thane	Poor	258	03	1
140	Thiruvananthapuram	Good	48	PM _{2.5}	2
141	Thoothukudi	Satisfactory	73	PM ₁₀	1
142	Thrissur	Satisfactory	94	PM _{2.5}	1
143	Tirupati	Satisfactory	74	PM ₁₀	1
144	Udaipur	Moderate	134	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Chikkamagaluru, Fatehabad, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Naharlagun, Panipat, Sagar, Sonipat, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Moderate	190	PM ₁₀	1
146	Varanasi	Moderate	111	PM ₁₀ , O ₃	4
147	Vatva	Moderate	118	PM ₁₀	1
148	Vijayapura	Good	50	PM ₁₀	1
149	Visakhapatnam	Satisfactory	76	PM ₁₀	1
150	Vrindavan	Moderate	145	PM ₁₀	1
151	Yadgir	Satisfactory	97	PM ₁₀	1
152	Yamunanagar	Moderate	193	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Bidar, Buxar, Chamarajanagar, Chikkamagaluru, Fatehabad, Gummidipoondi, Jorapokhar, Katihar, Kohima, Kolar, Maihar, Manguraha, Naharlagun, Panipat, Sagar, Sonipat, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.