

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	80	PM _{2.5}	1
2	Ahmedabad	Poor	247	NO ₂	1
3	Ajmer	Satisfactory	96	PM ₁₀	1
4	Alwar	Satisfactory	77	PM ₁₀	1
5	Amaravati	Good	40	OZONE	1
6	Ambala	Moderate	142	PM _{2.5}	1
7	Amritsar	Moderate	160	PM _{2.5}	1
8	Asanol	Satisfactory	80	PM _{2.5}	1
9	Baghpat	Poor	229	PM _{2.5}	1
10	Bahadurgarh	Moderate	122	PM _{2.5}	1
11	Ballabgarh	Moderate	168	PM ₁₀	1
12	Bathinda	Moderate	104	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes

* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bulandshahr, Haldia, Jorapokhar, Maihar, Rupnagar, Singrauli, Talcher, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	78	PM _{2.5} , PM ₁₀	7
14	Bhiwadi	Moderate	191	PM _{2.5}	1
15	Bhiwani	Moderate	172	PM _{2.5}	1
16	Bhopal	Moderate	121	OZONE	1
17	Brajrajnagar	Satisfactory	99	со	1
18	Chandigarh	Moderate	107	PM ₁₀	1
19	Chandrapur	Satisfactory	84	PM ₁₀	2
20	Chennai	Satisfactory	73	OZONE, CO	3
21	Chikkaballapur	Good	46	PM _{2.5}	1
22	Coimbatore	Satisfactory	89	со	1
23	Damoh	Satisfactory	85	PM ₁₀	1
24	Delhi	Poor	222	PM _{2.5} , PM ₁₀	36

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bulandshahr, Haldia, Jorapokhar, Maihar, Rupnagar, Singrauli, Talcher, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	121	PM ₁₀	1
26	Dharuhera	Poor	218	PM _{2.5}	1
27	Eloor	Good	37	со	1
28	Faridabad	Poor	248	OZONE	1
29	Fatehabad	Moderate	119	PM ₁₀	1
30	GandhiNagar	Satisfactory	93	PM ₁₀	1
31	Gaya	Moderate	105	PM _{2.5}	1
32	Ghaziabad	Poor	263	PM _{2.5}	3
33	Greater_Noida	Poor	286	PM ₁₀ , PM _{2.5}	2
34	Gurugram	Moderate	175	PM _{2.5}	1
35	Guwahati	Satisfactory	62	PM ₁₀	1
36	Hapur	Poor	250	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bulandshahr, Haldia, Jorapokhar, Maihar, Rupnagar, Singrauli, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Poor	218	PM _{2.5}	1
38	Howrah	Moderate	150	PM _{2.5}	2
39	Hubballi	Satisfactory	96	PM ₁₀	1
40	Hyderabad	Satisfactory	63	PM _{2.5} , PM ₁₀ , OZONE	6
41	Indore	Moderate	165	PM _{2.5}	1
42	Jabalpur	Satisfactory	91	PM ₁₀	1
43	Jaipur	Satisfactory	98	PM _{2.5} , PM ₁₀	3
44	Jalandhar	Satisfactory	92	PM _{2.5}	1
45	Jind	Poor	205	PM _{2.5}	1
46	Jodhpur	Moderate	133	PM ₁₀	1
47	Kaithal	Moderate	148	PM ₁₀	1
48	Kalaburagi	Good	49	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bulandshahr, Haldia, Jorapokhar, Maihar, Rupnagar, Singrauli, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalyan	Moderate	103	PM ₁₀	1
50	Kanpur	Moderate	181	PM _{2.5}	1
51	Karnal	Poor	294	PM _{2.5}	1
52	Katni	Moderate	116	PM ₁₀	1
53	Khanna	Satisfactory	88	PM ₁₀	1
54	Kolkata	Satisfactory	95	PM _{2.5} , OZONE	7
55	Kota	Satisfactory	81	PM ₁₀	1
56	Kurukshetra	Moderate	190	PM _{2.5}	1
57	Loni_Dehat	Poor	266	PM _{2.5}	1
58	Lucknow	Moderate	147	PM _{2.5}	4
59	Ludhiana	Moderate	103	PM _{2.5}	1
60	Mandi Gobindgarh	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bulandshahr, Haldia, Jorapokhar, Maihar, Rupnagar, Singrauli, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandideep	Moderate	148	PM ₁₀	1
62	Mandikhera	Moderate	132	PM ₁₀	1
63	Manesar	Moderate	198	PM _{2.5}	1
64	Meerut	Poor	269	PM _{2.5}	1
65	Moradabad	Poor	258	PM _{2.5}	1
66	Mumbai	Moderate	116	OZONE, PM ₁₀ , CO	8
67	Muzaffarnagar	Poor	269	PM _{2.5}	1
68	Muzaffarpur	Moderate	164	PM _{2.5}	1
69	Mysuru	Satisfactory	55	PM ₁₀	1
70	Nagpur	Satisfactory	74	PM ₁₀	1
71	Narnaul	Moderate	162	PM _{2.5}	1
72	Nashik	Satisfactory	71	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bulandshahr, Haldia, Jorapokhar, Maihar, Rupnagar, Singrauli, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Moderate	137	OZONE, PM ₁₀ , CO	3
74	Noida	Poor	252	PM _{2.5}	4
75	Pali	Satisfactory	83	PM ₁₀	1
76	Palwal	Poor	213	PM _{2.5}	1
77	Panchkula	Satisfactory	70	PM _{2.5}	1
78	Panipat	Very Poor	315	PM ₁₀	1
79	Patiala	Moderate	115	PM ₁₀	1
80	Patna	Moderate	116	PM _{2.5}	1
81	Pithampur	Moderate	129	PM ₁₀	1
82	Pune	Satisfactory	86	SO ₂	1
83	Rajamahendravaram	Good	41	OZONE	1
84	Ramanagara	Satisfactory	56	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bulandshahr, Haldia, Jorapokhar, Maihar, Rupnagar, Singrauli, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ratlam	Moderate	130	PM ₁₀	1
86	Rohtak	Moderate	137	PM _{2.5}	1
87	Satna	Moderate	121	PM ₁₀	1
88	Shillong	Good	43	OZONE	1
89	Siliguri	Good	44	PM ₁₀	1
90	Sirsa	Poor	214	PM _{2.5}	1
91	Solapur	Satisfactory	80	PM ₁₀	1
92	Sonipat	Moderate	198	PM _{2.5}	1
93	Thane	Good	48	СО	1
94	Thiruvananthapuram	Satisfactory	53	СО	1
95	Tirupati	Good	32	NO ₂	1
96	Udaipur	Satisfactory	74	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bulandshahr, Haldia, Jorapokhar, Maihar, Rupnagar, Singrauli, Talcher, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ujjain	Moderate	104	OZONE	1
98	Varanasi	Moderate	194	PM ₁₀	1
99	Vatva	Moderate	166	PM ₁₀	1
100	Vijayawada	Satisfactory	59	со	1
101	Visakhapatnam	Satisfactory	94	PM ₁₀	1
102	Yadgir	Satisfactory	71	OZONE	1
103	Yamunanagar	Poor	291	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bulandshahr, Haldia, Jorapokhar, Maihar, Rupnagar, Singrauli, Talcher, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.