

## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	229	PM <sub>2.5</sub>	1
2	Ahmedabad	Satisfactory	90	O <sub>3</sub>	1
3	Ajmer	Satisfactory	95	PM <sub>10</sub>	1
4	Alwar	Satisfactory	76	PM <sub>10</sub>	1
5	Amaravati	Good	32	O <sub>3</sub>	1
6	Ambala	Moderate	133	PM <sub>10</sub>	1
7	Amritsar	Moderate	110	PM <sub>2.5</sub>	1
8	Ankleshwar	Satisfactory	96	PM <sub>10</sub>	1
9	Asansol	Good	44	PM <sub>10</sub>	1
10	Aurangabad	Satisfactory	54	PM <sub>10</sub>	1
11	Baghpat	Moderate	161	PM <sub>2.5</sub>	1
12	Bahadurgarh	Moderate	155	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Jind, Jorapokhar, Kalaburgi, Kohima, Navi Mumbai, Panchkula, Rupnagar, Shillong, Talcher, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	171	PM <sub>2.5</sub>	1
14	Bathinda	Good	37	PM <sub>10</sub>	1
15	Bengaluru	Good	40	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	8
16	Bhiwadi	Poor	256	PM <sub>2.5</sub>	1
17	Bhiwani	Moderate	118	03	1
18	Bhopal	Satisfactory	74	03	1
19	Brajrajnagar	Satisfactory	65	со	1
20	Bulandshahr	Moderate	161	03	1
21	Chandigarh	Moderate	102	PM <sub>10</sub>	1
22	Chandrapur	Good	38	PM <sub>10</sub>	2
23	Charkhi Dadri	Moderate	154	PM <sub>10</sub>	1
24	Chennai	Satisfactory	58	PM <sub>2.5</sub> , O <sub>3</sub>	4

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Jind, Jorapokhar, Kalaburgi, Kohima, Navi Mumbai, Panchkula, Rupnagar, Shillong, Talcher, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Satisfactory	63	PM <sub>10</sub>	1
26	Chikkamagaluru	Good	30	PM <sub>10</sub>	1
27	Coimbatore	Good	30	PM <sub>10</sub>	1
28	Damoh	Good	31	PM <sub>10</sub>	1
29	Delhi	Moderate	151	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	34
30	Dewas	Satisfactory	65	PM <sub>10</sub>	1
31	Dharuhera	Moderate	177	PM <sub>2.5</sub>	1
32	Eloor	Good	12	со	1
33	Ernakulam	Satisfactory	88	со	1
34	Faridabad	Poor	228	PM <sub>2.5</sub> , PM <sub>10</sub>	4
35	Fatehabad	Moderate	145	PM <sub>2.5</sub>	1
36	Gandhinagar	Satisfactory	56	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Jind, Jorapokhar, Kalaburgi, Kohima, Navi Mumbai, Panchkula, Rupnagar, Shillong, Talcher, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Good	28	O <sub>3</sub>	1
38	Ghaziabad	Moderate	172	O <sub>3</sub> , PM <sub>10</sub>	3
39	Greater Noida	Moderate	175	PM <sub>10</sub> , PM <sub>2.5</sub>	2
40	Gurugram	Moderate	177	PM <sub>2.5</sub> , PM <sub>10</sub>	4
41	Guwahati	Good	31	PM <sub>10</sub>	1
42	Gwalior	Moderate	126	PM <sub>10</sub>	1
43	Hajipur	Good	34	PM <sub>10</sub>	1
44	Hapur	Moderate	146	PM <sub>10</sub>	1
45	Hisar	Moderate	156	PM <sub>2.5</sub>	1
46	Howrah	Good	48	PM <sub>10</sub>	2
47	Hubballi	Good	35	PM <sub>10</sub>	1
48	Hyderabad	Good	44	O <sub>3</sub> , PM <sub>10</sub> , NO <sub>2</sub>	6

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Jind, Jorapokhar, Kalaburgi, Kohima, Navi Mumbai, Panchkula, Rupnagar, Shillong, Talcher, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Satisfactory	58	PM <sub>10</sub>	1
50	Jabalpur	Satisfactory	56	PM <sub>10</sub>	1
51	Jaipur	Moderate	102	PM <sub>10</sub>	3
52	Jalandhar	Moderate	108	PM <sub>2.5</sub>	1
53	Jodhpur	Moderate	114	PM <sub>10</sub>	1
54	Kaithal	Satisfactory	96	PM <sub>10</sub>	1
55	Kalyan	Good	47	PM <sub>10</sub>	1
56	Kannur	Good	15	NO <sub>2</sub>	1
57	Kanpur	Satisfactory	86	PM <sub>2.5</sub>	1
58	Karnal	Satisfactory	89	PM <sub>2.5</sub>	1
59	Katni	Satisfactory	78	PM <sub>10</sub>	1
60	Khanna	Moderate	101	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Jind, Jorapokhar, Kalaburgi, Kohima, Navi Mumbai, Panchkula, Rupnagar, Shillong, Talcher, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kochi	Satisfactory	61	со	1
62	Kolkata	Good	39	PM <sub>10</sub> , CO, O <sub>3</sub>	7
63	Kollam	Satisfactory	66	со	1
64	Kota	Satisfactory	83	PM <sub>10</sub>	1
65	Kozhikode	Good	23	PM <sub>10</sub>	1
66	Kurukshetra	Moderate	113	PM <sub>10</sub>	1
67	Lucknow	Moderate	145	PM <sub>2.5</sub>	4
68	Ludhiana	Satisfactory	92	PM <sub>10</sub>	1
69	Maihar	Good	46	PM <sub>2.5</sub>	1
70	Mandi Gobindgarh	Moderate	141	PM <sub>2.5</sub>	1
71	Mandideep	Good	38	PM <sub>2.5</sub>	1
72	Mandikhera	Satisfactory	100	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Jind, Jorapokhar, Kalaburgi, Kohima, Navi Mumbai, Panchkula, Rupnagar, Shillong, Talcher, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manesar	Moderate	176	PM <sub>2.5</sub>	1
74	Meerut	Moderate	176	PM <sub>2.5</sub> , PM <sub>10</sub>	3
75	Moradabad	Poor	212	PM <sub>2.5</sub>	1
76	Mumbai	Good	39	CO, PM <sub>10</sub> , SO <sub>2</sub>	7
77	Muzaffarnagar	Moderate	171	PM <sub>2.5</sub>	1
78	Muzaffarpur	Satisfactory	56	O <sub>3</sub>	2
79	Mysuru	Good	20	O <sub>3</sub>	1
80	Nagpur	Satisfactory	70	O <sub>3</sub>	1
81	Nandesari	Moderate	122	СО	1
82	Narnaul	Moderate	135	PM <sub>10</sub>	1
83	Nashik	Good	20	PM <sub>10</sub>	1
84	Noida	Moderate	161	PM <sub>2.5</sub> , PM <sub>10</sub>	4

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Jind, Jorapokhar, Kalaburgi, Kohima, Navi Mumbai, Panchkula, Rupnagar, Shillong, Talcher, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pali	Moderate	105	PM <sub>10</sub>	1
86	Palwal	Moderate	102	PM <sub>10</sub>	1
87	Panipat	Moderate	168	PM <sub>10</sub>	1
88	Patiala	Moderate	102	PM <sub>10</sub>	1
89	Patna	Satisfactory	51	PM <sub>2.5</sub> , O <sub>3</sub>	5
90	Pithampur	Satisfactory	70	PM <sub>10</sub>	1
91	Pune	Good	45	СО	1
92	Rajamahendravaram	Good	49	O <sub>3</sub>	1
93	Ramanagara	Good	24	SO <sub>2</sub>	1
94	Ratlam	Satisfactory	66	SO <sub>2</sub>	1
95	Rohtak	Satisfactory	55	PM <sub>2.5</sub>	1
96	Sagar	Good	40	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Jind, Jorapokhar, Kalaburgi, Kohima, Navi Mumbai, Panchkula, Rupnagar, Shillong, Talcher, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Satna	Satisfactory	66	PM <sub>10</sub>	1
98	Siliguri	Good	29	PM <sub>10</sub>	1
99	Singrauli	Satisfactory	73	PM <sub>10</sub>	1
100	Sirsa	Satisfactory	89	PM <sub>2.5</sub>	1
101	Solapur	Good	41	PM <sub>10</sub>	1
102	Sonipat	Moderate	167	PM <sub>10</sub>	1
103	Thane	Satisfactory	53	PM <sub>10</sub>	1
104	Thiruvananthapuram	Good	46	CO, PM <sub>10</sub>	2
105	Tirupati	Good	32	СО	1
106	Udaipur	Satisfactory	56	со	1
107	Ujjain	Moderate	186	O <sub>3</sub>	1
108	Vapi	Good	38	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Jind, Jorapokhar, Kalaburgi, Kohima, Navi Mumbai, Panchkula, Rupnagar, Shillong, Talcher, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Varanasi	Satisfactory	87	PM <sub>10</sub>	1
110	Vatva	Moderate	102	PM <sub>10</sub>	1
111	Visakhapatnam	Good	41	PM <sub>10</sub>	1
112	Yamunanagar	Moderate	164	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Jind, Jorapokhar, Kalaburgi, Kohima, Navi Mumbai, Panchkula, Rupnagar, Shillong, Talcher, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.