

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	50	PM ₁₀	1
2	Agra	Satisfactory	60	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	59	NO ₂ , PM ₁₀ , CO	9
4	Ajmer	Good	47	PM ₁₀	1
5	Alwar	Satisfactory	56	PM ₁₀	1
6	Amaravati	Good	27	PM ₁₀	1
7	Ambala	Satisfactory	55	PM ₁₀	1
8	Amritsar	Good	46	PM ₁₀	1
9	Ankleshwar	Satisfactory	55	PM ₁₀	1
10	Asansol	Satisfactory	66	03	1
11	Aurangabad	Satisfactory	56	со	1
12	Bagalkot	Good	29	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Maihar, Moradabad, Motihari, Nandesari, Pali, Panipat, Shivamogga, Sonipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Satisfactory	62	PM ₁₀	1
14	Bahadurgarh	Satisfactory	76	NO ₂	1
15	Ballabgarh	Satisfactory	69	PM ₁₀	1
16	Bathinda	Satisfactory	71	со	1
17	Bengaluru	Satisfactory	58	PM ₁₀ , CO	9
18	Bhiwadi	Satisfactory	84	PM ₁₀	1
19	Bhiwani	Satisfactory	75	PM _{2.5}	1
20	Bhopal	Good	31	PM ₁₀	1
21	Bidar	Good	46	SO ₂	1
22	Brajrajnagar	Good	43	со	1
23	Bulandshahr	Good	45	03	1
24	Chamarajanagar	Good	37	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Maihar, Moradabad, Motihari, Nandesari, Pali, Panipat, Shivamogga, Sonipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Good	50	O ₃ , CO	2
26	Chandrapur	Good	22	PM ₁₀ , CO	2
27	Charkhi Dadri	Moderate	108	PM ₁₀	1
28	Chennai	Satisfactory	58	PM ₁₀	7
29	Chikkaballapur	Good	35	PM ₁₀	1
30	Chikkamagaluru	Good	27	PM ₁₀	1
31	Delhi	Satisfactory	79	PM ₁₀ , CO	36
32	Dewas	Good	31	PM ₁₀	1
33	Dharuhera	Satisfactory	75	PM _{2.5}	1
34	Durgapur	Moderate	125	PM ₁₀	1
35	Eloor	Satisfactory	70	со	1
36	Ernakulam	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Maihar, Moradabad, Motihari, Nandesari, Pali, Panipat, Shivamogga, Sonipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Satisfactory	84	O ₃ , PM ₁₀	2
38	Fatehabad	Good	46	O ₃	1
39	Gandhinagar	Good	40	CO, PM _{2.5}	3
40	Gaya	Satisfactory	70	O ₃ , CO	2
41	Ghaziabad	Satisfactory	75	PM ₁₀	4
42	Gorakhpur	Good	25	PM ₁₀	1
43	Greater Noida	Satisfactory	78	PM ₁₀	2
44	Gurugram	Satisfactory	78	PM _{2.5} , PM ₁₀	3
45	Guwahati	Satisfactory	72	SO ₂ , PM ₁₀	2
46	Gwalior	Good	50	PM ₁₀	2
47	Hajipur	Satisfactory	71	со	1
48	Haldia	Good	41	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Maihar, Moradabad, Motihari, Nandesari, Pali, Panipat, Shivamogga, Sonipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Good	49	СО	1
50	Hassan	Satisfactory	90	PM ₁₀	1
51	Hisar	Satisfactory	68	PM _{2.5}	1
52	Howrah	Satisfactory	79	PM ₁₀	2
53	Hubballi	Good	39	PM ₁₀	1
54	Hyderabad	Good	41	NO ₂ , PM ₁₀ , PM _{2.5}	6
55	Indore	Good	35	PM ₁₀	1
56	Jabalpur	Satisfactory	53	со	1
57	Jaipur	Satisfactory	63	CO, PM ₁₀ , O ₃	3
58	Jalandhar	Satisfactory	53	PM ₁₀	1
59	Jind	Good	46	PM ₁₀	1
60	Jodhpur	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Maihar, Moradabad, Motihari, Nandesari, Pali, Panipat, Shivamogga, Sonipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Satisfactory	69	03	1
62	Kalaburgi	Good	30	PM ₁₀	1
63	Kannur	Satisfactory	51	PM _{2.5}	1
64	Kanpur	Satisfactory	52	NO ₂ , O ₃ , PM ₁₀	4
65	Karnal	Satisfactory	81	PM ₁₀	1
66	Katni	Good	32	PM ₁₀	1
67	Khanna	Satisfactory	54	PM ₁₀	1
68	Kochi	Good	38	СО	1
69	Kohima	Good	37	SO ₂	1
70	Kolar	Good	46	SO ₂	1
71	Kolkata	Satisfactory	71	PM ₁₀ , O ₃	6
72	Kollam	Satisfactory	100	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Maihar, Moradabad, Motihari, Nandesari, Pali, Panipat, Shivamogga, Sonipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	54	со	1
74	Kota	Satisfactory	56	PM ₁₀	1
75	Kozhikode	Satisfactory	55	со	1
76	Kurukshetra	Good	48	PM ₁₀	1
77	Lucknow	Satisfactory	57	PM ₁₀ , CO, NO ₂	6
78	Ludhiana	Satisfactory	62	PM ₁₀	1
79	Mandi Gobindgarh	Good	30	со	1
80	Mandideep	Good	20	PM ₁₀	1
81	Mandikhera	Satisfactory	51	PM ₁₀	1
82	Manesar	Satisfactory	54	PM ₁₀	1
83	Manglore	Good	37	SO ₂	1
84	Medikeri	Good	26	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Maihar, Moradabad, Motihari, Nandesari, Pali, Panipat, Shivamogga, Sonipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Satisfactory	54	PM ₁₀ , O ₃ , CO	3
86	Mumbai	Good	49	PM ₁₀ , CO, NO ₂	19
87	Muzaffarnagar	Satisfactory	71	СО	1
88	Muzaffarpur	Good	46	PM ₁₀ , CO	2
89	Mysuru	Good	50	03	1
90	Nagpur	Satisfactory	73	со	1
91	Naharlagun	Good	41	SO ₂	1
92	Narnaul	Satisfactory	84	PM _{2.5}	1
93	Nashik	Good	23	PM ₁₀	1
94	Navi Mumbai	Good	39	CO, PM ₁₀	3
95	Noida	Satisfactory	71	CO, PM ₁₀	4
96	Palwal	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Maihar, Moradabad, Motihari, Nandesari, Pali, Panipat, Shivamogga, Sonipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Good	48	03	1
98	Patiala	Good	37	PM ₁₀	1
99	Patna	Satisfactory	73	PM ₁₀ , PM _{2.5}	5
100	Pithampur	Satisfactory	65	PM ₁₀	1
101	Prayagraj	Good	46	PM ₁₀	3
102	Puducherry	Good	43	PM ₁₀	1
103	Pune	Satisfactory	57	CO, PM _{2.5}	6
104	Raichur	Good	43	PM ₁₀	1
105	Rajamahendravaram	Good	46	PM ₁₀	1
106	Ramanagara	Good	36	PM ₁₀	1
107	Ratlam	Good	17	PM _{2.5}	1
108	Rohtak	Satisfactory	96	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Maihar, Moradabad, Motihari, Nandesari, Pali, Panipat, Shivamogga, Sonipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rupnagar	Moderate	102	PM ₁₀	1
110	Sagar	Good	22	NO ₂	1
111	Satna	Good	47	PM ₁₀	1
112	Shillong	Good	14	SO ₂	1
113	Siliguri	Good	44	PM ₁₀	1
114	Singrauli	Satisfactory	59	PM ₁₀	1
115	Sirsa	Good	47	PM ₁₀	1
116	Solapur	Good	44	СО	1
117	Srinagar	Moderate	123	PM ₁₀	1
118	Talcher	Satisfactory	63	со	1
119	Thiruvananthapuram	Good	36	O ₃ , CO	2
120	Thoothukudi	Satisfactory	51	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Maihar, Moradabad, Motihari, Nandesari, Pali, Panipat, Shivamogga, Sonipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thrissur	Satisfactory	60	O ₃	1
122	Tirupati	Good	37	со	1
123	Udaipur	Good	45	PM ₁₀	1
124	Udupi	Satisfactory	94	со	1
125	Ujjain	Good	45	PM ₁₀	1
126	Vapi	Good	35	PM ₁₀	1
127	Varanasi	Satisfactory	54	PM ₁₀	4
128	Vatva	Satisfactory	68	PM ₁₀	1
129	Vijayapura	Satisfactory	55	со	1
130	Visakhapatnam	Satisfactory	69	PM ₁₀	1
131	Vrindavan	Satisfactory	58	PM ₁₀	1
132	Yadgir	Good	26	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Maihar, Moradabad, Motihari, Nandesari, Pali, Panipat, Shivamogga, Sonipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.